


Computer Cables and Accessories at Wholesale Prices



Mobile Accessories
Page 3



Adapters & Connectors
Page 12



Flat TV Mounts
Page 7



HDMI Cables
Page 27



USB Cables
Page 49



Power Cords
Page 45



Wall Plates, Keystone Jack
Page 29



CAT5E / CAT6 Cables
Page 38



Audio Adapters
Page 15

100% Satisfaction • Same Day Shipping • Custom Products
Lifetime Warranty on All Cables and Non Electronics Products

www.sfcable.com

1-888-275-8755

**Over 8,000 Products
and Growing
visit
www.sfcable.com
Today!**

Accessories 3

Add-on Card	11
Bluetooth Headset.....	5
Cable Ties	6
Cellphone Adapter.....	3
Cellphone Battery.....	4-5
Cellphone Case.....	3
Cellphone Charger	3, 5
Cellphone Data Cable	5
HDMI / IR Extender	49
iPad Case	3
Flat TV Mount.....	7-11
Keyboard & Mouse.....	6
RF Modular, Selector	6
VGA Booster	21

Adapters & Connectors..... 12

Gender Changer	12
D-Sub Pin and Hoods.....	14
DVI / DisplayPort / HDMI.....	12-13
Firewire Adapter	14
Keyboard / Mice Adapter	11
Null Modem Adapter	13
Serial Adapter	12

Audio / Video.....15

2.5mm / 3.5mm / 1/4" Cable ...	17
Audio Adapter	15
Audio Connector	15-16
Audio Splitter.....	16
BNC Coaxial Cable	20
Component Video Cable.....	19
Digital Optical Cable.....	20
F Type Coaxial Cable	20
RCA Cable	18-19
S-Video Cables.....	19
Speaker Wire	18
TV Signal Splitters.....	17
XLR Microphone Cable.....	18

Bulk Wire.....20

CAT5E / CAT6 / CAT6A	21
Coax Wire	20
Composit Wire	21
Speaker Wire	18

Cables.....21

DB9, DB25 Serial Cable	23
DB15 Cable	23
DB37 Cable	23
Null Modem Cable-DB9, DB25.....	24
DisplayPort Cable	26
DVI Cable	26-27
HD15 to BNC Cable	28
HDMI Cable	27
IEEE-488 CN24 Cable	25
IEEE-1394 Firewire Cable	25
Internal Power Cable.....	28
Keyboard / Mouse Cable	25
KVM Cable	22
Printer Cable.....	24
Serial ATA Power Cable	28
VGA, SVGA Monitor Cable	21-22

Networking 29

10/100 Base T Network Splitter.....	32
Cable Management	36
CAT5E / CAT6 RJ45 Boot	29
CAT5E Cable.....	38-39
CAT6 Cable.....	39-40
CAT6A Cable	40-41
CAT5E / CAT6 RJ45 Modular Plug	30
Fiber Adapters & Connectors.....	41
Fiber Optics Cable.....	42-43
In-Line Coupler	31-32
Keystone Jack & Module	29
Keystone Snap-in Coupler	32
Media Converter	33
Modular Adapter	31
Mounting Hinge	36
Network USB Server	33
Patch Panel.....	36-37
Phone Cable	41
POE	37
RG58 BNC Coaxial Cable.....	41
Space Blank Panel.....	36
Surface Mount Jack	32
Unmanaged Switch	37
Wall Plate	30-31

Tools & Testers.....34

Crimping Tool	34
Compression Connector	34
Cutter / Stripper	34
D-Sub Pin Insertion	34
Modular Crimping Tool.....	34
Network Tester	34-35
Network Tool Kit.....	35
Punch Down Tool	34

Power Cords & Surge.....44

Power Cord Splitter	44
Computer Power Cord	44
Power Extension Cord	44-45
Monitor Power Adapter Cord	45
Universal US Power Cord	45
International Power Cord	45-46
3 Outlet Power Extension Cord	46
Power Strip	49
Prime Wire Cable	47
Power Plug Adapter	47-48

USB.....49

USB 2.0 Cable.....	49-50
USB 3.0 Cable	49-50
USB Data Transfer Cable.....	51
USB Extender.....	52
USB Adapter	51-52, 55
USB Hub & Switch.....	53-54
USB Memory Card Reader	55

Security.....56

CCTV Cable	56
Active Balun	56
Passive Balun	56-57
Standard CCTV Camera	57
IR Camera	58
IP Camera	58
Dome Camera	59
DC Cord Adapters	59
Enclosure & Bracket	59

sfcable.com

Established in 2002, SF Cable specializes in providing high quality cables, components and accessories for consumer electronics at wholesale prices. Our product catalog currently includes thousands of computer cables and accessories, home theater products, security products, mobile smart-phone accessories as well as Apples iPhone and iPad accessories. To lessen the environmental impact, the majority of the products we sell are in RoHS compliant.

Our strategy is to eliminate the high costs of middlemen mark-up by purchasing directly from ISO 9001-2000 registered manufacturers in large volumes and pass on the saving to our customers. SF Cable ensure customer satisfaction by pricing our quality products as closely as possible to the wholesale cost.

**Shop with
Confidence**

- ▶ 30 Day Money Back Guarantee
- ▶ No Restocking Fee
- ▶ 100% Safe SSL Encrypted Shopping
- ▶ Lifetime Warranty on All Cables and Non-Electronic Products

Ordering Made Easy!

We offer several convenient ways to place your orders



Online

www.sfcable.com

- Secure 24/7 online ordering
- Real time product availability & pricing
- Order history & tracking information
- No minimum orders



Toll-Free:

1-800-275-8755

International Sales

510-264-9988

• Mon-Fri 8am-5pm PST



Email:

orders@sfcable.com

- Email your orders
- You will receive a confirmation that your order was received.



Fax

1-510-264-9989

- Fax your orders



Mail Orders

SF Cable, Inc
28300 Industrial Blvd Ste F,
Hayward, CA 94545

Live Help
www.sfcable.com



CELLPHONE ADAPTERS

Part No	Description	Price
SF-DCAC-02	DC to AC USB	4.95
SF-ADEU-01	European Adapter	3.95
SF-ADUSB-03	Universal USB Travel Adapter	4.95
SF-ADCAR-04	USB Car Adapter Combo (for home and car)	4.95
SF-ADCAR-05	USB Car Adapter	3.95
SF-ADCAR-06	USB Car Adapter for iPhone 3G/3GS/4G	4.95
SF-ADCAR-07	USB Car Wall Adapter	5.95
SF-ADCAR-08	USB Micro Car Adapter Color option:	5.95
SF-ADCAR-09	USB Mini Car Adapter Color option:	4.95
SF-ADCAR-10	USB Power Adapter for iPhone 3G/3GS/4G Color option:	5.95
SF-ADUSB-04	USB Wall Adapter	4.95
SF-ADUSB-05	USB Wall Mini Adapter Color option:	6.95
SF-ACDC-01	AC to DC Charger (110-220V)	3.95
SF-ADUSB-01	High Ampere USB Travel Adapter for iPhone, iPod (100-240V)	5.95
SF-ADCAR-11	3 in 1 Dynamic Charger with USB Cable for Blackberry	9.95
SF-ADCAR-12	3 in 1 Blackberry Color option:	9.95
SF-ADCAR-13	4 in 1 Charger Kit for iPhone 3GS, 4, V9, V3	11.95
SF-ADCAR-14	Amzer® 3500 mAh Battery Backup Solar Charger	9.95
SF-ADCAR-15	Mini 3 in 1 Charger for iPhone 3G 3GS 4 4S	9.95
SF-STL-01	For iPad iPhone Stylus Color option:	3.75



iPad Travel USB Power Adapter 10W
 Compatible with iPhone iPod Touch iPod Nano iPod Classic iPod Shuffle iPod with Video iPod Mini iPod with Color Display
 SF-ADUSB-02 **5.95**

CELLPHONE CASES

Part No	Description	Price
SF-CS-01	Full Diamond Design Silver for iPhone 3G / 3GS	7.95
SF-CS-02	Hybrid Case for iPhone 3G / 3GS	3.95
SF-CS-03	Iphone3G/3GS Combo Case	4.95
SF-CS-04	Screen Protector Antiglare / Matte for iPhone 3G / 3GS	3.95
SF-CS-05	Silicon Skin Baseball Design for iPhone 3G/3GS	3.95
SF-CS-06	Silicon Skin Solid Color for iPhone 3G/3GS	3.50
SF-CS-07	iPhone 4 4S Robot Box with Kick Stand	7.50
SF-CS-08	iPhone 4 4S Aluminium Skin	13.95
SF-CS-09	Iphone 4 Single Line Diamonds Silver Face	5.95
SF-CS-10	Silicon Skin Solid Color for iPod Touch 4	3.95



IPAD



**** Many iPad Case Style and Color Available ****

Part No	Description	Price
SF-IPAD-01	Leather Case for iPad Color option:	15.95
SF-IPAD-02	Pouch for iPad 2 Color option:	15.95
SF-IPAD-03	TPU Case with Kick Stand for iPad 2 Color option:	11.95
SF-IPAD-04	Silicon Skin with for iPad 2 Color option:	11.95
SF-IPAD-05	Full Diamond Design for iPad 2	17.95
SF-HLD-01	Car Holder for Cellphones	10.95
2400-SF-04	Gel Earbud Earphone 3.5mm Plug	5.95
2029-SF-27	Cleaning Solution Kit for LCD Screen	6.95
5026-SF-68	iPad Stand	7.59
4201-SF-09	Neoprene Sleeve for Apple iPad Black	16.35

BATTERIES FOR BLACKBERRY



Part No	Description	Price
SF-BLK-01	Battery for BlackBerry 8520/8530	12.95
SF-BLK-02	Battery for BlackBerry 8700C 8530 87008700F 8700G 8703 8300 8320 8330 8520 7100I 7105T 7130E	12.95
SF-BLK-03	Battery for BlackBerry 9000 Compatible with BlackBerry 9700 MS1	12.95
SF-BLK-04	Battery for BlackBerry F-S1 Extended with Black Door	20.95
SF-BLK-05	Battery for BlackBerry 8700 (A Stock)	12.95
SF-BLK-06	Battery for BlackBerry C-M2 (A Stock)	12.95
SF-BLK-07	Battery for BlackBerry C-S2 (A Stock)	12.95
SF-BLK-08	Battery for BlackBerry C-CX2 (A Stock)	12.95
SF-BLK-09	Battery for BlackBerry DX-1 8900,9530,9550,9630 (Original)	13.95

BATTERIES FOR CRICKET



Part No	Description	Price
SF-BBA-01	A200, A210, A300 , A310 A Stock	10.95
SF-BBA-02	Battery A Stock for Huawei M750 Tap HB5A2H	10.95
SF-BBA-04	Blackberry 8530 Curve, 8310, 830, 7100, 7006, 7105T A Stock	12.95
SF-BBA-05	Battery for TXT M8 4G	12.95
SF-BBA-06	Kyocera Domino S1310 A Stock	10.95
SF-BBA-07	Kyocera Rio	8.95
SF-BBA-08	LG Optimus MS 690 A Stock Battery	10.95
SF-BBA-09	Samsung Messenger Touch	10.95
SF-BBA-10	Samsung Stunt R100	10.95
SF-BBA-11	Sanyo ZIO M6000	10.95
SF-BBA-12	VE465 Motorola	10.95

BATTERIES FOR LG



Part No	Description	Price
SF-LG-01	Battery for LG Banter / AX265 / RUMOR2 / XENON / VUPLUS / TRITAN	12.95
SF-LG-02	Battery for LG CU920 AND VU CU915 580A	12.95
SF-LG-03	Battery for LG ESTEEM MS910 BF-45FN	12.95
SF-LG-04	Battery for LG HELIX UX310 VX5400 VX5500 VX8350 VX8360 LGIP-520	12.95
SF-LG-05	Battery for LG NEON GT365 330GP	12.95
SF-LG-06	Battery for LG Optimus 2	12.95
SF-LG-07	Battery for LG Optimus 2 G2X P999 FL-53HN	12.95
SF-LG-08	Battery for LG Optimus/Apex/US740/Expo GW820	12.95
SF-LG-09	Battery for LG VX 11000 AHLM	12.95
SF-LG-10	Battery for LG VX9200/enV3/LGLP AHMM	12.95
SF-LG-11	Battery Original for LG CU 720, CF 360 430G	10.95
SF-LG-12	Extended Battery for LG Esteem M910 Bryce	20.95
SF-LG-13	Extended Battery for LG Optimus 2X P990 3D P920	20.95
SF-LG-14	Extended Battery for LG Optimus MS690 with silver door	20.95
SF-LG-17	Battery for LG IMPRINT MN 240 430N (A Stock)	11.95
SF-LG-18	Battery for LG OPTIMUS MS 690 (A Stock)	11.95
SF-LG-19	Battery for LG Shine 2 Sentio 570N	12.95

BATTERIES FOR MOTOROLA



Part No	Description	Price
SF-M-01	Battery for Motorola Q phones	9.95
SF-M-02	Battery for Motorola Backflip BN80	12.95
SF-M-03	Battery for Motorola CLIQ/CLIQ XT/DROID	12.95
SF-M-04	Battery for Motorola Devour A555	11.95
SF-M-05	Battery for Motorola Droid X BH-6X	12.95
SF-M-06	Battery for Motorola Droid X MB810.(BH-5X)	12.95
SF-M-07	Battery for Motorola i365/V60	12.95
SF-M-08	Extended Battery for Motorola ATRIX 4G BH-6X with Door	20.95
SF-M-09	Extended Battery for Motorola DEFY	20.95
SF-M-10	Extended Battery for Motorola Droid X	20.95
SF-M-11	Battery for Motorola Triumph WX435 FBO-2	12.95

Daily Deals

▶ Check our website for great deals
www.sfcable.com

**SF Cable Guarantees
and Warranties on our Products**
30 Day Unconditional Guarantee

You may return any products purchased within 30 days for a full refund, credit or replacement.

BATTERIES FOR SAMSUNG



Part No	Description	Price
SF-SAM-01	Batteries for Samsung Admire R720 Vitality	13.95
SF-SAM-02	Batteries for Samsung CHRONO R260 AB463446BA	13.95
SF-SAM-03	Batteries for Samsung My Shot R210 R200 M3200 AB463446BU	13.95
SF-SAM-04	Batteries for Samsung A117, A226, A303, M300 phones and more	13.95
SF-SAM-05	Batteries for Samsung A177 Magnet A257 A777 Trill R520 T636 T639 T	13.95
SF-SAM-06	Extended Batteries for Samsung Admire R720 EB504465LA with Red Door	20.95
SF-SAM-06	Batteries for Samsung ZZCaliber R850/R860/ SUEDE R710	13.95
SF-SAM-07	Extended Batteries for Samsung Fascinate i500 with Door	20.95
SF-SAM-08	Extended Batteries for Samsung Galaxy S2 T989 with Black Door	20.95

CELLPHONE CHARGERS



Part No	Description	Price
SF-PWR-01	DC to AC Converter	5.95
SF-PWR-02	Samsung A660 Travel Charger Compatible with audiovox 8900 Kyocer	3.95
SF-PWR-03	Car Charger for Nokia 3310 7210	3.95
SF-PWR-04	Travel Charger for K750	3.95
SF-PWR-05	Travel Charger for iPhone	3.95
SF-PWR-06	Travel Charger for i730	3.95
SF-PWR-07	Travel Charger for Nokia	3.95
SF-PWR-08	Car Charger for i730-SH	3.95
SF-PWR-09	Car Charger for K730-SH	3.95
SF-PWR-10	Car Charger for iPhone 3G/4	3.95
SF-PWR-11	Travel Charger for V9	3.95
SF-PWR-12	Travel Charger for SAM M300	3.95
SF-PWR-13	Travel Charger for V3	3.95
2029-SF-10	iPod USB Charger Cigaret Lighter	5.95

DATA CABLES



Part No	Description	Price
SF-CBL-01	3.5mm to 3.5mm Auxiliary Cable	3.50
SF-CBL-02	3.5mm to 3.5mm Auxiliary Cable	3.50
SF-CBL-04	iPhone USB Data Cable	4.95
2029-SF-36	3Ft USB to Apple Dock Cable	3.95
SF-CBL-05	USB 2.0 Data Cable for iPhone 3G,4G	5.50
SF-CBL-06	USB 2.0 Data Cable for 8500	4.50
SF-CBL-07	USB 2.0 Data Cable for Motorola V3	4.50
SF-CBL-08	Blackberry V8 Data cable	3.95

BLUETOOTH HEADSET / ACCESSORIES



Part No	Description	Price
SF-BLU-01	Bluetooth headset LG HBM-230	19.95
SF-BLU-02	Bluetooth headset JABRA BT 2070	21.95
SF-BLU-03	Bluetooth headset LG DECOY	19.95
SF-BLU-04	Bluetooth headset Motorola H690	24.95
SF-BLU-05	Bluetooth headset Nokia BH102 for Metro PCs	21.95
SF-BLU-06	Bluetooth headset Plantronics Explorer	21.95
SF-BLU-07	Bluetooth headset Samsung WEP450	21.95

BATTERIES FOR IPHONE



Part No	Description	Price
SF-BBA-25	Battery for iPhone 3G/3GS	12.95
SF-BBA-26	Battery for iPhone 4/4S	12.95
SF-BBA-27	Battery for HTC Google 1	12.95

We offer over 1,000 different Mobile Smart-Phone and Ipad Accessories
www.sfcable.com

CABLE TIES

400-604CL



2207-SF-01



400-806



400-858

Part No	Description	Price
400-604CL	3.9" Marker Cable Tie 100 pcs	3.30
400-605CL	4" Marker Cable Tie 100 pcs	3.42
400-606CL	6" Marker Cable Tie 100 pcs	6.30
400-608CL	8" Marker Cable Tie 100 pcs	8.50
2207-SF-01	Nail-in Ethernet/RG59 Clip 100pk	2.09
2207-SF-03	Nail-in Security/Speaker Wire Clip	2.09
2207-SF-04	Nail-in RG6 Clip 100pk (8.0mm)	2.09
400-806	6" Cable Tie 18lbs 100 pcs	2.15
400-812	12" Cable Tie 40lbs 100 pcs	6.13
400-815	15" Cable Tie 40lbs 100 pcs	7.13
73CT-A4	4" Nylon Cable Tie 18lbs 100 pcs	2.25
73CT-A8	8" Nylon Cable Tie 40lbs 100 pcs	3.85
2206-SF-02	6" Releasable Cable Tie 40lbs	4.50
2209-SF-01	6" Velcro Strap 1/2" Width 50pcs	7.32
2209-SF-02	9" Velcro Strap 1/2" Width 50pcs	9.26
2209-SF-03	12" Velcro Strap 1/2" Width 50pcs	12.03
400-858	8" Hook & Loop Wire Ties 10 pcs	6.25
2208-SF-01	6" Wall Mountable Cable Tie 100pc	5.13
2208-SF-02	8" Wall Mountable Cable Tie 100pc	6.25

KEYBOARDS & MICE

Full Size Flexible USB Keyboard

- Dustproof / Waterproof / Washable
- Dimensions: 16.5" x 5.5" x 0.5"
- Color Option: Blue, Pink



3102-SF-18 **13.95**

Mid Size Flexible USB Keyboard

Lightweight, slim, and compact, this keyboard is perfect for travel, school, or any work environment. It fits easily in your briefcase or backpack. The keyboard can be cleaned with water, alcohol or disinfectant to help prevent the spread of the disease and germs.

- 109Key midsize keyboard
- Dimensions: 15.75" x 5.1" x 0.36"
- Dustproof / Waterproof / Washable



3102-SF-19 **12.52**



3001-SF-12



3001-SF-16



Part No.	Description	Price
3001-SF-12	USB Optical Scroll Mouse	5.90
3001-SF-16	2.4GHz Wireless Mouse	15.00

RF MODULAR, SELECTOR

Audio Video (3RCA) Input Selector

- Video
 - Input Level Resistance: VS 0.8-1.0Vp-p/75ohm
 - Output Level Resistance: VS 0.8-1.0Vp-p/75ohm
- Audio
 - Input Level Resistance: 2V(RMS)/47Kohm
 - Output Level Resistance: 2V(RMS)/1Kohm
 - Switch: Manual



2903-SF-09



2903-SF-10

Part No	Spec	Price
2903-SF-09	2 Way	11.95
2903-SF-10	4 Way	13.95

3 Way Audio Video (3RCA) Input Selector

- Input 3 RCA (video + 2-audio)
- Output : 3 RCA (video + 2-audio)

2903-SF-05 **8.50**



4 Way 3RCA/S-Video Input Selector

- Input 3 RCA/S-Video
- No power required
- Output: 3xRCA/S-Video and 3.5mm Stereo Jack

2903-SF-06 **15.14**



RF Modulator

- Input: Audio Video (3 RCA), S-Video, Antenna (F connector)
- Impedance selection: 75 and 1K ohm
- Channel selection: 3 and 4

2903-SF-15 **19.05**



4 Way Audio Video Input Selector with Remote

- Input: Audio Video (3 RCA) or S-Video X 4
- Power: AC110V
- Remote Control Selection
- Output: Video (3 RCA) or S-Video

2903-SF-03 **24.95**




ANTENNAS

Outdoor HDTV Yagi Antenna w/Motor Rotor




- Reception: VHF/UHF/FM
- Reception range: 120miles
- Built-in 360 degree motor rotor
- Wireless remote controller for rotor (included)
- Dual TV Outputs
- Easy Installation
- High Sensitivity Reception
- Built-in Super Low Noise Amplifier
- Power : AC15V 300mA






WA-2605 **44.95**



FLAT TV BRACKETS - SMALL TO MID SIZE (10" ~ 32") FLAT TV WALL MOUNTS

	Item No	 Screen Size Load	 TV hole pattern	 Tilt	 Swivel	 Wall to TV	Price
	5026-SF-78 WLA021S	10 ~ 24 inch 35 lbs (15kg)	Mini 50 x 50mm Max 100 x 100mm (W) x (H)	Fixed	Fixed	0.59 inch (15mm)	6.95
	5026-SF-79 WLA022S	14 ~ 32 inch 77lbs (13kg)	Mini 50 x 50mm Max 200 x 200mm (W) x (H)	Fixed	Fixed	0.59 inch (15mm)	12.95
	5026-SF-40 LCD-201TA	10 ~ 32 inch 66lbs (30kg)	50 x 50mm 75 x 75mm 100 x 100mm 200 x 200mm	0° Up 15° Down	Fixed	1.97 inch (50mm)	13.27
	5026-SF-03 LCD-103	10 ~ 23 inch 33lbs (15kg)	75 x 75mm 100 x 100mm	45° Up 45° Down	90° Left 90° Right	2.17 ~ 2.95 inch (55 ~ 75mm)	17.28
	5026-SF-02 LCD-102	10 ~ 23 inch 33LBS (15kg)	75 x 75mm 100 x 100mm	45° Up 45° Down	90° Left 90° Right	1.97 ~ 9.45 inch (50 ~ 240mm)	19.36
	5026-SF-01 LCD-101	10 ~ 23 inch 33lbs (15kg)	75 x 75mm 100 x 100mm	45° Up 45° Down	90° Left 90° Right	1.97 ~ 14.57 inch (50 ~ 370mm)	19.75
	5026-SF-29 LCD-131	10 ~ 23 inch 33lbs (15kg)	75 x 75mm 100 x 100mm	30° Up 30° Down	90° Left 90° Right	5.04 ~ 19.21 inch (128 ~ 488mm)	33.95
	5026-SF-04 LCD-401B	10 ~ 30 inch 66lbs (30kg)	50 x 50mm 75 x 75mm 100 x 100mm	20° Up 20° Down	45° Left 45° Right	3.54 inch (90mm)	12.95
	5026-SF-05 LCD-403B	10 ~ 30 inch 66lbs (30kg)	50 x 50mm 75 x 75mm 100 x 100mm	20° Up 20° Down	90° Left 90° Right	3.94 ~ 17.72 inch (100 ~ 450mm)	19.95
	5026-SF-06 LCD-403B	10 ~ 30 inch 66lbs (30kg)	50 x 50mm 75 x 75mm 100 x 100mm	20° Up 20° Down	90° Left 90° Right	3.94 ~ 17.72 inch (100 ~ 450mm)	19.95
	5026-SF-11 LCD-401AB	10 ~ 30 inch 66 lbs (30kg)	Min 50 x 50mm 75 x 75mm 100 x 100mm Max 200 x 200mm (W) x (H)	20° Up 20° Down	45° Left 45° Right	3.54 inch (90mm)	15.95

FLAT TV BRACKETS - SMALL TO MID SIZE (10" ~ 32") FLAT TV WALL MOUNTS

	Item No	 Screen Size Load	 TV hole pattern	 Tilt	 Swivel	 Wall to TV	Price
	5026-SF-12 LCD-403AB	10 ~ 30 inch 66 lbs (30kg)	50 x 50mm 75 x 75mm 100 x 100mm 200 x 200mm	20° Up 20° Down	45° Left 45° Right	3.54 ~ 17.72 in (100 ~ 450mm)	22.95
	5026-SF-51 LCD-153	10 ~ 23 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm	15° Up 15° Down	90° Left 90° Right	3.78 inch (96mm)	14.81
	5026-SF-50 LCD-152	10 ~ 23 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm	15° Up 15° Down	90° Left 90° Right	3.78 ~ 9.88 in (96 ~ 251mm)	17.96
	5026-SF-49 LCD-151	10 ~ 23 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm	15° Up 15° Down	90° Left 90° Right	3.78 ~ 17.95 in (96 ~ 456mm)	22.95
	5026-SF-54 LCD-152A	10 ~ 32 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm 200 x 100mm 200 x 200mm	15° Up 15° Down	90° Left 90° Right	3.78 inch (196mm)	15.59
	5026-SF-53 LCD-151A	10 ~ 32 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm 200 x 100mm 200 x 200mm	15° Up 15° Down	90° Left 90° Right	3.78 ~ 9.88 in (96 ~ 251mm)	20.95
	5026-SF-52 LCD-201S	10 ~ 32 inch 33lbs (15kg) <i>Lockable</i>	75 x 75mm 100 x 100mm 200 x 100mm 200 x 200mm	20° Up 20° Down	90° Left 90° Right	3.78 ~ 17.95 in (96 ~ 456mm)	24.95
	5026-SF-62 LCD-T10	10 ~ 23 inch 33lbs (15kg)	75 x 75mm 100 x 100mm	30° Up 30° Down	30° Left 30° Right		112.95

PROJECTOR , SPEAKER MOUNTS / STANDS

Speaker Mount 2Pcs/Set , SB-20

- Wall mounting & Ceiling mounting adjustable
 - Max Load 10lbs
 - Material: Plastic
- 5029-SF-02 **8.98**



Speaker Mount 2Pcs/Set , SB-01

- Max Load 22lbs
 - Material: Steel
 - Wall mounting & Ceiling mounting adjustable
- 5029-SF-01 **20.95**







Project Ceiling Mount, PRB-10

- Ceiling to projector distance: 575 to 825mm (22.6" ~ 32.5")
 - Tilt: -20° to +20°
 - Max Load: 44lbs (20kg)
- 5026-SF-64 **34.95**

Projector Ceiling Mount, PRB-1

- Max Load 22lbs (10kg)
 - Material: Aluminum
 - Ceiling Profile: 80 or 170mm (3.15" or 6.7")
- 5027-SF-00 **22.95**

FLAT TV BRACKETS - MID TO LARGE SIZE (23" ~ 63") FLAT TV WALL MOUNTS

	Item No	 Screen Size Load	 TV hole pattern	 Tilt	 Swivel	 Wall to TV	Price
	5026-SF-69 WLT102S	22 ~ 42 inch 77 lbs (35kg)	Min 50 x 50mm to Max 450 x 300mm (W) x (H)	5° Up 15° Down	Fixed	2.36 inch (60mm)	22.95
	5026-SF-47 PA-924	23 ~ 37 inch 88 lbs (40kg)	Min 75 x 75mm to Max 420 x 237mm (W) x (H)	0° Up 10° Down	90° Left 90° Right	3.74 ~ 22.64 inch (95 ~ 575mm)	44.62
	5026-SF-74 THN511S	23 ~ 50 inch 66 lbs (30kg)	Min 50 x 50mm to Max 440 x 400mm (W) x (H)	Fixed	Fixed	0.78 inch (20mm)	15.95
	5026-SF-72 WLT102M	32 ~ 50 inch 100lbs (45kg) Lockable	Min 50 x 50mm to Max 650 x 400mm (W) x (H)	5° Up 15° Down	Fixed	2.36 inch (60mm)	25.95
	5026-SF-17 PLB-WA8	32 ~ 50 inch 100lbs (50kg)	Min 75 x 75mm to Max 705 x 500mm (W) x (H)	5° Up 15° Down	90° Left 90° Right	5.91 ~ 28.35 inch (150 ~ 720mm)	75.65
	5026-SF-75 THN511M	26 ~ 60 inch 100lbs (45kg)	Min 50 x 50mm to Max 620 x 400mm (W) x (H)	Fixed	Fixed	0.78 inch (20mm)	16.95
	5026-SF-14 PLB-13	30 ~ 63 inch 165lbs (75kg)	Min 75 x 75mm to Max 780 x 480mm (W) x (H)	Fixed	Fixed	1.26 inch (32mm)	29.59
	5026-SF-26 PLB-WA3D	32 ~ 63 inch 165lbs (75kg) Lockable	Min 75 x 75mm to Max 760 x 480mm (W) x (H)	15° Up 15° Down	30° Left 30° Right	5.32 ~ 24.80 inch (135 ~ 630mm)	77.95
	5026-SF-48 PA-948	10 ~ 32 inch 33lbs (15kg) Lockable	Min 75 x 75mm to Max 820 x 410mm (W) x (H)	0° Up 10° Down	90° Left 90° Right	3.74 ~ 22.64 inch (95 ~ 575mm)	59.95
	5026-SF-71 WLP102L	36 ~ 63 inch 165 lbs (75kg)	Min 50 x 50mm to Max 850 x 600mm (W) x (H)	Fixed	Fixed	1.10 inch (28mm)	23.95

FLAT TV BRACKETS - LARGE TO X-LARGE SIZE (37" ~ 70") FLAT TV WALL MOUNTS


	Item No	Screen Size Load	TV hole pattern	Tilt	Swivel	Wall to TV	Price
	5026-SF-34 PLB-13XL	58 ~ 70 inch 165 lbs (75kg)	Min 75 x 75mm to Max 1110 x 480mm (W) x (H)	Fixed	Fixed	1.26 inch (32mm)	34.95
	5026-SF-35 PLB-13XXL	58 ~ 70 inch 165 lbs (75kg)	Min 75 x 75mm to Max 1110 x 600mm (W) x (H)	Fixed	Fixed	1.26 inch (32mm)	38.95
	5026-SF-32 PLB-14XXL	58 ~ 70 inch 165 lbs (75kg)	Min 75 x 75mm to Max 1110 x 600mm (W) x (H)	0° Up 15° Down	Fixed Fixed	3.15 in (80mm)	39.95

LED TV MOUNTS

	Item No	Screen Size Load	TV hole pattern	Tilt	Swivel	Wall to TV	Price
	5026-SF-63 LCD-01	32 ~ 55 inch 110 lbs (50kg)		Fixed	Fixed		21.95
	5026-SF-76 THN031S	23 ~ 50 inch 77 lbs (35kg)	Min 50 x 50mm to Max 440 x 440mm (W) x (H)	Fixed	Fixed		19.95
	5026-SF-77 THN031M	26 ~ 65 inch 100 lbs (45kg)	Min 50 x 50mm to Max 640 x 640mm (W) x (H)	Fixed	Fixed		20.95
	5027-SF-12 LED-08	13 ~ 70 inch 110 lbs (50kg)	Min 200 x 200mm to Max 800 x 800mm (W) x (H)	Fixed	Fixed		8.29
	5026-SF-36 LED-S02	10 ~ 23 inch 66 lbs (30kg)	Min 75 x 75mm to Max 100 x 100mm (W) x (H)	10° Up 10° Down	Fixed		54.25

ADD-ON CARDS

Part No	Description	Price
A	1505-SF-24 Dual eSATA II Express Card	27.95
B	1504-SF-05 5 Port USB2.0 Expansion Card PCI	12.95
C	3305-SF-05 USB 3.0 2 Port PCI Express with 4pin Power Connector	41.95
D	3304-SF-02 6 CH 3D Sound Card	13.95
E	3305-SF-23 2 Port USB 3.0 PCI Express	37.95
F	3305-SF-21 3.5" USB 3.0 External Enclosure w/ One-Touch Backup	42.95
G	3305-SF-22 USB3.0 to SATA Converter	41.95
H	3305-SF-24 2 Port USB 3.0 PCI Express (x1) Card w/ Intel Internal Connector	39.95
I	3305-SF-25 4 Port USB 3.0 PCI Express Card	44.95
J	3305-SF-26 Dual Port Serial PCI Express Card	53.95
K	3202-SF-19 Dual 2.5" SATA Drive Enclosure	32.95
L	3202-SF-20 2.5" USB 3.0 Enclosure w/Backup	45.95
M	3302-SF-01 Single Parallel PCI Card	21.95
N	3302-SF-02 Low Profile Single Parallel PCI Card	35.95
O	3303-SF-01 Single Serial (DB9) Port PCI Card	21.95
P	3303-SF-02 Dual Serial (DB9) Port PCI Card	25.95
Q	3305-SF-13 4 Port Serial PCI (4x9pin) Card	70.95
R	3305-SF-15 PCI 2Port RS422/485 Serial Port	115.95
S	3305-SF-09 Dual Channel SATA 3 PCI Express (x1) Card (2-External)	59.95
T	3305-SF-01 Dual Channel SATA PCI Express (x1) Card w/RAID 0/1	42.95
U	3305-SF-08 Dual Channel Serial ATA 6Gb/s (SATA 3) ExpressCard	64.95
V	1024-SF-04 Gigabit Ethernet 10/100/1000 PCI Express (x1) Card	51.95
W	3305-SF-16 SATA 6G Device to SuperSpeed USB 3.0 Host Bridge Adapter	39.95
X	3305-SF-17 Multi-in-1 SuperSpeed USB 3.0 Front Panel Internal Card	42.95
Y	3305-SF-18 USB 3.0 Front Panel Card Reader with eSATA/HD Audio Ports	51.95
Z	3303-SF-04 4 Port Serial PCI Card w/Regular & Low-Profile brackets	85.95
1	3303-SF-03 Dual Serial/Single Parallel PCI Card	47.95
2	1605-SF-02 Firewire (2 ext + 1 int) USB 2.0 (2 ext + 1 int) PCI Card	27.95



KEYBOARD / MICE ADAPTERS




Part No	Description	Price
10M2-AA	Keyboard and Mouse Y Adapter Color Code	3.95
10USB-PS2	USB A Female to PS2 Male (for Mouse)	0.95
10USB-S3	USB A Female to PS2 Male (for Keyboard)	0.95
10USB-S4	USB A Female to PS2 Female Adapter	1.95
30D1-A1	DB9 Male to PS2 Male Adapter	1.25
30D1-A2	DB9 Male to PS2 Female Adapter	1.50
30D1-A3	DB9 Female to PS2 Female Adapter	1.95

Part No	Description	Price
30D5-2A	PS/2 Female to AT (Din5) Male	1.25
30D5-2B	6" PS/2 Female to AT (Din5) Male	1.25
30D5-4A	PS/2 Male to AT (Din5) Female	1.25
30D5-4B	6" PS/2 Male to AT (Din5) Female	1.25
30D5-FF	PS/2 (MiniDin6) F/F Gender Changer (Coupler)	2.50
UC451	USB to Dual PS/2 Converter Cable Adapter	3.95
UC452	USB to Dual PS/2 Converter Cable Adapter	5.95

MOLDED GENDER CHANGER



	Part No	Description	Price
A	10GC-A1	DB9 Male / Male Adapter	1.50
B	10GC-A3	DB9 Female / Female Adapter	1.50
C	10GC-B1	DB25 Male / Male Adapter	1.75
D	10GC-B3	DB25 Female / Female Adapter	1.75
E	10GC-C1	HD15 Male / Male Adapter (PC)	1.75
F	10GC-C2	HD15 Female / Female Adapter (PC)	1.75




	Part No	Description	Price
G	10GC-D1	DB9 Male / Male Mini Adapter	1.45
H	10GC-D2	DB9 Male / Female Mini Adapter	1.45
I	10GC-D3	DB9 Female / Female Mini Adapter	1.45
J	10GC-E1	DB15 Male / Male Mini Adapter	2.15
K	10GC-E3	DB15 Female / Female Mini Adapter	2.15
L	10GC-F1	HD15 Male / Male Mini Adapter	1.95
M	10GC-F2	HD15 Male / Female Mini Adapter	1.95
N	10GC-F3	HD15 Female / Female Mini Adapter	1.95
O	10GC-G1	DB25 Male / Male Mini Adapter	1.75
P	10GC-G2	DB25 Male / Female Mini Adapter	1.75
Q	10GC-G3	DB25 Female / Female Mini Adapter	1.75
R	10GC-H1	DB37 Male / Male Mini Adapter	3.25
S	10GC-H3	DB37 Female / Female Mini Adapter	3.25
T	10GC-J1	CN36 Male / Male Mini Adapter	4.25
U	10GC-J3	CN36 Female / Female Mini Adapter	4.25
V	10GC-L1	CN50 Male / Male Mini Adapter	4.50
W	10GC-L3	CN50 Female / Female Mini Adapter	4.50

SERIAL ADAPTERS



	Part No	Description	Price
A	CC312Y	DB9 Female to DB25 Male and DB9 Male	5.20
B	D920-YY	1ft DB9 Female to 2 Male Serial RS232	2.95
C	MECY-1MF	12" DB9 Male to 2 Female Serial RS232	2.95


SERIAL ADAPTERS




- Converts any serial cable or port
- Pin-Out: 1-8 / 2-3 / 3-2 / 4-20 / 5-7 / 6-6 / 7-4 / 8-5 / 9-22.

Part No	Description	Price
30D1-B1	DB9 Male to DB25 Male Adapter	1.45
30D1-B2	DB9 Male to DB25 Female Adapter	1.45
30D1-B3	DB9 Female to DB25 Female Adapter	1.45
30D1-B4	DB9 Female to DB25 Male Adapter	1.45
31D1-26100	DB9 Male to DB25 Male Mini Type	1.95
31D1-26200	DB9 Male to DB25 Female Mini Type	1.95
31D1-26300	DB9 Female to DB25 Male Mini Type	1.95
31D1-26400	DB9 Female to DB25 Female Mini Type	1.95

DVI / HDMI




	Part No	Description	Price
A	10DV-2A	DVI Male Analog to HD15 Female	2.95
B	10DV-3A	DVI-I Dual Link-Male (24+5) to HD15 Female	3.95
C	10DV-4A	DVI Female Analog to HD15 Male	2.95
D	30HM-15228	HDMI Male to DVI-D Female	3.95
E	30HM-15328	HDMI Female to DVI-D Male	3.95



- User-friendly connector that replaces the maze of cables
- For High-Definition video (720p and 1080i) or standard video formats. Bandwidth up to 5 Gbps

	Part No	Description	Price
F	SGC-DVIDFF	DVI-D Female / Female Coupler	4.50
G	SGC-DVIDMF	DVI-D Male / Female Port Saver	4.50
H	SGC-DVIDMM	DVI-D Male / Male Coupler	4.50
I	SGC-HDMIFF	HDMI Female / Female Coupler	4.95
J	SGC-HDMIMF	HDMI Male / Female Port Saver	4.95
K	SGC-HDMIMF-R	HDMI Male / Female Right Angle	4.50
L	SGC-HDMIMM	HDMI Male / Male Coupler	4.95

HDMI



	Part No	Description	Price
A	30HM-02200-SW	HDMI Male to Female 360° Swivel	6.75
B	30HM-02400-SW	HDMI Female to Female 360° Swivel	6.95
C	30HM-31200-90	HDMI Male to Female 90 Degree	4.50
D	30HM-31200-270	HDMI Male to Female 270 Degree	4.50
E	30HM-VF200-90	HDMI M/F 90° Vertical Flat	4.75
F	30HM-VF200-270	HDMI M/F 270° Vertical Flat	4.75

	Part No	Description	Price
G	68IT-HDMI-BK-50	HDMI Dust Cover 50 Pcs/Bag	12.50
H	30HM-604EQ-BK	HDMI Active Extender up to 100ft	16.95
I	30HM-AD300-BK	HDMI Female to Micro HDMI Male	5.85
J	30HM-AC200	HDMI Male to Mini HDMI Female	4.95
K	30HM-AC300	HDMI Female to Mini HDMI Male	4.95
L	30U2-M8320	Micro USB Male to HDMI Female MHL	18.95

DISPLAY PORT / DVI / HDMI



The new MacBook, MacBook Pro, and MacBook Air each have a Mini Display Port that allows you to connect an external display or projector using an adapter. You can use an external display as your main workspace or to extend your desktop, or you can work in mirrored mode with a projector so you can view what your audience sees.

Part No	Description	Price
1840-SF-30	6.5" Mini Display Port to HDMI	12.95
1840-SF-31	6.5" Mini Display Port to DVI	12.95
1840-SF-32	6.5" Mini Display Port to VGA Adapter	19.95



The DisplayPort VGA ,DVI or HDMI adapter enable you to connect any VGA , DVI or HDMI interface embedded device (Monitor, Projector...) with a Display-Port interface (Desktop, Laptop).Resolution: up to 1920X1200 / 1080p.

	Part No	Description	Price
A	1840-SF-33	Display Port Male to HDMI Female	10.95
B	1840-SF-34	Display Port Male to DVI Female	10.95
C	1840-SF-35	Display Port Male to VGA Female	19.95
D	AD-DDMF	Display Port Male to DVI Female	10.95
E	AD-DHMF	Display Port Male to HDMI Female	10.95

HDMI Female to Female Repeater (Equalizer)

This HDMI repeater is used to extend the HDMI cables up to 75 Meter (246 ft).


- Support Highest Video Resolution Up to 1080p.
- Bandwidth up to 5 Gbps

41HM-R45A1

34.25



NULL MODEM ADAPTERS



Null modem is a communication method to connect two DTEs (computer, terminal, printer etc.) directly using an RS-232 serial cable

- DB9 Pin-Out: 1, 6-4 2-3 3-2 4-1, 6 5-5 7-8 8-7 G-G
- DB25 Pin-Out: 1-1 2-2 3-3 4-5 5-4 7-7 6,8-20 20-6,8 G-G

	Part No	Description	Price
A	30D1-C1	DB9 M/M Null Modem Adapter	1.50
B	30D1-C1-S	DB9 M/M Null Modem Mini Type Low Profile	1.95
C	30D1-C2	DB9 M/F Null Modem Adapter	1.50
D	30D1-C2-S	DB9 M/F Null Modem Mini Type Low Profile	1.95
E	30D1-C3	DB9 F/F Null Modem Adapter	1.50
F	30D1-C3-S	DB9 F/F Null Modem Mini Type Low Profile	1.95
G	30D1-D4	DB9 Female to HD15 Male VGA Adapter	1.95
H	30D3-B1	DB25 M/M Null Modem Adapter	1.95
I	30D3-B2	DB25 M/F Null Modem Adapter	1.95
J	30D3-B3	DB25 F/F Null Modem Adapter	1.95

FIREWIRE ADAPTERS



Part No	Description	Price
FW14-01	IEEE-1394 6-pin Female to 4-pin Male	2.75
FW15-01	IEEE-1394 4-pin Female to 6-pin Male	2.75
FW16-01	IEEE-1394 6-pin Female to 6-pin Female	2.75
FW17-01	IEEE-1394 6-pin Male to 4-pin Male	3.95
30E4-03200	IEEE-1394 9-pin Male to 6-pin Female	3.95

D-SUB PIN HEADERS



Part No	Description	Price
2741-SF-01	Pin Header 2.54mm 40Pin	0.35
2741-SF-02	Pin Header 2.54mm 40x2 Pin	0.67
2741-SF-03	Pin Header 2.54mm 25x2 Right Angle	0.78
500-055	Standard Density Crimp Pin Male 100pcs	3.95
500-057	Male High-Density Crimp Pins 100pcs	3.95
500-155	15C Standard Female Crimp Pin 100pcs	3.95
500-157	Female High-Density Crimp Pins 100pcs	3.95

D-SUB CONNECTORS & HOODS

Part No	Description	Price
24-824	DB25 Metalized Plastic Hoods	0.65
24-935	DB9 to DB9 Gender Changer Hoods	0.75
24-938G	DB9 to DB25 Gray Gender Changer Hoods	0.75
24-968	DB9 to DB25 Metalized Plastic Hoods	1.05
82-6235G	DB25 Gray Plastic Hoods Side Screw Type	0.94
500-409	DB9 Plastic Hoods with Cable-Clamp	0.50
500-410	DB9 Plastic Hoods with Side Screw	0.75
2730-SF-34	DB15 Plastic Hoods Gray Screw Type	0.49
2730-SF-35	DB15 Plastic Hoods Metalized Screw Type	0.74
24-206	DB9 Female Connector Solder Type	0.36
24-207	DB9 Male Connector Solder Type	0.36
24-358	DB9 Male Connector Crimp Type	0.40
24-359	DB9 Female Connector Crimp Type	0.40
24-400	DB25 Male Connector IDC Metal	0.94
24-418	DB9 Male Connector IDC Plastic	1.25
24-421	DB9 Female IDC Metal Shell	1.25
24-428	Centronic 24 Male IDC Plastic Blue	1.50
24-431	Centronic 24 Female IDC Plastic Blue	1.50
500-015	DB15 Male Solder Type Connector	0.50
500-020	HD15 Male Solder Cup Connector	0.50
500-022	HD15 Male Crimp Pin Connector	0.75
500-027	DB25 Male Crimp Pin Connector	0.50
500-115	DB15 Female Solder Cup Connector	0.50
500-120	HD15 Female Solder Cup Connector	0.50
500-122	HD15 Female Crimp D-Sub Connector	0.75
500-127	DB25 Female Crimp Pin Connector	0.50
2730-SF-05	DB25 Male Solder Cup Connector	0.50
2730-SF-06	DB25 Female Solder Cup Connector	0.50
2730-SF-08	DB15 Female Solder Cup Connector	0.50
2732-SF-01	DB9 Male Right Angle Connector	0.75
2732-SF-02	HD15 Female Right Angle Connector	0.75

Part No	Description	Price
2732-SF-03	DB25 Female Right Angle Connector	1.35
2732-SF-04	DB9 Female Right Angle Connector	0.85
2733-SF-04	DB25 Female IDC Plastic Connector	1.74
2733-SF-05	DB9 Female IDC Metal Shell	1.35



AUDIO ADAPTERS



Part No	Description	Price
A	251-116 RCA F/F Coupler Gold Plated	0.50
B	2013-SF-03 3.5mm Mono Male to RCA Female	0.95
C	2013-SF-32 RCA Male to two RCA Female	0.50
D	251-110 RCA Coupler Male to Male Nickel	0.40
E	251-111 RCA Male to Female Right Angle	1.25
F	251-113 RCA Male to two RCA Female	1.75
G	251-115 RCA F/F Coupler Nickle Plated	0.35
H	251-116-D Dual RCA Inline Coupler	0.65
I	251-116-T Triplet RCA Inline Coupler	0.85
J	251-118 3.5mm Stereo Female to Female Coupler	1.05
K	251-120 1/4" Mono Male to RCA Female Adapter	0.50
L	251-125 3.5mm Mono Female to 2.5mm Mono Male	0.50
M	251-130 3.5mm Stereo Male to two 3.5mm Female	0.50
N	251-140 3.5mm Stereo Male to two 1/4" Female	0.75
O	251-142 1/4" Stereo Male to two 3.5mm Female	1.75
P	251-149 1/4" Mono Female to RCA Mono Male	0.75

Part No	Description	Price
Q	251-150 3.5mm Mono Female to RCA Male	0.50
R	251-155 1/4" Stereo Female to 3.5mm Stereo Male	0.67
S	251-156 3.5mm Mono Female to 1/4" Mono Male	0.50
T	251-160 3.5mm Stereo Female to 1/4" Stereo Male	0.54
U	251-165 3.5mm Stereo Female to 3.5mm Mono Male	0.50
V	251-200 3.5mm Mono Male to RCA Mono Female	0.65
X	30A3-064 RCA Female to two RCA Female	1.35
Y	2701-SF-06 F-Type Female to RCA Plug Adapter	0.75
Z	2701-SF-07 F-Type Male to RCA Jack Adapter	0.85
1	2702-SF-09 BNC T Adapter	0.99
2	2701-SF-16 F-Type Right Angle Screw-on Plug	0.84
3	2702-SF-04 BNC Female to RCA Male	0.84
4	2702-SF-05 BNC Male to RCA Female	0.84
5	2702-SF-06 BNC Male to F Type Female	0.84
6	2702-SF-07 BNC Female to F Type Male	1.26



Part No	Description	Price
251-117	3 RGB RCA to 3 RGB RCA Component	2.50
251-151	S-Video (VHS) Female to RCA Female	1.75
251-152	S-Video (VHS) Male to RCA Female	1.75
251-153	S-Video (VHS) Female to RCA Male	1.75
251-154	S-Video (VHS) Male to RCA Male	1.75
251-410	S-Video 4-Pin Mini DIN Female to Female	1.95
2009-SF-02	3.5mm Stereo Plug Plastic	0.35
2010-SF-03	1/4 inch Stereo Plug Plastic	0.65
2010-SF-30	RCA Metal Plug with Black Stripe	1.25
2011-SF-09	RCA Plug Metal Gold Plated w/Spring	2.50
2011-SF-14	RCA Jack Metal Gold Plated w/Spring	2.50
2013-SF-26	1/4 inch Stereo Plug Metal Plug	0.95
2013-SF-29	1/4 inch Mono Metal Plug	0.95



Part No	Description	Price
2013-SF-30	1/4 inch Stereo Metal Plug	1.15
2012-SF-01	Banana Plug Gold Plated Plastic	0.65
2012-SF-02	Banana Plug Gold Plated Metal	1.25
260-700	Toslink to Toslink Extension Adapter	1.71
2024-SF-01	XLR 3P Microphone Connector Female	1.05
2024-SF-02	XLR 3P Microphone Connector Male	1.05

Lifetime Warranty on All Adapters and Cables!

BNC / F-TYPE CONNECTORS



Part No	Description	Price
A	10X1-10 BNC Terminator 50 OHM 1%	1.50
B	10X1-1C BNC Terminator 50 OHM 1% w/Chain	1.50
	10X1-50 BNC Terminator 50 OHM 5%	1.50
C	2010-SF-31 BNC Metal Plug with Color Stripe	1.50
D	2702-SF-00 RG6 BNC Male Crimp-on Connector 3pcs	0.66
E	2702-SF-01 RG59/62 BNC Male Crimp-on Connector	0.66
F	2702-SF-02 RG59 BNC Male Twist-on Connector	0.84
G	2702-SF-03 BNC Double Female Inline Coupler	0.65
H	2702-SF-10 RG59 BNC Male Crimp-on Connector 2 pcs	0.84
I	2702-SF-11 RG6 BNC Male Crimp-on Connector 2 pcs	0.84
J	2702-SF-12 RG6 BNC Male Twist-on Connector	0.75
K	2703-SF-03 BNC Male Dual Shield RG6 Compression	2.85
L	2703-SF-04 BNC Male Dual Shield RG59 Compression	2.85



Part No	Description	Price
2701-SF-03	RG59 F-Type Crimp-on w/ Crimp Ring	0.30
2701-SF-08	F-Type Dual Male Inline Coupler	0.95
2701-SF-09	F-Type Dual Female Inline Coupler	0.30
2701-SF-10	F-Type Quick-push-on Adapter	0.65
2701-SF-14	RG6 F-Type Crimp-on w/ Crimp Ring	0.40
2701-SF-17	RG59 F Crimp-on w/Ring Gold Plated	0.50
2701-SF-21	RG6 F-Type Twist-on Connector	0.30
2703-SF-01	F Male Dual Shield RG6 Compression	0.75
2703-SF-02	F Type Male Dual Shield RG59 Compression	0.65
2703-SF-07	RCA Male Dual Shield RG6 Compression	1.95
2703-SF-13	RCA Male Dual Shield RG59 Compression	1.95

AUDIO SPLITTER CABLES



Part No	Description	Price
10A3-032HF	6" 3.5mm Stereo Male to two 3.5mm Female	1.45
10A3-03206	6ft 3.5mm Stereo Male to two 3.5mm Female	1.98
10A3-03306	6ft 3.5mm Stereo Male to two 3.5mm Male	2.49
10A3-033HF	6" 3.5mm Stereo Female to 2 3.5mm Male	1.45
10A3-042HF	6" 3.5mm Stereo Male to 2 RCA Female	1.20
255-048	6ft 3.5mm Stereo Male to 2 RCA Female	1.88
10A3-052HF	6" 3.5mm Stereo Male to 2 RCA Male	0.95
2014-SF-23	3ft 3.5mm Stereo Plug to 2 x RCA-M Cable	1.25
2031-SF-71	6ft 1/4" Stereo Male to 2 RCA Male	1.25
2031-SF-72	10ft 1/4" Stereo Male to 2 RCA Male	1.75
2031-SF-73	15ft 1/4" Stereo Male to 2 RCA Male	2.50
254-045	6ft 3.5mm Stereo Plug to 2 RCA Plug	2.95
254-206IV	6" RCA Male to 2 RCA Female	1.50
254-207IV	6" RCA Female to 2 RCA Male	1.50
255-020	6" RCA Male to 2 RCA Male	0.75
255-025	6" RCA Female to 2 RCA Male	0.95
255-036	6" 3.5mm Stereo Female to 2 RCA Male	1.05
255-042	6" 3.5mm Stereo Male to two 3.5mm Female	1.50
255-140	6ft 2 RCA Male to 2 RCA Female / Male	2.25
255-145	12ft 2 RCA Male to 2 RCA Female / Male	2.75
CSV1RCA	6" S-Video Mini4 Male to Composite Female	2.95
CSV2BNCF	12" S-Video Mini4 Male to 2 BNC Female	7.95
CSV2F	12" S-Video Mini4 Male to Two Female	6.95
CSV2RCA-10	10ft S-Video Mini4 Male to 2 RCA Male	7.95
CSV2RCAF	12" S-Video Mini4 Male to 2 RCA Female	4.95
RCA2-2	RCA 1 Male to 2 Female Splitter Cable	1.10

2.5MM / 3.5MM / 1/4" CABLES

A 2.5mm Stereo Male to Male Cable

Part No	Length	Price
2015-SF-03	6ft	1.50
2015-SF-04	12ft	2.00

B 2.5mm Stereo Male to Female Cable

Part No	Length	Price
2015-SF-02	6ft	1.50
2015-SF-05	12ft	2.00

C 3.5mm Stereo Male to Male Cable

Part No	Length	Price
10A3-01	1ft	0.85
10A3-02	2ft	1.05
10A3-06	6ft	1.10
10A3-12	12ft	1.50
10A3-25	25ft	2.50
10A3-50	50ft	3.00
10A3-75	75ft	5.95
10A3-HD	100ft	7.95

D 3.5mm Stereo Male to Female Cable

Part No	Length	Price
ST20-06	6ft	0.95
ST20-12	12ft	1.50
ST20-25	25ft	2.50
ST20-50	50ft	3.50
ST20-75	75ft	5.50
ST20-HD	100ft	6.50

E 3.5mm Stereo Male to Two RCA Male Splitter (Gold)

Part No	Length	Price
10A3-052HF	6"	0.95
2014-SF-23	3ft	1.25
10A3-03106	6ft	1.35
10A3-03112	12ft	2.25
10A3-03125	25ft	3.95
10A3-03150	50ft	7.95

PC, MP3 Player etc. 3.5mm Stereo Plug RCA Plug Audio Player Amplifier etc

G 1/4" Stereo Male to Female Cable

Part No	Length	Price
2031-SF-51	6ft	1.49
2031-SF-52	10ft	2.29
2031-SF-53	15ft	2.86
2031-SF-54	25ft	3.85
2031-SF-55	50ft	6.65
2031-SF-56	100ft	11.54

H 3.5mm Stereo Male to 2.5mm Male Cable

Part No	Length	Price
2014-SF-19	1ft	0.75
2014-SF-17	6ft	1.75

F 1/4" Stereo Male to Male cable

Part No	Length	Price
2031-SF-41	6ft	1.25
2031-SF-42	10ft	1.95
2031-SF-43	15ft	2.50
2031-SF-44	25ft	3.50
2031-SF-45	50ft	5.95
2031-SF-46	100ft	10.95

J 1/4" Stereo Male to two Female Cable

Part No	Length	Price
2031-SF-62	10ft	2.44
2031-SF-63	15ft	3.00

K 3.5mm Female to 2.5mm Male Cable

Part No	Length	Price
2014-SF-18	6ft	1.65

L 3.5mm Mono Male to Male Cable

Part No	Length	Price
255-155	2ft	0.98
255-160	6ft	1.25
255-165	10ft	1.65

M 1/4" Mono Male to Male Cable

Part No	Length	Price
2031-SF-21	6ft	1.25
2031-SF-22	10ft	1.75
2031-SF-23	15ft	2.25
2031-SF-24	25ft	3.25
2031-SF-25	50ft	5.75
2031-SF-27	100ft	9.95

N 1/4" Mono Male to Female Cable

Part No	Length	Price
2031-SF-31	6ft	1.25
2031-SF-32	10ft	1.75
2031-SF-33	15ft	2.25
2031-SF-34	25ft	3.50
2031-SF-35	50ft	5.95
2031-SF-36	100ft	10.95

O Right Angle 1/4" Mono / RCA-Male Cable

Part No	Length	Price
2032-SF-70	6ft	1.44
2032-SF-71	10ft	1.89
2032-SF-75	15ft	2.55


Q 1/4" Mono Straight/Mono Right Angle Cable

Part No	Length	Price
2032-SF-50	6ft	3.75
2032-SF-52	12ft	4.39

P 1/4" Mono Male to RCA Male Cable

Part No	Length	Price
2032-SF-60	6ft	1.35
2032-SF-61	10ft	1.80

5-900MHZ TV SIGNAL SPLITTER



Part No	Specifaction	Price
A	2-Way	0.95
B	3-Way	1.25
C	4-Way	1.49
D	8-Way	3.95
E	Ground Block	3.95

AUDIO WALL PLATES



- Mounting Hardware included
- Color available: white, Ivory

Part No	Description	Price
F-1PWK	F Coupler	0.81
F-2PWK	Dual F Coupler	1.17
F-RJ11-1PWK	F Coupler / RJ11	1.23
2035-SF-10	Blank Wall Plate	0.70

XLR MICROPHONE CABLES

A XLR 3P Male/Female Microphone

Part No	Length	Price
2031-SF-01	6ft	2.95
2031-SF-02	10ft	3.95
2031-SF-03	15ft	4.95
2031-SF-04	25ft	5.95
2031-SF-05	50ft	9.95
2031-SF-07	100ft	13.95

B XLR 3P Female to 1/4" Mono

Part No	Length	Price
2031-SF-91	6ft	2.50
2031-SF-92	10ft	3.25
2031-SF-93	15ft	3.75
2031-SF-94	25ft	4.95
2031-SF-95	50ft	8.95
2031-SF-96	100ft	14.95



C XLR 3P Male 1/4" Mono Microphone

Part No	Length	Price
2031-SF-11	6ft	2.50
2031-SF-12	10ft	3.25
2031-SF-13	15ft	3.75
2031-SF-14	25ft	4.95
2031-SF-15	50ft	6.95
2031-SF-17	100ft	15.95

D XLR 3P Female to 1/4" Stereo

Part No	Length	Price
2032-SF-01	6ft	2.50
2032-SF-02	10ft	3.25
2032-SF-03	15ft	3.75
2032-SF-04	25ft	4.95
2032-SF-05	50ft	7.50
2032-SF-06	100ft	12.95

E XLR 3P Male to RCA Male Cable

Part No	Length	Price
2032-SF-80	6ft	2.95
2032-SF-82	12ft	3.95
2032-SF-85	25ft	4.95

F XLR 3P Female to RCA Male Cable

Part No	Length	Price
2032-SF-40	6ft	2.95
2032-SF-42	12ft	3.95
2032-SF-45	25ft	4.95

SPEAKER WIRE

Bulk Polarized Speaker Wire



- Coil or Spool pack
- 2 Wire
- Clear jacket with polarity marker
- High strand, rope lay conductors give the cable extra flexibility.

Part No	Length	Wire Gauge	Price
2036-SF-02	50ft	12AWG Spool	14.95
2036-SF-03	100ft	12AWG Spool	26.95
2036-SF-04	500ft	12AWG Spool	116.95
2036-SF-10	50ft	14AWG Coiled	11.95
2036-SF-11	100ft	14AWG Coiled	18.95
2036-SF-12	500ft	14AWG Spool	79.95
2036-SF-55	50ft	22AWG Coil	3.95
2036-SF-56	100ft	22AWG Coil	5.95
2036-SF-22	50ft	16AWG Coiled	6.95
2036-SF-23	100ft	16AWG Coiled	12.95
2036-SF-34	1000ft	16AWG Spool	110.95
2036-SF-42	50ft	18AWG Coiled	4.25
2036-SF-43	100ft	18AWG Coiled	7.95
2036-SF-52	1000ft	18AWG Spool	65.95

250ft Clear Speaker Wire 2 Wire CL2 In-Wall Rated

- High strand, rope lay conductors give the cable extra flexibility
- Used for in-wall installations; ideal for home theater systems
- Clear jacket with polarity marker
- CL2 rated. • UL listed

Part No	Wire Gauge	Price
2036-SF-05	18AWG	42.95
2036-SF-06	16AWG	54.95
2036-SF-08	12AWG	126.95



IN-WALL SPEAKER WIRE BULK

- 500ft In-Wall Speaker Wire, CMR
- 65 stranded • Oxygen Free Copper UL

Part No	Specification	Price
2037-SF-01	16AWG 2 Conductors	119.35
2037-SF-02	16AWG 4 Conductors	186.00
2037-SF-03	14AWG 2 Conductors	159.95



AUDIO / VIDEO CABLES

A 2-RCA to 2-RCA Stereo Audio Patch Cord-Gold

Part No	Length	Price
255-121	3ft	1.50
255-126	6ft	1.95
255-128	9ft	2.25
255-131	12ft	2.50
255-134	20ft	2.95
255-136	25ft	3.95
255-138	50ft	4.95

B 2-RCA to 2-RCA Stereo Audio Gold Plated Cable

Part No	Length	Price
254-210BL	3ft	2.50
254-215BL	6ft	2.95
254-220BL	12ft	4.95
254-225BL	25ft	7.95
254-230BL	50ft	13.95
254-235BL	75ft	19.95
254-240BL	100ft	24.95



C RCA Male to Male Cable

Part No	Length	Price
RA10-06	6ft	1.25
RA10-12	12ft	1.75
RA10-25	25ft	2.25

D RCA Male to Female Cable

Part No	Length	Price
RA12-06	6ft	1.25
RA12-10	12ft	1.75
RA12-25	25ft	2.25

AUDIO VIDEO CABLES

Great for connecting audio/video devices where high video quality is important. RCA is a great alternative for audio/video applications where newer connection types are not available.



A 3-RCA (Coax Video+2 Audio) AV Cable Gold Plated

Part No	Length	Price
2019-SF-10	3ft	1.50
2019-SF-11	6ft	1.95
2019-SF-12	12ft	2.95
2019-SF-13	25ft	4.95
2019-SF-14	50ft	7.95
2019-SF-15	75ft	13.95
2019-SF-16	100ft	18.95

B 3-RCA Audio / Video Cable

Part No	Length	Price
254-310BL	3ft	2.95
254-315BL	6ft	3.50
254-320BL	12ft	4.95
254-325BL	25ft	10.95
254-330BL	50ft	17.95
254-335BL	75ft	25.95
254-340BL	100ft	42.95

C 3-RCA Male to 3-RCA Female Audio Video Gold Plated Cable

Part No	Length	Price
RA13-06	6ft	3.95
RA13-10	10ft	4.95
RA13-15	15ft	5.95
RA13-25	25ft	8.95
RA13-35	35ft	11.95
RA13-50	50ft	14.95

D 5 RCA Component Audio Video Cable

Connects any DVD, TV/HDTV, VCR's, receivers and other home theater devices with component connectors.

- Red & White for Audio,
- Red, Green & Blue for Video

Part No	Length	Price
RCA5AV-06	6ft	18.95
RCA5AV-12	12ft	29.95
RCA5AV-25	25ft	39.95
RCA5AV-35	35ft	49.95
RCA5AV-50	50ft	69.95
RCA5AV-HD	100ft	129.95

E 5 RCA (3-Video+2-Audio) Component Audio Video Cable

Part No	Length	Price
2021-SF-70	3ft	5.95
2021-SF-71	6ft	7.95
2021-SF-72	10ft	13.95
2021-SF-73	15ft	15.95
2021-SF-74	25ft	24.95
2021-SF-75	35ft	34.95
2021-SF-76	50ft	49.95



F RCA Male to Male RG59 Coax Cable

Part No	Length	Price
2017-SF-21	3ft	0.90
2017-SF-22	6ft	1.40
2017-SF-23	10ft	1.80
2017-SF-25	15ft	2.85
2017-SF-26	25ft	3.95
2017-SF-27	50ft	6.35

H 3-RCA Male to Male Component Video Cable Gold Plated

Part No	Length	Price
2021-SF-80	3ft	3.50
2021-SF-81	6ft	4.95
2021-SF-82	12ft	7.95
2021-SF-83	25ft	13.95
2021-SF-85	75ft	39.95
2021-SF-86	100ft	49.95

G Python HDTV HD15 (VGA) to 3 RCA Component Video Cable

Part No	Length	Price
20602-6	6ft	9.95
20602-12	12ft	16.95
20602-25	25ft	29.95
20602-50	50	54.95

I S-Video + RCA Male Cable Gold Plated

- Ideal to connect specialized equipment, DSS (satellite signal), video, etc.
- Shielded molded to prevent unwanted EMI/RFI interference

Part No	Length	Price
SV30-06	6ft	6.95
SV30-12	12ft	7.95
SV30-25	25ft	10.95
SV30-50	50ft	13.95
SV30-75	75ft	18.95
SV30-HD	100ft	24.95



J S-Video Male / Female Extension Cable

Part No	Length	Price
SV20-06	6ft	1.95
SV20-12	12ft	3.95
SV20-25	25ft	5.95
SV20-50	50ft	8.95



K S-Video Male to Male Cable Gold Plated

Part No	Length	Price
SV10-03	3ft	1.25
SV10-06	6ft	1.75
SV10-12	12ft	2.50
SV10-25	25ft	4.00
SV10-50	50ft	10.00
SV10-75	75ft	13.50
SV10-HD	100ft	17.00

AUDIO / VIDEO CABLES



A S-Video + Toslink Digital Optical Patch Cord
High Quality S-Video cable and TOS Digital Optical Audio Cable all in one. Ideal for connecting DVD players, satellite receivers, etc.

Part No	Length	Price
253-003BL	3ft	3.95
253-006BL	6ft	5.95
253-012BL	12ft	9.95

B Toslink Digital Optical Patch Cord

Part No	Length	Price
260-003	3ft	2.99
260-006	6ft	3.99
260-012	12ft	4.99

G RG59U BNC Male to Male Cable

Part No	Length	Price
RG02-03	3ft	1.50
RG02-06	6ft	1.95
RG02-12	12ft	2.50
RG02-25	25ft	3.95
RG02-50	50ft	5.95
RG02-75	75ft	9.95
RG02-HD	100ft	13.95

C RCA-RCA SPDIF Digital Cable

Part No	Length	Price
254-006OR	6ft	2.50
254-012OR	12ft	3.95

E RG6 UL F-F Type Coaxial Cable

Part No	Length	Price
205-410	3ft	1.50
205-415	6ft	1.95
205-420	12ft	2.95
205-430	25ft	4.50
205-435	50ft	6.95
205-440	75ft	9.95
205-445	100ft	13.95

H RG58 BNC Male to Male Coaxial Cable

Part No	Length	Price
RG01-06	6ft	2.95
RG01-10	10ft	3.50
RG01-15	15ft	3.95
RG01-25	25ft	5.50
RG01-50	50ft	8.95
RG01-HD	100ft	15.95



F RG6 UL F-F Coaxial Gold Plated

Part No	Length	Price
205-910BK	3ft	1.78
205-915BK	6ft	2.15
205-920BK	12ft	4.05
205-925BK	18ft	4.70
205-930BK	25ft	4.88
205-935BK	50ft	8.02
205-940BK	75ft	11.35

D F-Type Screw-on RG59 Cable Gold Plated

F-Type Coax cables are used in video applications such as Cable, Satellite, and any peripherals with Coax F type threaded connections.


Part No	Length	Price
2023-SF-02	3ft	1.45
2023-SF-03	6ft	1.80
2023-SF-04	12ft	3.09
2023-SF-05	25ft	4.50

COAX WIRE BULK CABLES


Part No	Description	Price
2026-SF-01	1000 ft RG59 Coax Cable UL 95% Copper Braid	99.95
2026-SF-02	1000ft Dual Shield RG59/U Coax Cable (Al Foil + 60% Braid)	64.95
2026-SF-05	1000ft RG59 w/2x18AWG Power CMR Cable	149.95
2026-SF-09	500ft RG59 w/2x18AWG Power CMR	95.95
2026-SF-11	500ft RG59 w/2x18AWG Power Black CMP (Plenum) Rated	205.95
2026-SF-12	1000ft RG59 w/2x18AWG Power Black CMP (Plenum) Rated	395.95
2028-SF-02	1000ft Dual Shield RG6/U Coax Cable, 60% Black	79.95
2028-SF-04	1000ft RG6 Quad Shield Coax Cable Black CMR	95.95
2028-SF-11	1000ft RG6 Quad Shield Coax Cable CMP White	415.95
2037-SF-05	1000ft 18AWG/2 Stranded Power Wire CMR	125.95
2037-SF-06	1000ft Shielded 18AWG/2 Power CMR (riser) rated	135.95
RG6-TH	1000ft Dual Shield RG6/U Coax Cable (UL)	89.95
RGSO-TH	1000ft RG58 Solid Bulk Cable	99.95



CAT5E / CAT6 BULK CABLES



- RG6 18AWG quad shield
- CMR rated
- UL listed



	Part No	Description	Price
A	2028-SF-05	500ft (Cat.6x2)/(RG6 Quad x2) Combo Cable	294.95
B	2028-SF-07	500ft CAT5E / RG6 Quad Combo Cable	135.95
C	2028-SF-08	500ft (CAT5Ex2)/(RG6 Quad x2) Combo Cable	235.95

Part No	Description	Price
1009-SF-01	1000ft CAT5E Stranded Wire Bulk CM	119.95
1009-SF-03	1000ft CAT5E Stranded Wire Shielded	129.95
1009-SF-05	1000ft CAT5E Solid Plenum UL/ETL/CSA	205.95
1010-SF-00	1000ft CAT6 500MHz Solid Wire CMR	149.95
1010-SF-04	1000Ft CAT6 Solid Wire Bulk Shielded	215.95
1010-SF-05	1000ft CAT6 500MHz Solid Cable Plenum Gray, UL/ETL/CSA	309.95
1010-SF-09	1000ft CAT6A 10G Solid Wire Bulk	305.95

D 500ft CAT5E+16AWG/4 Audio Combo Cable CMR

- 24AWG Cat.5E solid 4 pair Ethernet cable
- 16AWG/4 stranded speaker wire
- CMR rated
- UL listed



2037-SF-07 246.45

VGA, SVGA MONITOR CABLES (HD15)

Ideal for replacing the current cable or add more for multi-monitors. Perfect for connecting computers to display monitors, screens and high-definition TV's switch or splitter with HD15 female port. Supports all VGA monitors including analog flat panel display, high resolution desktop, CAD and graphic workstations. It has double or triple shielding for maximum graphics performance, prevents signal loss, screen ghosting & loss of color and works up to 200ft without a signal booster

- Molded connectors with thumbscrews provide a quick and easy connection
- Assembled hoods can be disassembled for easy in-wall installation
- Uses premium coax wires for exceptional video clarity



A HD15 SVGA Male to Male Molded Monitor Cable with Ferrite Bead


Part No	Length	Price
VG10-01	1ft	2.75
VG10-03	3ft	3.50
VG10-06	6ft	4.50
VG10-10	10ft	5.50
VG10-15	15ft	7.25
VG10-25	25ft	10.95
VG10-35	35ft	14.95
VG10-50	50ft	16.95
VG10-75	75ft	24.95
VG10-HD	100ft	30.95
VG10-HD150	150ft	64.95

B HD15 SVGA Male to Female Molded Monitor Extension Cable with Ferrite Bead

Part No	Length	Price
VG20-01	1ft	2.75
VG20-03	3ft	3.50
VG20-06	6ft	4.50
VG20-10	10ft	5.50
VG20-15	15ft	7.25
VG20-25	25ft	10.95
VG20-35	35ft	14.95
VG20-50	50ft	16.95
VG20-75	75ft	24.95
VG20-HD	100ft	30.95

C HD15 SVGA + 3.5mm Stereo Audio Male to Male Molded Monitor Cable

Part No	Length	Price
VG10-03A	3ft	4.95
VG10-06A	6ft	5.95
VG10-10A	10ft	6.95
VG10-15A	15ft	8.95
VG10-25A	25ft	12.95
VG10-35A	35ft	15.95
VG10-50A	50ft	19.95
VG10-75A	75ft	26.95
VG10-HDA	100ft	34.95



VGA Splitter 450MHz Max 2048x1536 Resolution

VGA signal booster and duplicator which can take video input from a single source, broadcast and display it on two VGA monitors in a distance up to 180 feet (60M). It's ideal for an environment of education, meeting and commercial demonstration.

- Can be daisy-chained with multiple units generating more outputs
- Supports SVGA, VGA, XGA and Multi-sync compliant monitors
- Amplified video signals for distance up to 180Ft (60M)
- Input: HD15 female connector
- Output: 2 x HD15 female connector
- Power supply included (DC6V)



Part No	Description	Price
VS92A	2-Way VGA Splitter	30.80
VS94A	4-Way VGA Splitter	36.47
VS98A	8-Way VGA Splitter	56.05



VGA cable sold separately

ULTRA THIN VGA/QXGA VIDEO CABLES

Connects any VGA/QXGA video display to any computer, projector, HDTV, switch or distribution amplifier. This high-performance cable is fully-wired for maximum compatibility with both PC & HDTV applications. UltraThin diameter provides space-saving design and flexibility not found on regular VGA cables.

- Uses premium coax wires for exceptional video clarity
- Fully-wired to support VESA DDC2 power requirement
- Triple-shield allows connection of up to 200ft without booster
- Injection molded hood with full shielding for EMI/RFI protection
- UL AWM 20276 cable with strain relief and low-profile connectors
- RGB signals & shell are individually grounded to eliminate interference



Ultra Thin SVGA HD15 Male to Male Triple Shielded Cable

Part No	Length	Price
CC388M-01	1ft	5.95
CC388M-02	2ft	6.25
CC388M-03	3ft	6.75
CC388M-06	6ft	8.50
CC388M-10	10ft	9.75
CC388M-15	15ft	12.95
CC388M-25	25ft	18.95
CC388M-35	35ft	27.95
CC388M-50	50ft	34.95
CC388M-75	75ft	39.95
CC388M-100	100ft	59.95
CC388M-150	150ft	89.95
CC388M-200	200ft	129.95

Ultra Thin SVGA HD15 Male to Female Triple Shielded Extension Cable

Part No	Length	Price
CC320M-01	1ft	5.95
CC320M-02	2ft	6.25
CC320M-03	3ft	6.75
CC320M-06	6ft	8.50
CC320M-10	10ft	9.75
CC320M-15	15ft	12.95
CC320M-25	25ft	18.95
CC320M-35	35ft	27.95
CC320M-50	50ft	34.95
CC320M-100	100ft	59.95

Ultra Thin SVGA HD15 Male to Male Triple Shielded Cable + 3.5mm Audio

Part No	Length	Price
CC388MA-06	6ft	13.95
CC388MA-10	10ft	19.95
CC388MA-15	15ft	24.95
CC388MA-25	25ft	30.95
CC388MA-35	35ft	36.95
CC388MA-50	50ft	49.95

8" HD15 VGA Male to 2 Female Splitter Cable

Ideal for connecting one computer to two VGA monitors. Ideal for presentations, conferences and training purposes. For lower resolution monitor.

VS20-08

2.94



VGA/QXGA KVM CABLES

SF Cable's Hi-Res KVM cable manufactured with color-coded connectors under one jacket to prevent cables tangling and minimize desktop clutter. Made from premium quality coaxial cable to ensure superior resolution with new and high resolution monitors.

A Slim 3-in-1 High-Quality USB/PS2 KVM Cable

• Connector for PC

- (All Male Type) 1 x HD15 (For Video)
- 1 x PS/2 (For Keyboard)
- 1 x PS/2* (For Mouse with adapter)
- 1 x USB** (For Keyboard and Mouse)

• Connector for KVM

- (All Male Type) 1 x HD15 (For KVM Video)

Part No	Length	Price
C-KVM-SC6	6ft	11.95
C-KVM-SC10	10ft	12.95
C-KVM-SC15	15ft	18.95

B 3-in-1 Universal HD15 VGA M/M + PS/2 M/M

Part No	Length	Price
CS10-06	6ft	7.95
CS10-10	10ft	9.95
CS10-15	15ft	12.95
CS10-25	25ft	19.95



C Slim 2-in-1 High-Quality VGA USB KVM Cable

• Connector for PC (All Male Type)

- 1 x HDB 15-pin (For PC VGA)
- 1 x USB Type A (For PC USB)

• Connector for KVM (All Male Type)

- 1 x HDB 15-pin (For KVM VGA/USB Integrated)

Part No	Length	Price
C-KVM-SU6	6ft	10.50
C-KVM-SU10	10ft	12.50
C-KVM-SU15	15ft	16.50



D 3-in-1 Universal HD15 VGA + PS/2 KVM Extension Cable

- Connectors: HD15 Male / Female
Mini Din 6 pin Male/Male

Part No	Length	Price
CS20-06	6ft	7.95
CS20-10	10ft	9.95
CS20-15	15ft	12.95
CS20-25	25ft	19.95


DB9 SERIAL CABLES

DB-9 is a common standard for connections between computers and computer peripherals, such as printers and data storage devices. If you have computers/devices that use DB-9, these cables are basic essentials for your system.

- Constructed with molded connectors and foil shielding for EMI/RFI protection.
- Thumbscrew design provide you with a quick and easy connection every time
- Pin-out: 1-1 2-2 3-3 4-4 ,....., 8-8, 9-9, G-G



DB9 Male to Male Cable



DB9 Male to Female Extension Cable

DB9 Male to Male Cable

Part No	Length	Price
D910-03	3ft	1.75
D910-06	6ft	2.00
D910-10	10ft	2.75
D910-15	15ft	3.25
D910-25	25ft	5.00
D910-50	50ft	9.00
D910-HD	100ft	16.00

DB9 Male to Female Extension Cable

Part No	Length	Price
D920-01	1ft	2.00
D920-03	3ft	2.00
D920-06	6ft	2.00
D920-10	10ft	2.75
D920-15	15ft	3.25
D920-25	25ft	5.00
D920-50	50ft	9.00
D920-HD	100ft	16.00

DB9 Female to Female Cable

Part No	Length	Price
D930-01	1ft	3.00
D930-03	3ft	2.00
D930-06	6ft	2.00
D930-10	10ft	2.75
D930-15	15ft	3.25
D930-25	25ft	5.00
D930-HD	100ft	19.95



DB9 Female to Female Cable



DB9 Female to 3.5mm Serial Cable

DB9 Female to 2.5mm / 3.5mm Serial Cable

Primarily used to transfer Serial Data back and forth from Small devices.

Part No	Description	Price
D935-06	6ft DB9 Female to 3.5mm	7.95
D936-06	6ft DB9 Female to 2.5mm	9.95



D936-06

DB15 CABLES (MAC)

Ideal for connecting your Mac to a compatible MultiSync monitor and both game & midi devices.

DB15 Male to Male Cable

Part No	Length	Price
DB10-06	6ft	3.36
DB10-10	10ft	4.32



DB15 Male to Female Cable

Part No	Length	Price
DB20-06	6ft	3.15
DB20-10	10ft	3.95

DB37 SERIAL CABLES

Make sure to back up the files regularly. Use our DB37 cable with your tape back-up for reliable data storage and retrieval.

- Straight-through design: 1-1 2-2 3-3,....., 8-8 37-37 G-G
- Fully shielded against outside EMI/RFI interference.

DB37 Male to Male Cable

Part No	Length	Price
D710-03	3ft	4.95
D710-06	6ft	5.95
D710-10	10ft	7.95



DB37 Male to Female Cable

Part No	Length	Price
D720-03	3ft	4.95
D720-06	6ft	5.95
D720-10	10ft	7.95



DB9 FEMALE TO DB25 MALE SERIAL CABLES

Connects any serial modem with DB25 to PC DB9 serial port.

- Pin Out: 1-8 2-3 3-2 4-20 5-7 6-6 7-4 8-5 9-22 G-G
- 100% Compatible with all serial devices

Part No	Length	Price
AT41-01	1ft	1.95
AT41-03	3ft	2.25
AT41-06	6ft	2.50
AT41-10	10ft	2.95
AT41-15	15ft	3.50
AT41-25	25ft	4.50
AT41-50	50ft	13.95



NUT-01

\$0.12

D-Sub 6mm Hex Nut

DB25 RS232 SERIAL CABLES

DB25 cables are designed for RS-232 serial or parallel applications. Easily connect your printer, modem or other DB25 device to a switchbox

- Molded connectors and foil shielding for EMI/RFI protection.
- Thumbscrew type provide you with a quick and easy connection.
- Straight through pin-to-pin wiring



Male to Male

Male to Female

DB25 Male to Male Cable

Part No	Length	Price
10D3-01103	3ft	2.95
10D3-01106	6ft	3.95
10D3-01110	10ft	4.95
10D3-01115	15ft	5.95
10D3-01125	25ft	8.95
10D3-01150	50ft	16.95
10D3-011HD	100ft	31.95

DB25 Male to Female Extension Cable

Part No	Length	Price
10D3-01203	3ft	2.95
10D3-01206	6ft	3.95
10D3-01210	10ft	4.95
10D3-01215	15ft	5.95
10D3-01225	25ft	8.95
10D3-01250	50ft	16.95
10D3-012HD	100ft	31.95

DB9, DB25 NULL MODEM CABLES (CROSS-OVER)

Perfect for transferring data between computers and devices. This null modem serial cable enable the connection of two DCE or DTE devices to communicate together without conflict in data transmission.

- Type: Null Modem Serial Cable
- 28 AWG; Gold plating contacts
- Fully foil shielded to prevent unwanted EMI/RFI interference.
- Fully molded connectors with 4/40 thumbscrews provide a quick and easy connection every time.

A DB9 Male to Female Null Modem

Part No	Length	Price
NU23-06	6ft	2.15
NU23-10	10ft	2.40
NU23-25	25ft	5.95

B DB9 Female to Female Null Modem

Part No	Length	Price
NU33-03	3ft	2.00
NU33-06	6ft	2.25
NU33-10	10ft	2.75
NU33-25	25ft	5.00

C DB25 Male to Male Null Modem

Part No	Length	Price
NU12-06	6ft	2.25
NU12-10	10ft	2.75

DB25 Male to Female Null Modem





Part No	Length	Price
NU22-06	6ft	2.25
NU22-10	10ft	2.75

DB25 Female to Female Null Modem

Part No	Length	Price
NU32-06	6ft	2.25
NU32-10	10ft	2.75

DB9 Female to DB25 Female

Part No	Length	Price
NU31-06	6ft	2.25
NU31-10	10ft	2.75



D DB9 Female to DB25 Male Null Modem

Part No	Length	Price
NU41-06	6ft	2.75
NU41-10	10ft	2.95
NU41-15	15ft	3.95
NU41-25	25ft	5.95

PRINTER CABLES - DB25, CENTRONICS 36

These standard grade cables are ideal for connecting PCs and data switches to parallel devices, such as printers and flatbed scanners. If you have a newer printer, check to make sure whether it requires IEEE1284 compliant cabling. Connect your HP® Deskjet, LaserJet, DesignJet or OfficeJet printer to your PC.

IEEE1284 compliant provides increased speed and functionality over standard parallel cabling.

- Fully shielded to prevent unwanted EMI/RFI interference.

A IEEE-1284 DB25 Male / Male Parallel Printer

Part No	Length	Price
E415-06	6ft	6.96
E415-10	10ft	9.40
E415-15	15ft	10.58
E415-25	25ft	15.40

C IEEE-1284 DB25 Male / Centronics 36 Male

Standard Printer Cables. Ideal for connecting printer, or scanner to your PC.

Part No	Length	Price
E411-03	3ft	4.77
E411-06	6ft	5.72
E411-10	10ft	6.25
E411-25	25ft	13.73
E411-50	50ft	34.95

E 6ft Centronic 36 36C Parallel Printer

Part No	Spec	Price
10C1-01106	M/M	5.20
10C1-01206	M/F	5.20

B IEEE-1284 DB25 Male /Female Parallel Printer Extension Cable

Part No	Length	Price
E425-06	6ft	6.96
E425-10	10ft	9.40
E425-15	15ft	10.58
E425-25	25ft	15.40


D IEEE-1284 DB25 to Mini Centronics 36

Compliant to HP 1100.....Etc. Printer Cables

Part No	Length	Price
E412-03	3ft	6.95
E412-06	6ft	9.25
E412-10	10ft	10.34

DB25 Male to CN36 Male 25C Molded Cable

Part No	Length	Price	Part No	Length	Price
10D3-03103	3ft	3.22	10D3-03115	15ft	5.99
10D3-03106	6ft	3.85	10D3-03125	25ft	8.70
10D3-03110	10ft	4.59	10D3-03150	50ft	15.40



KEYBOARD / MOUSE CABLES

Ideal for extending your PS/2 device such as PS/2 mouse or keyboard.

- Connectors: MiniDIN 6 Male to MiniDIN 6 Female
- Fully shielded to prevent unwanted EMI/RFI interference
- Molded connectors provide a quick and easy connection every time
- All 6 connector pins are wired straight through
- 1-1 2-2 3-3 4-4 5-5 6-6



A Mini Din6 (PS/2) Male to Male

Part No	Length	Price
M610-03	3ft	1.58
M610-06	6ft	1.84
M610-10	10ft	2.28
M610-15	15ft	3.36
M610-25	25ft	3.71
M610-50	50ft	9.75
M610-75	75ft	14.95
M610-HD	100ft	19.95

B Mini Din6 (PS/2) Male to Female

Part No	Length	Price
M620-03	3ft	1.58
M620-06	6ft	1.84
M620-10	10ft	2.28
M620-15	15ft	3.36
M620-25	25ft	3.71
M620-50	50ft	9.75
M620-75	75ft	14.95
M620-HD	100ft	19.95



IEEE-1394 FIREWIRE CABLES

Ideal for connecting devices such as printers, cameras, camcorders, and PC peripherals. 100% compatible with Sony iLink, Apple Firewire and other IEEE-1394 peripherals.

- FireWire 400 allows for speeds of up to 400 Mbps.
- FireWire 800 allows for speeds of up to 800 Mbps.



A 6-pin to 6-pin IEEE-1394 FireWire® 400

Part No	Length	Price
FW11-03	3ft	2.95
FW11-06	6ft	3.95
FW11-10	10ft	4.95
FW11-15	15ft	6.95



B 6-pin to 4-pin IEEE-1394 FireWire® 400

Part No	Length	Price
FW12-03	3ft	2.95
FW12-06	6ft	3.95
FW12-10	10ft	4.95
FW12-15	15ft	6.95



C 4-pin to 4-pin IEEE-1394 FireWire® 400

Part No	Length	Price
FW13-03	3ft	2.95
FW13-06	6ft	3.95
FW13-10	10ft	4.95
FW13-15	15ft	6.95

E 9-pin to 6-pin IEEE-1394 FireWire® 800

Part No	Length	Price
IE9496-01	1ft	4.95
IE9496-03	3ft	5.95
IE9496-06	6ft	7.95
IE9496-10	10ft	9.95
IE9496-15	15ft	12.95

D 9-pin to 4-pin IEEE-1394 FireWire® 800

Part No	Length	Price
IE9494-01	1ft	4.95
IE9494-03	3ft	5.95
IE9494-06	6ft	7.95
IE9494-10	10ft	9.95
IE9494-15	15ft	12.95

9-pin to 9-pin IEEE-1394 FireWire® 800

Part No	Length	Price
IE9499-03	3ft	5.95
IE9499-06	6ft	7.95
IE9499-10	10ft	9.95
IE9499-15	15ft	12.95



15ft (5m) FireWire Repeater Cable

- Perform function of 1394 transfer rate of 100/200/400 Mbps
- Ascaded (up to 10) to extend the distance of up to 50m between IEEE-1394 devices and your computer

1608-SF-01

24.95

IEEE-488 CN24 HPIB/GPIB CABLES

Designed for optimum efficiency and durability, our HPIB/GPIB cables ensure flawless data transmission

- Fully shielded to prevent unwanted EMI/RFI interference
- Fully molded connectors with thumbscrews provide a quick and easy connection every time
- Connectors:

Centronics 24-pin Male/Female
Centronics 24-pin Male/Female



IEEE-488 C24MF to C24MF HPIB/GPIB Bus Cable

Part No	Length	Price
E800-01	1m (3.28ft)	24.95
E800-02	2m (6.56ft)	26.95
E800-04	4m (13.12ft)	34.95
E800-05	5m (16.4ft)	39.95
E800-08	8m (26.24ft)	49.95

Daily Deals

► Check our website for great deals
www.sfcable.com


Special Discount

- Schools, Non profit organizations
- Government agencies, etc.

DISPLAY PORT / DVI

Display Port cable with latch

- Provides both digital video & audio in one cable
- Up to 1080p resolution with digital audio
- 8b/10b data transmission (up to 2.7 GHz symbol rate, up to 4 lanes)
- Full bandwidth transmission for 2 meters cable
- Supports color depth of 6, 8, 10, 12 and 16 bits per color component
- Support 128-bit DPCP and support for 40-bit HDCP from ver 1.1 onwards



Part No	Length	Price
DP-3MM	3ft	4.95
DP-6MM	6ft	7.50
DP-10MM	9ft	8.95
DP-15MM	15ft	11.95



A DVI-A Male to HD15 VGA Male Analog Video

Ideal for connecting an analog DVI source to a VGA monitor or vice-versa such as a CRT or analog-compatible LCD.

Part No	Length	Price
DV12-02	2 meter (6.5ft)	8.46
DV12-03	3 meter (9.84ft)	11.63
DV12-05	5 meter (16.4ft)	13.95



HD15 (VGA) Male



DVI-A Analog Male

B DVI-A Male to Male Analog Video Cable

Part No	Length	Price
DVIAF-1MM	1 meter (3.28ft)	7.68
DVIAF-2MM	2 meter (6.56ft)	8.81
DVIAF-3MM	3 meter (9.84ft)	9.99
DVIAF-5MM	5 meter (16.4ft)	11.50



DVI (Digital Visual Interface) is the standard interface for high-performance connection between PCs and Digital Displays, Projectors, and HDTV.

- Resolution: Resolutions up to 2560 x 1600, Digital use only
- Conductivity with no data loss. Contacts: Gold-Plated

D DVI-D Male to Male Dual Link Digital Video Cable (24+1)

Part No	Length	Price
DV11-01	1 meter (3ft)	7.95
DV11-02	2 meter (6.5ft)	8.95
DV11-03	3 meter (9.84ft)	10.95
DV11-05	5 meter (16.4ft)	13.50
DV11-10	10 meter (32.8ft)	44.95
DV11-15	15 meter (49.21ft)	59.95



DVI-D Digital Male



DVI-D Digital Female

E DVI-D Male to Female Dual Link Digital Video Extension Cable

Part No	Length	Price
DV21-02	2 meter (6.5ft)	10.95
DV21-03	3 meter (9.84ft)	12.95
DV21-05	5 meter (16.4ft)	15.95

See DVI-D Single Link and DVI-I Single Link. online at www.sfcable.com

F DVI-I Male to Male Dual Link Digital/Analog Video Cable

DVI-I Cable can handle both digital and analog. It's ideal for Computers, Home Theater, Monitor, and HDTV's.

- Connectors: DVI-I 29-pin Male (24 +5) to DVI-I 29-pin Male (24+5)

Part No	Length	Price
DV1IF-1MM	1 meter (3.28ft)	9.95
DV1IF-2MM	2 meter (6.56ft)	10.95
DV1IF-3MM	3 meter (9.84ft)	12.95
DV1IF-5MM	4.5 meter (14.76ft)	19.95




DVI-I Digital / Analog

DVI-I cables - Capable of transmitting either a digital-to-digital signal or an analog-to-analog signal. DVI-I has the four pins around the flat pin to carry the analog signal.
DVI-D cables - Direct digital connections between video cards and LCD monitors. Handle digital only. DVI-D has just the flat pin that is slightly smaller than that on the DVI-I flat pin.

HDMI to DVI-D Single Link Digital Video Cable

Ideal for connecting any home theater devices, DVI digital flat panel such as DVD, HDTV, projector, switch or splitter and other HDMI to DVI peripherals. Shielded to prevent unwanted EMI/RFI interference and support maximum speed.

- Connects HDMI devices to DVI devices
- 100% Compatible with all HDMI and DVI-capable.



Part No	Length	Price
HDMID-01MM	1 Meter	3.95
HDMID-02MM	2 Meter	4.95
HDMID-03MM	3 Meter	6.95
HDMID-04MM	4.5 Meter	7.95
HDMID-06MM	6 Meter	9.95
HDMID-09MM	9 Meter	12.95
HDMID-10MM	10 Meter	35.50
HDMID-15MM	15 Meter	47.50

HDMI

Use these HDMI cables to convert or connect to cable box, satellite box, game consoles, DVD player, or any device that has an HDMI output to another HDMI device such as HDTV or projector.

- Supports all resolutions up to 4K x 2K including 1080p
- HDMI 19pin Male to Male, Type A Connection
- 3D compatible • UL & cUL (Canada) listed
- Supports 10.2 Gbps high-speed bandwidth
- Gold-plated connecting pins



High-Speed HDMI Male to Male Cable

Part No	Length	Price	Part No	Length	Price
HDMI-01MM	3ft	3.95	HDMI-35	35ft	22.95
HDMI-02MM	6ft	4.50	HDMI-40	40ft	24.95
HDMI-03MM	10ft	5.50	HDMI-45	45ft	27.95
HDMI-04MM	15ft	6.50	HDMI-50	50ft	32.95
HDMI-20	20ft	9.95	HDMI-55	55ft	39.95
HDMI-25	25ft	12.95	HDMI-60	60ft	48.95
HDMI-30	30ft	18.95	HDMI-23MM	75 ft	89.95
HDMI-10MM	33 ft	34.95	HDMI-25MM	82 ft	220.40

HDMI High Speed/Ethernet Net Jacket Cable


Part No	Length	Price
1812-SF-51	6ft	9.95
1812-SF-50	10ft	11.95
1812-SF-53	15ft	13.95
1812-SF-54	25ft	16.95



HDMI Male to Mini HDMI Male Digital A/V HD Camera Cable

Ideal for connecting any HD camcorder or digital camera and other digital device with Mini HDMI to HDTV, flat panel screen or HD player. Also works with PC/Windows with high-end add-on video cards with Mini HDMI.

- Connectors: HDMI Male (Type A) to Mini HDMI Male (Type C)
- Gold-plated connectors ensure the ultimate in error-free signal transfer.



Part No	Length	Price
HDMIAC-008MM	8 inches	4.95
HDMIAC-02	1.5ft	4.95
HDMIAC-03	1 Meter (3.28ft)	5.95
HDMIAC-06	2 Meter (6.56ft)	6.95
HDMIAC-10	3 Meter (9.84ft)	8.95
HDMIAC-15	4.5 Meter (14.76ft)	9.95

8" HDMI Female to HDMI Mini Male Adapter, v1.4 1080p

- Convert one end of regular HDMI male to MINI type.
- HDMI Female (Type A) / HDMI Mini Male (Type C)

HDMIAC-008MF 4.95



HDMI PortSaver Male to Female Cable

Extends any HDMI cable. 100% compatible with all HDMI peripherals. Our HDMI cable supports uncompressed video and multi-channel digital audio and double shielding for maximum video performance, prevents signal loss and screen ghosting.

- Connectors: HDMI Male / HDMI Female



Part No	Length	Price
HDMIXG-1F	1ft	9.95
HDMIXG-1M	3ft	9.95
HDMIXG-2M	6ft	14.95
HDMIXG-3M	10ft	15.95
HDMIXG-5M	15ft	18.95
HDMIXG-25	25ft	29.95



A HDMI to Micro HDMI Cable

Ideal for connecting mobile phones, pocket cameras, and other portable devices to your big screen HDTV

- Fully shielded to prevent unwanted EMI/RFI interference
- HDMI (A-Type) Male to Micro HDMI (D-Type) Male

Part No	Length	Price
HDMI-MICRO-015	1.5ft	5.95
HDMI-MICRO-03	3ft	5.95
HDMI-MICRO-06	6ft	6.95
HDMI-MICRO-10	10ft	8.95
HDMI-MICRO-15	15ft	9.95

B High Speed HDMI Mini to HDMI Mini Cable

- Mini HDMI Male (Type C) to Mini HDMI Male (Type C)
- Gold-plated connectors ensure the ultimate in error-free signal transfer.
- Plug protection caps

Part No	Length	Price
HDMI-S-005MM	0.5 meter	6.95
HDMI-S-1MM	1 meter	7.95
HDMI-S-2MM	2 meter	8.95
HDMI-S-3MM	3 meter	9.95

HD15 VGA MALE TO BNC MALE CABLES

- Ideal for HDTV monitors with 5 BNC connector.
- Double shielded molded design provides maximum durability and excellent signal transmission.
- Type: RGB Monitor Cable

A




A HD15 VGA Male to 5 BNC Male Cable

Part No	Length	Price	Part No	Length	Price
RB1B-01	1ft	5.95	RB1B-15	15ft	13.95
RB1B-03	3ft	6.95	RB1B-25	25ft	17.95
RB1B-06	6ft	7.95	RB1B-50	50ft	29.95
RB1B-10	10ft	9.95	RB1B-HD	100ft	59.95

Part No	Description	Price
RB10-01	1ft HD15 VGA Male to 5 BNC Male Cable	8.95
RB20-01	1ft HD15 VGA Male to 5 BNC Female Cable	8.95
RB30-01	1ft HD15 Female to 5 BNC Female Cable	8.95
RB40-01	1ft HD15 VGA Female to 5 BNC Male Cable	8.95

SERIAL ATA POWER CABLES

Part No	Description	Price
A 11W3-56800-6IN	6" 4pin Molex Male to Two 15pin SATA II Female	1.75
B 11W3-S6110-6IN	6" 4pin Molex Male to 15pin SATA Female	1.25
C 1807-SF-24	SATA Host (Motherboard) to IDE HDD Adapter	13.95
D 1807-SF-30	20" eSATA to eSATA Data Cable	2.40
1807-SF-31	40" eSATA to eSATA Data Cable	2.95
1807-SF-33	2m (6.6ft) eSATA Cable Type I to Type I	4.50
E 1807-SF-32	20" eSATA to SATA150 cable	1.95
F 1807-SF-35	IDE Host(Motherboard) to SATA HDD Adapter	13.95
G 1807-SF-36	20" Straight / Right Angle (up) SATA150 Cable	1.50
H 1807-SF-37	6" SATA Right Angle (up) Power Adapter	1.50
1807-SF-38	40" Straight/Right Angle (up) SATA150 Cable	2.41
I DC30-70	0.5m Serial ATA-150 SATA Cable	1.25
DC30-75	1m Serial ATA-150 SATA Cable	1.95
J SATA-005MR	18" 7-pin 180° to 90° 1-Device Side Serial ATA	1.50
SATA-006MR	20" 7-pin 180° to 90° 1-Device Side Serial ATA	1.50
SATA-1MR	36" 7-pin 180° to 90° 1-Device Side Serial ATA	1.75
SATA-013MR	40" 7-pin 180° to 90° 1-Device Side Serial ATA	1.95
K SATA-005MRR	18" 90° to 90° 7-pin 1-Device Serial ATA	1.25
SATA-1MRR	36" 90° to 90° 7-pin 1-Device Serial ATA	1.50
SATA-013MRR	40" Right Angle / Right Angle (down) SATA150	1.95
L SATA-S	1ft 2 SATA M/F Internal to External Slot	3.95
M SATAPC-Y	6" 4 Pin Molex Power to Dual 15-Pin SATA	1.95



Part No	Description	Price
N SATAPC-G	6" Serial ATA Power Adapter	1.50
O SATA2-005M	20" eSATA to eSATA Data Cable	2.50
SATA2-015M	60" eSATA to eSATA Data Cable	4.32
SATA2-01M	40" eSATA to eSATA Data Cable	3.71

INTERNAL POWER CABLES

Part No	Description	Price
11W3-02	8" Power Splitter Cable for Power Supply to CD-ROM and HDD	2.80
11W3-03	8" Power Splitter Cable for Power Supply to FDD and CD-ROM or HDD	2.82
11W3-06	8" Power Splitter Cable for Power Supply to FDD	2.61
11W3-07209	9 inches Internal ATX Power Supply Extension, 20 pins M/F	3.85
11W3-180906	2 ft 4 pin M/F Power Supply Extension	1.68
1809-SF-03	12 inches Internal ATX Power Supply Extension, 20 pins M/F	3.75



CAT5E / CAT6 / CAT6A KEYSTONE JACKS

CAT5E Keystone Jacks

CAT5E RJ-45 Keystone Jack is 8-position 8-conductor (8P8C) and designed for computer networking. It is engineered to provide superior performance and reliability, supporting up to Gigabit Ethernet applications. The advanced printed circuit board design is tuned to provide optimum signal quality with maximum headroom, allowing it to exceed TIA/EIA Category 5e performance standards.

Color Option:

Part No	Description	Price
1016-SF-04	CAT5E RJ45 110 Type Shielded Keystone Jack	3.98
68JK-02	CAT5E Tooless Keystone Jack	2.61
68JK-C511	CAT5E Punch Down 110 Type Keystone Jack	2.31

CAT6 / CAT6A Keystone Jacks

CAT6 / CAT6A RJ-45 keystone jack is 8-position 8-conductor and designed for computer networking. It is engineered to provide superior performance and reliability, supporting up to 10 Gigabit Ethernet applications. The advanced printed circuit board design is tuned to provide optimum signal quality with maximum headroom, allow it to exceed TIA/EIA Category 6/ CAT6A performance standards.

Color Option:

Part No	Description	Price
KEY645-90	CAT6 Keystone Jack 90 Degree	2.00
KEY645L-90	CAT6 Keystone Jack Tooless 90 Degree	2.25
1017-SF-04	CAT6 110 Type Shielded Keystone Jack	3.25
1017-SF-20	CAT6A Keystone Jack Blue	3.95
1017-SF-21	CAT6A Shielded Keystone Jack	4.95



Pin#	T568A Wired	T568B Wired
1	White/Green	White/Orange
2	Green	Orange
3	White/Orange	White/Green
4	Blue	Blue
5	White/Blue	White/Blue
6	Orange	Green
7	White/Brown	White/Brown
8	Brown	Brown



KEYSTONE MODULE / INSERTS



Part No	Description	Price
1018-SF-06	Snap-in Keystone Wallplate Blank Insert	0.25
1018-SF-12	Snap-in F Type F/F Keystone Module	0.85
1018-SF-13	Snap-in BNC F/F Keystone Module	1.95
1018-SF-15	Snap-in ST Fiber Keystone Module	2.95
1018-SF-17B	RCA Blue F/F Keystone Module Plate	1.75
1018-SF-17G	RCA Green F/F Keystone Module Plate	1.75
1018-SF-17R	RCA Red F/F Keystone Module	1.75
1018-SF-17W	RCA F/F Keystone Module	1.75
1018-SF-17Y	RCA Yellow F/F Keystone Module	1.75
1018-SF-18	Snap-in S-Video F/F Keystone Module	2.25

RJ11/RJ12 KEYSTONE JACKS

RJ-11/12 Keystone Jack is 6-position 6-conductor (6P6C) and designed for voice application. The jack is compatible with RJ11 and RJ12 modular plugs.



Part No	Description	Price
68JK-6602	RJ11 / RJ12 110 Type 90 Tooless Keystone Jack	1.75
68JK-661	RJ11 /12 Punch Down 110 Type Keystone Jack	1.50

RJ45 PATCH CORD COVER BOOTS

It is the perfect solution for preventing your release tabs of your RJ45 connector from snapping off.

- Type: Snagless Boot for RJ45 plugs
- Bulk Qty: 50
- Compatible: Category 5/5e cable
- Material: ABS Plastic



Part No	Description	Price
95R2-AA	CAT5E RJ45 Boot 50 pcs per bag	2.95
95R2-BB	CAT6 RJ45 STP Boot 50 pcs per bag	2.95

CAT5E / CAT6 RJ45 MODULAR & TOOLLESS IDC PLUGS

CAT6 / CAT5E RJ45 plug (for Stranded UTP wire) is suitable for Modular applications and features gold flash on contacts for optimum data transmission.

Part No	Description	Price
1012-SF-01-20	CAT5E Plug Stranded 2 prong 6Micron 20 pcs/bag	2.95
1012-SF-02-20	CAT5E Plug Stranded 2 Prong 30Micron 20 pcs/bag	2.75
1012-SF-03-20	CAT5E Plug Stranded 2 Prong 50Micron 20 pcs/bag	3.50
1012-SF-04-20	CAT5E Plug Solid 50Micron 3Prong 20 pcs/bag	4.50
1012-SF-05-20	CAT5E Plug Solid 50Micron 2Prong 20 pcs/bag	3.50
1012-SF-09	CAT5E Plug Solid 2Prong 6Micron 100 pcs/bag	9.95
1012-SF-09-20	CAT5E Plug Solid 2Prong 6Micron 20 pcs/bag	2.95
1014-SF-04	CAT6 STP Plug Solid 50Micron 100 pcs/bag, 1.4dia	21.95
301-182	RJ45 Round-Stranded Plug Shielded 100 pcs/bag	21.95
301-188	RJ45 Round-Solid Plug Shielded 100 pcs/bag	21.95
68PG-4A	RJ45 8P8C Plug Flat Stranded 50 pcs per bag	4.00
68PG-6A-S	CAT6 Shielded Plug Stranded 50Micron 100 pcs/bag	21.95
68PG-6B	CAT6 Modular Plug Round Solid 50Micron 100 pcs/bag	21.95
68PG-6S	CAT6 Shielded Modular Plug for Round Stranded 100 pcs	21.95
68PG-6SR	CAT6 Shielded Plug for Round Solid 100 pcs/bag	21.95
68PG-AA	CAT5E Plug Solid Wire 50U 100 pcs/bag	13.05
68PG-AB	CAT5E Plug Stranded Wire 50U 100 pcs/bag	13.50



Non-Shielded Type

Shielded Type (STP)

Solid and stranded: Solid wire consists of one piece of metal wire. Stranded wire is composed of a bundle of thinner wires. Choose the same type of plug as the wire you are using.



Solid Wire



Stranded Wire

6, 30, and 50 micron: Thickness of gold plating on contacts. The thicker, the better protection against corrosion and aging. 50 micron has the best protection. While 6 micron is fine in office environment, we recommend 30 or 50 micron in dusty or chemical environment. Our patch cables are using 50 micron highest grade.

2 prong and 3 prong: When the plug is crimped, the contacts bite the wire like vampire. 2 Prong is 2 teeth so to speak, and 3 prong , 3 teeth. 3 prong has better bite (secure contact). Our highest grade is 50 micron, 3 prong.



WALL PLATES



Part No	Description	Price
1018-SF-01	1 Port Keystone Wallplate Decora Type	0.65
1018-SF-02	2 Port Keystone Wallplate Decora Type	0.65
1018-SF-03	3 Port Keystone Wallplate Ivory Decora Type	0.65
1018-SF-04	4 Port Keystone Wallplate Decora Type	0.65
1018-SF-05	6 Port Keystone Wallplate Decora Type	0.65
68PL-A1	1 Port Wall Plate for Keystone	0.65
68PL-A2	2 Port Wall Plate for Keystone	0.65
68PL-A3	3 Port Wall Plate for Keystone	0.65
68PL-A4	4 Port Wall Plate for Keystone	0.65
68PL-A6	6 Port Wall Plate for Keystone	0.65

Part No	Description	Price
68WP-21	RJ11 6P4C Single Wall Plate Jacks	1.25
68WP-22	RJ11 6P4C Double Wall Plate Jacks	1.50
68WP-31	RJ12 6P6C Single Wall Plate Jacks	1.40
68WP-32	RJ12 6P6C Double Wall Plate Jacks	1.75
68WP-41	RJ45 8P8C Keyed Single Wall Plate	1.50
68WP-42	RJ45 8P8C Keyed Double Wall Plate	1.95
F-RJ11-1PWK	F Coupler /RJ11 Wall Plate White	1.25
HDMI-1PWK	1 Port HDMI Wall Plate, 180 degree	9.95
HDMI-2PWK	Dual Port HDMI White Wall Plate Kit	14.95
HDMI-F01	1 Port HDMI 90 degree / 1 F Connector	12.95

HDMI WALL PLATES




Part No	Description	Price
1102-SF-05	1 Port HDMI Wallplate w/4" Pigtail	13.20
HDMI-RGB01	1 Port HDMI 90 degree / RCA 3x (RGB)	17.75
1018-SF-19	HDMI Keystone Coupler	7.95

LOW VOLTAGE CABLE PLATE




With these new plates you can install low voltage cables behind your flat panel TV, your amplifier or other audio/video devices, flush to the wall surface.



Part No	Description	Price
1018-SF-50	1-Gang Recessed Low Voltage Cable Plate	3.95
1018-SF-51	2-Gang Recessed Low Voltage Cable Plate	4.95
1018-SF-52	3-Gang Recessed Low Voltage Cable Plate	8.95
1018-SF-53	Easy Mount Recessed Low Voltage Cable Plate	4.95
1018-SF-54	Easy Mount Recessed Cable Plate (Slim Fit)	4.95
1018-SF-55	Recessed Media Box	29.95
1018-SF-56	Recessed Cable Plate with Recessed Power	21.24
1018-SF-57	Recessed Pro-Power Kit w/Straight Blade Inlet	69.95
1018-SF-58	Recessed Media Plate with Duplex Receptacle	30.95
2035-SF-10	Blank Wall Plate for F Coupler	0.70

MODULAR ADAPTERS - RJ11, RJ12, RJ45



- Converting RS232 serial port to an RJ11, RJ12 and RJ45 connection.
- For terminals, serial printers, modems, POS and other serial equipment.

Part No	Description	Price
2720-SF-12	DB25 Male to RJ11 (4 wire)	1.10
2720-SF-13	DB25 Female to RJ11 (4 wire)	1.10
A	31D1-A1 DB9 Male to RJ12 (6 wire)	1.10
B	31D1-A2 DB9 Female to RJ12	1.10
C	31D1-B1 DB9 Male to RJ45	1.10
D	31D1-B2 DB9 Female to RJ45	1.10
E	31D1-C2 DB9 Female to RJ45 Black	1.10
F	31D2-A1 DB15 Male to RJ45	1.10
G	31D2-A2 DB15 Female to RJ45	1.10
H	31D3-A1 DB25 Male to RJ12 (6 wire)	1.10
I	31D3-A2 DB25 Female to RJ12 (6 wire)	1.10
K	31D3-B1 DB25 Male to RJ45	1.10
L	31D3-B2 DB25 Female to RJ45	1.10

RJ12 Pinout:
 Pin1 -- White
 Pin2 -- Black
 Pin3 -- Red
 Pin4 -- Green
 Pin5 -- Yellow
 Pin6 -- Brown

RJ45 Pinout:
 Pin1 -- Blue
 Pin2 -- Orange
 Pin3 -- Black
 Pin4 -- Red
 Pin5 -- Green
 Pin6 -- Yellow
 Pin7 -- Brown
 Pin8 -- White

INLINE COUPLER - RJ11, RJ12, RJ45



Part No	Description	Price
68LL-2S	RJ11 6P4C Modular Inline Coupler Straight	0.53
68LL-2X	RJ11 6P4C Modular Inline Coupler Reverse	0.53
68LL-3S	RJ12 6P6C Straight Thru Inline Coupler	0.77
68LL-3X	RJ12 6P6C Crossover Inline Coupler	0.77
68LL-4S	RJ45 8P8C Straight Thru Inline Coupler	0.81
68LL-4X	RJ45 8P8C Crossover Inline Coupler	0.81
68TA-22	RJ11 6P4C 1 M / 2F Modular T Adapter	0.56
68TA-23	RJ11 6P4C 1 F / 2F Modular T Adapter	0.63
68TA-2A	RJ11 6P4C 1 M / 3F Modular T Adapter	1.71
68TA-32	RJ12 6P6C 1 M / 2F Modular T Adapter	0.85

INLINE COUPLER - CAT5E / CAT6

If you need to link several networking cables together, or extending existing cable runs, In-line CAT5E / CAT6 Coupler can help you make the right connection. The in-line coupler provides a female-to-female feed-through connection for easy cable hook-up. The 1-1 wiring configuration is compatible with both T568A and T568B wiring schemes.

- One RJ45 Female to One RJ45 Female
- Type: 8 conductor straight-thru RJ45
- Designed for computer networking applications



Part No	Description	Price
68LL-5E	CAT5E Jack to Jack Inline Coupler	2.95
68LL-5E-SHD	CAT5E RJ45 Full Shielded Inline Coupler	4.25
68LL-6S	CAT6 RJ45 Inline Coupler	3.25

Need to connect two computers together without using a hub? The Cat.5E crossover coupler is a cost effective way to easily convert two standard Patch cables into a crossover.



Part No	Description	Price
1020-SF-02	CAT5E Inline Crossover Coupler	2.65

KEYSTONE SNAP-IN COUPLER - CAT5E / CAT6



Color Option:

Keystone Snap-in CAT6 couplers provide a full range of solutions for voice, home networking, home office, audio, video and more. It works with any SF-Cable wallplates, blank patch panels and CAT5E and CAT6 patch cables.


1020-SF-09	CAT5E Inline Coupler w/Keystone Latch	2.50
1020-SF-10	CAT6 Inline Coupler w/Keystone Latch	2.75

Junction box is for splicing two Ethernet CAT5E / CAT6 cables together without the use of connectors and couplers; if you're going to joint 2 wires together permanently, it's best to have as direct a connection as possible. The punch down connection provides secure continuity



1020-SF-06	CAT5E Junction Box, Punch Down Type	3.25
1020-SF-07	CAT6 Junction Box, Punch Down	3.50

10/100 BASE T NETWORK WIRING SPLITTER



Part No	Description	Price
1021-SF-01	10/100 BaseT 1P/2J 04 Wiring Splitter, Pigtail Type	4.25
1021-SF-02	10/100 BaseT 1P/2J 07 Wiring Splitter, Pigtail Type	4.25
1021-SF-03	10/100 BaseT RJ45 1P/2J 07 Wiring Splitter Adapter	3.95
1021-SF-04	10/100 BaseT RJ45 1P/2J 04 Wiring Splitter, Adapter	3.95
1021-SF-05	10/100 BaseT RJ45 1P/2J 08 Wiring Splitter, Pigtail	4.25
1021-SF-06	10/100 BaseT RJ45 1P/2J 08 Wiring Splitter Adapter	3.95

RJ11, RJ12, CAT5E / CAT6 SURFACE MOUNT JACKS

	Part No	Description	Price
A	68BX-21	RJ11 6P4C Single Surface Mount Box	0.94
B	1707-SF-06	RJ11 Modular Dual Port Surface Mount Jack	1.58
C	68BX-31	RJ12 6P6C Single Surface Mount Box	0.94
D	1707-SF-03	RJ12 Modular Dual Port Surface Mount Jack	1.54
E	68BX-41	RJ45 8P8C Single Surface Mount Box	0.99
F	1019-SF-09	1 Port CAT5E Surface Mount Box , PCB Type	2.00
G	1019-SF-10	2 Port CAT5E Surface Mount Box, PCB Type	2.95
H	1032-SF-01	Surfacemount Box for Wall Plate	1.95
I	60-775S	1 Port CAT5E RJ45 Surface Mount Box w/Jack	3.44
J	68BX-B1	1 Port Surface Mount Box for Keystone Jack	1.49
K	68BX-B1-J	CAT5E 1 Port Surface Mount Box w/Jack	2.75
L	68BX-B2	2 Port Surface Mount Box for Keystone	1.84
M	68BX-B2-J	2 Port CAT5E Surface Mount Box w/Jack	4.75
N	68BX-C1	1 Port CAT6 Surface Mount Box	3.95
O	68BX-C2	2 Port CAT6 Surface Mount Box	6.95
P	68BX-C8-P	8 Port CAT6 Surface Mount Box Punchdown	21.95
Q	68BX-B8-J	8 Port CAT5E Surface Mount Box White w/Jack	19.95




ETHERWAN MEDIA CONVERTER

EtherWAN offers its Media Converter Series as a concrete and affordable answer in response to an increase in fiber optics cabling deployment. EL50 Series is available in all varieties of fiber connectors and modes: The EL50 is a reasonably priced and user friendly media converter that supports easy to read LEDs which indicate Link and Activity status. The RJ45 port on this unit can Auto negotiate 10/100 Mbps /duplex mode and Auto-MDIX. Better than a regular converter, the EL50 has switching capability that is able to filter traffic and record MAC addresses.




Part No	Description	Price
1023-SF-40	Mini 10/100TX/100FX MM (SC)	88.95
1023-SF-41	Mini 10/100TX/100FX MM (ST)	88.95
1023-SF-44	Mini 10/100TX/100FX SM (SC) 20Km	165.95
1023-SF-45	Mini 10/100TX/100FX SM (SC) 40Km	237.90
1023-SF-46	Mini 10/100TX/100FX SM (SC) 75Km	536.25

The EL100 Series are available in all varieties of fiber connectors and modes. EL100 is the most functional media converter on the market. The RJ45 port on this unit is dual speed 10/100Mbps with half/full duplex auto sensing. Supports chassis system installation for easy management and power redundancy accomplishment



1023-SF-50	10/100TX to 100FX MM (SC)	136.50
1023-SF-51	10/100TX to 100FX MM (ST)	136.50
1023-SF-54	0/100TX to 100FX SM (SC) 20Km	185.60
1023-SF-55	10/100TX to 100FX SM (SC) 40Km	224.95
1023-SF-56	10/100TX to 100FX SM (SC) 75Km	615.60
1023-SF-57	10/100TX to 100FX SM (SC) 100Km	1410.50
1023-SF-60	1000BaseT / 1000BaseFX MM (SC)	226.80

Network Print Server with USB2.0 Single Port PS110U



PS110U print server allows you to take the computer out of the loop while setting up a printing network. All that is needed is to connect the PS110U to a printer via the USB port, connect the print server to your LAN, and you will be able to access your printer from any computer on the LAN.

1030-SF-08 42.95

Network Print and Storage Server w/ 1 USB 2.0 Port PS310U

Ideal for sharing USB connected devices across a home or office network. The device is compatible with the majority of printers and multi-function printers on the market and allows for seamless sharing and management of those devices with network connected computers. The device is also capable of operating with up to four USB based devices such as scanners, flash drives, speakers, and webcams with a USB dock connected to the server.



1030-SF-09 42.95

MEDIA CONVERTER

Gigabit Media Converter

Designed to convert 1000BASE fiber to 1000Base-T copper media or vice versa. Designed under IEEE802.3ab 1000Base-T and IEEE802.3z 1000Base-SX standards, Designed for use with multi-mode fiber cable utilizing the SC-Type connector. It supports shortwave (SX) laser specification at a full wire speed forwarding rate.



Part No	Description	Price
1025-SF-17	SC/MM MC200CM	72.80
1025-SF-18	SC/SM 15Km, MC210CS	85.04

NETWORK USB SERVER



4 Port Network USB 2.0 Server with USB2.0 Hub

The networking USB 2.0 server enables an external hard drive, flash drive, memory card reader, USB webcam, USB speaker, or USB Multi-Function Printer (MFP) to be shared on a network. With the versatility afforded by the network USB server, users can easily enjoy their favorite multimedia content stored on their computer from anywhere at home or in office. You can attach a standard USB web cam to the networking USB 2.0 server as a simple and low cost security monitoring solution for home and small office.

1030-SF-07 57.60

6 Bay Media Converter & Ethernet Extender Chassis

EMC1600 is a metal-cased chassis system, It offers a securer and higher capacity housing for your network central point to contain and power up to 16 media converters and Ethernet Extenders.



1023-SF-49 776.25

10/100 BaseTX Ethernet Extender, RJ11

The ED3101 is a point-to-point Ethernet Extender that efficiently extends 10/100Ethernet circuits to over 300 meters (984feet) This is the perfect solution to Ethernet on the factory floor where systems have been upgraded from slower serial communications to Ethernet networking.



1023-SF-70 308.00

10/100 BaseTX Ethernet Extender, Coaxial

The ED3331 is used in pairs to extend Ethernet connectivity over existing coaxial environment. The ED3331 is a point-to-point Ethernet Extender that efficiently extends 10/100 Ethernet circuits to over 200M (656ft.) up to 85Mbps using existing coaxial cable, and 1Mbps transmit performance when the distance is up to 2,600 meters (8,530ft.).



1023-SF-71 334.80

10/100 Web-Smart PoE Switch

Designed to operate in the small or medium network environment to provide Power to PoE driven devices, such as PoE IP cameras.



Part No	Spec	Price
1023-SF-80	8 Port	479.25
1023-SF-82	16 Port	695.50

PUNCH DOWN TOOL



Part No	Description	Price
2501-SF-09	Keystone Jack Punch Down Stand	2.45
2501-SF-20	Replacement Blade for 66 Type	7.95
2501-SF-21	Replacement Blade for 110 Type	7.95
2501-SF-22	Replacement Blade for 66/110 Type	7.95
68TL-G1	Adjustable Impact Punch-Down 110 Type Blade and Cutter	29.95
68TL-H1	Adjustable Impact Punch-Down 66 Type Blade and Cutter	29.95
68TL-L1	Punch-Down Impact Tool 110 Type Blade and Cutter	19.95
68TL-M1	Punch-Down Impact Tool 66 Type Blade and Cutter	19.95

COMPRESSION CONNECTOR



Part No	Description	Price
2501-SF-13	Compression Connector Tool	19.95
2501-SF-14	Compression Connector Tool with Cutter	29.95
2501-SF-16	Compression Connector Crimping Tool	43.95

CUTTER/STRIPPER



Part No	Description	Price
2501-SF-10	LAN Cable Handy Cutter / Puncher	4.95
2501-SF-12	Coax Cable Stripper	9.95
2501-SF-17	6" Wire Stripper Prier, 22~10AWG (0.6~2.6mm)	5.95
2501-SF-18	Coaxial Cable Cutter	5.95
2501-SF-23	Replacement Blade for 250112 6pcs/set	3.95
68TL-CUT-02	Cable Jacket Stripper RJ11/12/4	8.95

MODULAR CRIMPING TOOLS RJ45, RJ12, RJ11

RJ11-RJ12-RJ45 Modular Crimp Tools

These crimp tools can be used for terminating a RJ45 plug with a stranded 4-pair unshielded twisted pair cable, making a patch cable assembly; it can also be used for terminating a RJ12 or RJ11 plug with a 3-pair or 2-pair unshielded phone cable.



Part No	Description	Price
68TL-E1	RJ45 Crimp Tool	11.95
2501-SF-01	6C & 8C Ratchet Type Crimp Tool for RJ45 Modular Plug	26.95
68TL-D1	RJ11-RJ12-RJ45 Crimp Tool with Ratchet	21.95
68TL-F1	RJ11-RJ12-RJ45 Ratchet Crimping Tool with Cutter	29.95

RJ11-RJ12 Crimp Tool

This crimp tool can be used for terminating a RJ12 or RJ11 plug with a 3-pair or 2-pair unshielded phone cable.



68TL-B1 **10.95**

CRIMPING TOOLS



Part No	Description	Price
2501-SF-11	RG59/6 Ratchet Crimping Tool	21.95
68TL-A1	Crimp Tool for Stripping Cable RG58 - RG59 - RG62	9.95
68TL-A9	D-Sub Pin Crimp Tool	9.95

D-SUB PIN INSERTION/EXTRACTION TOOL

- D-Sub Installation Tool.
- Ideal for pin insertion and extraction tools.
- Used for setting or removing typical contact pins from D-sub connectors.
- Insertion and Removal Tools for Crimp and Poke Type Contacts.

500-200 **2.50**

NETWORK TESTER

GIGAtest-E Cable Tester

- Main and remote units to test installed cable.
- Suitability of cabling for 10/100/1000 Base T networks.

2601-SF-01 **49.95**

LANtest Kit

- Can test the correct pin configuration of 10 Base T, 10 Base 2 Thin Ethernet cable, RJ11/45 modular cables 356A, TIA-568A/568B and Token Ring cable etc.
- With remote kit, it can remotely test cable up to 100 ft. away either on wall plate or patch panel.

2601-SF-02 **36.95**

LANtest Pro

The LAN test Pro is a small hand held tester that enables the user to quickly read the status of Ethernet twisted pair cables. It tests for faults such as open circuits, shorts, crossed pairs, reversed pairs, and split pairs in seconds.

2601-SF-03 **89.95**



NETWORK TESTER

LANsmart TDR

- Tests for short, opens, miswires, reversal, split pairs, and shield continuity.
- Calibrate Velocity Propagation ability for non-standard cables to increase measuring accuracy.

2601-SF-05 **235.95**



NET Finder PRO

NETfinder Pro is an expanded version of NETfinder. This Pro version adds the Cable Organizer function to allow it to work with up to 18 remote ID. Tests for wiring faults of open, short, reversed and crossed pairs. Designed remote unit that enables one person to test installed cables

2601-SF-11 **169.95**



LAN Device Status Identifier

LANID is a tool for verifying and troubleshooting local area networks. It is designed for network administrators to quickly diagnose problems during LAN installation and repair. With a simple push of a button, the LANID will display the status of network devices, whether it is running a 10BASE-T or 100BASE-T network.

2601-SF-12 **145.95**



Giga Network online Status Tester

GIGA-X is an economical and versatile tool. It helps network administrators and installer to layout 10/100/1000BASE-T network environments. Network installers and administrators will find that GIGA-X is the fastest yet simplest unit to detect, identify, and maintain their network environments. GIGA-complies with existing IEEE standards.

2601-SF-13 **235.95**



Digital WiFi Hot Spotter

WiFi Detector is a useful Wi-Fi signal locating and analyzing device, it has the capacity to detect and show clear description of each wireless access point near you. It has a big LCD screen to show each site's detail information in one page.

2601-SF-14 **69.95**



LANID Pro Network Tester

LANID Pro is an essential tool for verifying and troubleshooting local area networks. It is designed for network administrators to quickly diagnose problems during LAN installation and repair. With a simple push of a button, the LANID Pro will display the status of network devices, whether it is running a 10BASE-T or 100BASE-T network.

2601-SF-16 **169.95**



SMARTone & SMARTprobe Kit

The SMARTone & SMARTprobe is a revolutionary network installation and troubleshooting tool, it goes entirely above and beyond the traditional methods to trace & identify cables. It uses advanced digital signal technology to trace and identify cables in high speed and high precision; avoiding noise and false signals. It is a true breakthrough beyond traditional testing methods.

2601-SF-18 **154.95**



PC Cable Tester Pro with ATA

2601-SF-20 **144.95**



Multi-Function PC Cable Tester

2601-SF-22 **295.95**



NETWORK TOOL KITS



2520-SF-08



2520-SF-18



Network Installation Kit

- Crimping tool for 8P8C/RJ-45, 6P6C/RJ-12, 6p4c/RJ-11
- Crimping tool with interchangeable die for RG-58,59,62.5,174
- Die sets. • 6.5" cable cutter • Cable stripper with cutter
- Coaxial cable stripper • Coaxial stripper
- Punch down tool with 66/88/110 blades • 2 Screwdrivers
- Enhanced Network Cable Tester
- Hard plastic case with inner foam padding (375 x 253 x 48 mm)

2520-SF-08 **215.95**

35 Pieces Precision Screw Driver Set

- Bits • 5" Needle Nose Pliers • 5" Side Cutter
- Flexible Shaft • Durable Zippered Storage Case
- Stainless Tweezers • Easy Grip Screwdriver Handle
- Cased size: 7" x 5" x 1.75"

2520-SF-18 **24.95**

10 Pieces Network Installation Tool Kit

Network Tool Kit allows the professional installer or amateur enthusiast to handle cabling, terminating and troubleshooting with ease. From crimping to cutting, using the crimp tool and cable strippewr, to "shiffing" out problems with the compact LAN cable tester. Ideal for testing and troubleshooting network cabling installations

2520-SF-21 **49.95**

12-in-1 Mini Precision Screwdriver Set

- Precision tool kit for cellular phones, laptops and small gadgets
- Practical for repairing, including professional,eyeglasses, making jewelry, or changing a battery in a child's toy.



2520-SF-19 **11.95**



73TK-C1



73TK-F1



2520-SF-20

Part No	Description	Price
2520-SF-01	11 Pieces Tool Kit	10.95
73TK-B1	13 Pieces Tool Kit	11.50
73TK-C1	23 Pieces Computer Tool Kit	31.95
2520-SF-16	43 Pieces PC Maintenance Tool Kit	25.95
73TK-F1	48 Pieces Computer Tool Kit	36.95
2520-SF-20	56 Pieces Computer Tool Kit	38.95
2520-SF-15	58 Pieces Computer Tool Kit	36.95

66 PUNCH DOWN BLOCKS



Part No	Description	Price
1031-SF-01	66 Punch Down Block	13.80
1031-SF-04	Bracket for 66 Block	2.50
1031-SF-05	Wire Post for 66 Block	1.65
1031-SF-06	66 Block Bridge Clip 50pc/Pack	7.98

CABLE MANAGEMENT



- Horizontal 1U / 2U cable management panel. Suits all standard 19" racks.
- 5 detachable plastic rings
- End rings can be mounted horizontally or vertically

Part No	Specification	Price
1022-SF-17	1U 1.75"x19", Plastic Ring	9.95
1022-SF-18	2U 3.5"x19", Plastic Ring	11.31
1022-SF-19	19 inch 1U Support Bar Black	6.49
1022-SF-42	1U 1.75"x19", Metal Ring	9.50
1022-SF-43	2U 3.5"x19", Metal Ring	10.95


LED PATCH PANELS



With LED patch panel and Signal Generator, you can instantly identify ports without removing panel wiring or shutting down system. No more cumbersome trial and error port search with tone generator and probe. Just connect Signal Generator to wall plate. LED indicator on patch panel instantly guide you to corresponding port.

Part No	Description	Price
1022-SF-13	Signal Transmitter for Patch Panel w/ LED Indicator	26.75
1022-SF-12	24 Ports CAT5E 110 Patch Panel Rackmount w/LED Indicator	44.95
1022-SF-28	48 Ports CAT5E 110 Patch Panel Rackmount w/LED Indicator	87.94
1022-SF-29	24 Ports CAT6 110 Patch Panel Rackmount w/LED Indicator	55.65
1022-SF-30	48 Ports CAT6 110 Patch Panel Rackmount w/LED Indicator	99.95


SPACE BLANK PANEL



Cover up those blank spaces in your server rack with these Blank Panels that go up to 4U spaces

Part No	Description	Price
1022-SF-51	1U Space Blank Panel	5.75
1022-SF-52	2U Space Blank Panel	8.81
1022-SF-53	3U Space Blank Panel	11.53
1022-SF-54	4U Space Blank Panel	12.87

BLANK PANEL FOR KEYSTONE JACK



Add more ports with these blank patch panels for keystone jacks up to 48 ports

	Part No	Specification	Price
A	1022-SF-20	1U 19" 12 Ports	6.20
B	1022-SF-21	1U 19" 16 Ports	6.20
C	1022-SF-22	2U 19" 24 Ports	7.68
D	1022-SF-23	2U 19" 32 Ports	7.68
E	1022-SF-24	4U 19" 48 Ports	12.95

MOUNTING HINGES



1U wall mount bracket for installation of patch panels or other 19" rackmount devices. Hinged for easy access to wiring. Panel screws are included.


Part No	Specification	Price
1022-SF-15	1U Mounting Hinge for 12/24 Port Patch Panel	10.85
1022-SF-16	2U Mounting Hinge for 48 Port Patch Panel 3.5"	15.70
1022-SF-27	4U Mounting Hinge for 96 Port Patch Panel 7"	28.18

CAT5E 100 TYPE PATCH PANELS



- UL approved
- 19 inch 1U rackmount
- Meets TIA/EIA-568B.2/568B.2-1 Cat.5E ISO/IEC 11801 and EN 50173-1 spec.
- Support T568A & B wiring

	Part No	Specification	Price
A	1022-SF-02	12 Port Rackmount	23.95
B	1022-SF-25	16 Port Rackmount	31.16
C	1022-SF-03	24 Port Rackmount	32.58




CAT5E 100 TYPE PATCH PANELS



	Part No	Specification	Price
A	1022-SF-01	12 Port Vertical w/Bracket	24.62
B	1022-SF-11	24 Port Shielded UL Rackmount	59.50
C	1022-SF-04	48 Port Rackmount	59.95
D	1022-SF-05	96 Port Racmount	126.72

CAT6 100 TYPE PATCH PANELS



	Part No	Specification	Price
A	1022-SF-06	12 Port Vertical w/Bracket	30.23
B	1022-SF-07	12 Port Racmount	30.69
C	1022-SF-26	16 Port Racmount	36.58
D	1022-SF-08	24 Port Racmount	45.51
E	1022-SF-09	48 Port Racmount	76.81
F	1022-SF-10	96 Port Rackmount	160.80

POE

8-port 10/100M Desktop PoE Switch, SF1008P

The SF1008P 8-port 10/100M Desktop PoE Switch provides the seamless network connection. It integrates 100Mbps Fast Ethernet and 10Mbps Ethernet network capabilities. These PoE ports can automatically detect and supply power with those IEEE 802.3af compliant Powered Devices (PDs). In this situation, the electrical power is transmitted along with data in one single cable allowing you to expand your network where there are no power lines or outlets, where you wish to fix devices such as APs, IP Cameras or IP Phones, etc.

1037-SF-09 **75.10**

PoE Adapter Kit PoE200

The POE200 is designed to deliver power and data over a single Ethernet cable to an Ethernet enabled device up to 100m away. The PoE kit uses two devices, one, the 'injector' injects power and data into a single Ethernet cable while the other, the 'splitter' placed at the receiving end splits the power and data back into two cables to be used by the connected Ethernet device. This convenience allows users to place Ethernet enabled devices such as access points, IP cameras, or VoIP phones anywhere that they are best suited.


1037-SF-11 **36.95**



10/100M UNMANAGED SWITCH

The 10/100Mbps Fast Ethernet Switch provides 5 to 8 10/100Mbps Auto-Negotiation RJ45 ports. All ports support Auto MDI/MDIX function, eliminating the need for crossover cables or Uplink ports. The Switch is Plug-and-Play and each port can be used as general ports or Uplink ports and can be simply plugged into a server, a hub or a switch, using straight cable or crossover cable.

Our 10/100M Fast Ethernet Switch provides you with a low-cost, easy-to-use, high-performance, seamless and standard upgrade to improve your old network to a 100Mbps network. It will boost your network performance up to full duplex data transfer. Its wire-speed switching that forwards packets can be as fast as the speed that your network delivers those packets to them.




Part No	Spec	Price
1023-SF-01	5 Ports	14.00
1023-SF-03	8 Ports	17.95
1023-SF-07	16 Ports	40.95
1035-SF-19	24 Ports	71.95
1023-SF-16	48 Ports	129.20

1G UNMANAGED SWITCH

Designed for Ethernet (10Mbps), Fast Ethernet (100Mbps) and Gigabit Ethernet (1000Mbps) with seamless link. It is the perfect choice to improve the performance of Offices and Workgroups networks. Increase the speed of your network server and backbone connections, or make Gigabit to the desktop a reality. Power users in the home, office, workgroup, or creative production environment can now move large, bandwidth-intensive files faster. Transfer graphics, CGI, CAD, or multimedia files and other applications that have to move large files across the network.




Part No	Description	Price
1023-SF-19	5 Port Unmanaged Gigabit Switch Desktop	34.90
1023-SF-08	8 Port Unmanaged Gigabit Switch	52.74
1023-SF-10	16 Port Unmanaged Gigabit Switch	120.00
1023-SF-20	24 Port Unmanaged Gigabit Rackmount Switch	149.35
1023-SF-27	48 Port Unmanaged Gigabit Rackmount Switch	546.00



PoE Injector PoE150S

The PoE Injector POE150S fully complies with IEEE 802.3af standard, and can work with all IEEE 802.3af PoE compliant PDs (Powered Devices) or PoE Receiver Adapters, such as TP-LINK's TL-POE10R, or other equivalent product, to expand your network to where there are no power line or outlet, where you wish to fix device such as AP, IP Camera or IP Phone, etc.

1037-SF-10 **26.81**




CAT5E 350MHZ UTP CABLES

CAT5E 350 MHz UTP Snagless Patch Cable

SF Cable patch cables are made of 100% bare copper wire and 50 micron gold plated RJ45 plugs. Our Enhanced Cat5 350Mhz Snagless Patch Cables will handle bandwidth intensive applications up to 350 Mhz and beyond.

- Designed For: Network Adapters, Hubs, Switches Routers, DSL/Cable Modems, Patch Panels and other Networking applications.
- PVC Molded Hood, Hood Color Match Jacket Color
- UTP, 24AWG, 4 Twisted Pairs, Stranded Bare Copper, UL ETL EIA /TIA-568B Verified CAT5E
- 50 Micron Gold Plated RJ45 Plug
- Pin Assignment: 1-1 2-2 3-3 4-4 5-5 6-6 7-7 8-8



Color Available: BLK BLU GRY GRN ORG RED PINK PUR YEL WHT



Part No	Length	Price
CAT5-005	0.5ft	0.75
CAT5-01	1ft	0.85
CAT5-015	1.5ft	0.95
CAT5-02	2ft	1.05
CAT5-03	3ft	1.15
CAT5-04	4ft	1.35
CAT5-05	5ft	1.45
CAT5-06	6ft	1.55
CAT5-07	7ft	1.65
CAT5-10	10ft	2.15
CAT5-15	15ft	2.65

Part No	Length	Price
CAT5-20	20ft	3.50
CAT5-25	25ft	3.75
CAT5-30	30ft	4.50
CAT5-35	35ft	5.50
CAT5-40	40ft	6.50
CAT5-50	50ft	8.00
CAT5-75	75ft	10.50
CAT5-HD	100ft	16.00
CAT5-HD50	150ft	21.50
CAT5-HD200	200ft	32.00

CAT5E 350 MHz UTP Assembled Patch Cable

Connect your computer to your modem or router using CAT5E Non-Boot Patch Cables. The clip on the patch cable allows for easy disconnection.

- Designed For: Network Adapters, Hubs, Switches, Routers, DSL/Cable Modems, Patch Panels and other Computer Networking applications.
- Certification: TIA/EIA • T568B (AT&T 258A) Wired
- UTP Unshielded Twist Pair
- 24AWG 4pair Stranded Copper Wire
- 50 Micron Gold Plated RJ45 Plug

Color:



Part No	Length	Price
CAT5-005NB	0.5ft	0.75
CAT5-01NB	1ft	0.94
CAT5-02NB	2ft	1.05
CAT5-03NB	3ft	1.15
CAT5-04NB	4ft	1.35
CAT5-05NB	5ft	1.45
CAT5-06NB	6ft	1.55
CAT5-07NB	7ft	1.65

Part No	Length	Price
CAT5-10NB	10ft	2.15
CAT5-15NB	15ft	2.65
CAT5-20NB	20ft	3.50
CAT5-25NB	25ft	3.75
CAT5-50NB	50ft	8.00
CAT5-HDNB	100ft	16.00
CAT5-HD50NB	150ft	21.95
CAT5-HD200NB	200ft	32.00

CAT5E 350MHZ STP CABLES

CAT5E Shielded (STP) Molded Patch Cable

SF Cable Shielded Cat5E patch cable provide increased data integrity in EMI/RFI rich environments. It also protect your signal strength when running long lengths of Ethernet cables with CAT5E Shielded Patch Cable.

- Designed for: Network Adapters, Hubs, Switches, Routers, DSL/Cable Modems, Patch Panels and Networking applications.
- Certification: TIA/EIA
- T568B (AT&T 258A) Wired
- STP Shielded Twist Pair
- 26AWG 4pair Stranded Copper Wire
- 50 Micron Gold Plated shielded RJ45 Plug



Part No	Length	Price
10X5-522005	0.5ft	1.25
10X5-52201	1ft	1.50
10X5-52202	2ft	1.60
10X5-52203	3ft	1.80
10X5-52204	4ft	2.00
10X5-52205	5ft	2.20
10X5-52206	6ft	2.50
10X5-52207	7ft	2.80
10X5-52210	10ft	3.10

Part No	Length	Price
10X5-52215	15ft	3.80
10X5-52220	20ft	4.50
10X5-52225	25ft	5.50
10X5-52235	35ft	7.50
10X5-52250	50ft	10.95
10X5-52275	75ft	15.95
10X5-522HD	100ft	21.95
10X5-522HD50	150ft	29.95
10X5-522HD200	200ft	35.95


CAT5E 350MHZ CROSSOVER UTP CABLES

SF Cable Crossover Ethernet cables are designed to connect two devices, such as computers, game machines directly. Standard Ethernet cables (called "straight through" as opposed to crossover) require that a device be connected to a switch or hub before communicating with another device. A crossover cable switches the wires, allowing the devices to bypass the hub or switch.

- 24AWG 4pair Stranded Copper Wire
- Certification: TIA/EIA
- T568B (AT&T 258A) Wired
- UTP Unshielded Twist Pair
- CM Type PVC Jacket
- 50 Micron Gold Plated RJ45 Plug



Part No	Length	Price
10X5-33201	1ft	1.05
10X5-33203	3ft	1.35
10X5-33205	5ft	1.65
10X5-33207	7ft	1.85
10X5-33210	10ft	2.35
10X5-33214	14ft	2.85
10X5-33225	25ft	3.95
10X5-33250	50ft	8.50
10X5-332HD	100ft	16.00



Color Option:



CAT5E CROSSOVER 350MHZ STP CABLES

CAT5E Shielded Crossover Cable Gray Wire/Green Boot

SF Cable Shielded Cat5E Crossover patch cable provide increased data integrity in EMI/RFI rich environments Our CAT5e Crossover Patch Cable, it's easy to connect computers on your Local Area Network (LAN). This premium cable is designed to connect hub-to-hub, PC-to-PC, or Mac-to-Mac.

- Certification: TIA/EIA
- T568B (AT&T 258A) Wired
- STP Shielded Twist Pair
- CM Type PVC Jacket
- 26AWG 4pair Stranded Copper Wire
- 50 Micron Gold Plated RJ45 Plug
- Gray color cable with Green boots



Part No	Length	Price
CAT5-STP-X001	1ft	1.40
CAT5-STP-X003	3ft	1.60
CAT5-STP-X007	7ft	2.50
CAT5-STP-X010	10ft	3.00
CAT5-STP-X015	15ft	3.95

Part No	Length	Price
CAT5-STP-X025	25ft	5.50
CAT5-STP-X050	50ft	9.95
CAT5-STP-X075	75ft	14.95
CAT5-STP-X100	100ft	18.95

CAT6 550MHZ UTP CABLES

CAT6 550 MHz UTP Snagless Patch Cable



SF Cable CAT 6 UTP Patch Cable is the perfect solution for upgrading or replacing any CAT5E cable that is unsuccessful in supporting 100 Base-T or Gigabit Ethernet. With snagless mold on each connector; it prevents damages during installation.

Designed for voice / data / video distribution, CAT6 550Mhz Snagless Patch Cables will handle bandwidth intensive applications up to 550 Mhz and beyond. SF Cable patch cables are made of 100% bare copper wire and 50 micron gold plated RJ45 plugs.

- Certification: TIA/EIA T568B (AT&T 258A) Wired
- UTP Unshielded Twist Pair
- CM Type PVC Jacket
- 24AWG 4pair Stranded Copper Wire



Color Available:



Part No	Length	Price
CAT6-005	0.5ft	1.25
CAT6-01	1ft	1.35
CAT6-0015	1.5ft	1.45
CAT6-02	2ft	1.55
CAT6-03	3ft	1.65
CAT6-04	4ft	1.85
CAT6-05	5ft	1.95
CAT6-06	6ft	2.00
CAT6-07	7ft	2.15
CAT6-10	10ft	2.65
CAT6-15	15ft	3.50

Part No	Length	Price
CAT6-20	20ft	4.50
CAT6-25	25ft	4.95
CAT6-30	30ft	5.95
CAT6-35	35ft	6.95
CAT6-40	40ft	7.95
CAT6-50	50ft	8.95
CAT6-75	75ft	11.95
CAT6-HD	100ft	17.95
CAT6-HD50	150ft	27.95
CAT6-HD200	200ft	39.95

CAT6 550MHZ UTP CABLES

CAT6 550 MHz Assembled Patch Cable Cable

Connect your computer to your modem or router using CAT6 Non-Boot Patch Cables. The clip on the patch cable allows for easy disconnection.



Part No	Length	Price
CAT6-NB-005	0.5ft	1.25
CAT6-NB-01	1ft	1.45
CAT6-NB-02	2ft	1.55
CAT6-NB-03	3ft	1.65
CAT6-NB-04	4ft	1.85
CAT6-NB-05	5ft	1.95
CAT6-NB-06	6ft	2.05
CAT6-NB-07	7ft	2.15

Part No	Length	Price
CAT6-NB-10	10ft	2.65
CAT6-NB-15	15ft	3.50
CAT6-NB-20	20ft	4.50
CAT6-NB-25	25ft	4.95
CAT6-NB-50	50ft	8.95
CAT6-NB-75	75ft	11.95
CAT6-NB-HD	100ft	29.95
CAT6-NB-HD200	200ft	39.95



Why 50 micron gold plated RJ45 plug?

The contact of RJ45 plug used for Ethernet patch cable is gold plated to maintain optimum conductivity with RJ45 jack (receptacle on the wall). There are several kinds of gold plating thickness available in the market. The lowest grade is called flash gold, and the thickness is mere 3 to 6 micron. The highest is 50 micron.

The difference the thickness makes is the aging. Contacts of RJ45 plug and jack are exposed to moisture in the air that causes corrosion on metal surface. Gold is well known as high conductive and non-corrosive material. Thicker gold plating better protects contact material from corrosion (thus keeps stable Ethernet connection speed) for longer years. Especially when the patch cable is used in high humidity or not-clean air environment, 50 micron gold plated plug and jack is recommended.

SF Cable patch cable uses 50 micron gold plated RJ45 plug, and contact pin of our RJ45 jack is 50 micron gold plated.

What is CCA (Copper Clad Aluminum wire)?

CCA wire uses an aluminum conductor that is coated with copper and it is less expensive than pure copper. The use of CCA wire in twisted pair network cable is not permitted by the IEC or CENELEC in their cable standards, and 3P; an organization that provides third party testing for compliance with industry standards for cable manufacturers strongly advises against the use of CCA wire in twisted pair network cable. The use of CCA wire directly contravenes both CAT5e and CAT6 specifications which denote the use of copper conductors.

CCA has higher attenuation properties than pure copper cable, this will result in more packets of data having to be retransmitted when it is corrupted or lost at the physical layer. This effect is particularly prevalent on longer cable channels on or near the 100meter maximum and will at best lead to a slower network for most users of CCA twisted pair cable.

In addition to less desirable electrical qualities CCA wire presents a number of physical problems for installers ultimately leading to delay and additional expense. CCA wire has a lower tensile strength than pure copper and as such the cable can be damaged through pulling, with conductors or the whole cable breaking.


SF Cable patch cables are made of 100% pure copper wire.

CAT6 550MHZ FLAT PATCH CABLES

CAT6 550MHz Flat Patch Cable Black Color

SF Cable patch cables are made of 100% bare copper wire and 50 micron gold plated RJ45 plugs. CAT6 550Mhz Flat cables fit easily between cramped spaces improving the look of your home or office because they are flat and easy to hide. These flat cables are a perfect fit under carpets, up walls, and even behind furniture. The cables are only a slim 1.2mm thick that gives a plenty of ventilation room for network rack wiring. It is a great advantage over fat cables that add more bulk to your work space.

- Designed for Network Adapters, Hubs, Switches, Routers, DSL/Cable Modems, Patch Panels and other Computer Networking applications.
- T568B (AT&T 258A) Wired
- UTP Unshielded Twist Pair
- CM Type PVC Jacket
- 32AWG Flat
- 4 pair Stranded Copper Wire



Part No	Length	Price
CAT6-FW-005	0.5ft	1.40
CAT6-FW-01	1ft	1.50
CAT6-FW-015	1.5ft	1.56
CAT6-FW-02	2ft	1.65
CAT6-FW-03	3ft	1.70
CAT6-FW-04	4ft	1.85
CAT6-FW-05	5ft	1.95
CAT6-FW-06	6ft	2.12
CAT6-FW-07	7ft	2.20
CAT6-FW-10	10ft	2.60
CAT6-FW-15	15ft	3.15
CAT6-FW-20	20ft	3.75
CAT6-FW-25	25ft	4.20
CAT6-FW-35	35ft	5.50
CAT6-FW-45	45ft	6.10

CAT6 CROSSOVER 550MHZ PATCH CABLES

CAT6 550 MHz UTP Snagless Crossover Cable

Designed to connect two devices, such as computers, game machines directly. A crossover cable switches the wires, allowing the devices to bypass the hub or switch.

- Certification: TIA/EIA
- T568B (AT&T 258A) Wired
- 24AWG 4pair Stranded Copper Wire
- 50 Micron Gold Plated RJ45 Plug
- Connect hub-to-hub, PC-to-PC, or Mac-to-Mac.



Part No	Length	Price
CAT6-X01	1ft	1.50
CAT6-X03	3ft	1.95
CAT6-X07	7ft	2.50
CAT6-X10	10ft	3.05

Part No	Length	Price
CAT6-X14	14ft	3.95
CAT6-X25	25ft	5.95
CAT6-X50	50ft	9.95
CAT6-XHD	100ft	19.95

CAT6 550MHz Crossover Shielded (STP) Cable Gray Wire/Green Boot

Shielded CAT6 Crossover cable provide increased data integrity in EMI/RFI rich environments.



Part No	Length	Price
CAT6-STP-X03	3ft	2.95
CAT6-STP-X05	5ft	3.50
CAT6-STP-X07	7ft	4.95
CAT6-STP-X10	10ft	5.95

Part No	Length	Price
CAT6-STP-X15	15ft	7.95
CAT6-STP-X25	25ft	10.95
CAT6-STP-X50	50ft	20.95
CAT6-STP-X75	75ft	24.95


CAT6 550MHZ STP PATCH CABLES

CAT6 550MHz (PiMF) Shielded Molded Patch Cable

SF Cable Shielded CAT6 patch cable provide increased data integrity in EMI/RFI rich environments It also protect your signal strength when running long lengths of Ethernet cables with CAT6 Shielded Patch Cable.

For voice/data/video distribution, CAT6 550Mhz STP Snagless Patch Cables will handle bandwidth intensive applications up to 550 Mhz and beyond. SF Cable patch cables are made of 100% bare copper wire and 50 micron gold plated RJ45 plugs.

- Certification: TIA/EIA
- T568B (AT&T 258A) Wired
- STP Shielded Twist Pair
- CM Type PVC Jacket
- 26AWG 4pair Stranded Copper Wire
- 50 Micron Gold Plated Shielded RJ45 Plug



Double Shielded Noise Protection



- Each pair foil shielded
- 4 pair braid shielded

Color Available:



Part No	Length	Price
CAT6-STP005	0.5ft	2.15
CAT6-STP01	1ft	2.58
CAT6-STP02	2ft	3.02
CAT6-STP03	3ft	3.36
CAT6-STP04	4ft	3.50
CAT6-STP05	5ft	3.74
CAT6-STP06	6ft	4.75
CAT6-STP07	7ft	5.25
CAT6-STP10	10ft	5.76

Part No	Length	Price
CAT6-STP15	15ft	7.25
CAT6-STP20	20ft	8.94
CAT6-STP25	25ft	9.94
CAT6-STP50	50ft	18.95
CAT6-STP75	75ft	24.95
CAT6-STPHD	100ft	34.95
CAT6-STPHD50	150ft	47.95
CAT6-STPHD200	200ft	69.95

CAT6A 600MHZ SNAGLESS PATCH CABLES

CAT6A 600 MHz SHIELDED Snagless Patch Cables

- Performance conforms to proposed CAT6A channel requirement of TIA/EIA-568-B-2-10 class EA ISO/IEC 11801, CENELEC EN 50173 and IEEE802.3an
- Double shielded: Each pair foil shielded / 4 pair braid shielded
- 50 micron gold plated RJ45 shielded plug
- 26AWG stranded copper wire
- UL listed
- Molded snagless boot



Part No	Length	Price
CAT6A-STP-01	1ft	3.50
CAT6A-STP-02	2ft	4.00
CAT6A-STP-03	3ft	4.50
CAT6A-STP-03	4ft	5.00
CAT6A-STP-05	5ft	5.50
CAT6A-STP-06	6ft	6.00
CAT6A-STP-07	7ft	6.50

Part No	Length	Price
CAT6A-STP-10	10ft	7.50
CAT6A-STP-15	15ft	9.50
CAT6A-STP-20	20ft	10.50
CAT6A-STP-35	35ft	16.50
CAT6A-STP-50	50ft	21.50
CAT6A-STP-75	75ft	29.50
CAT6A-STP-HD	100ft	39.50

CAT6A 600 MHZ SNAGLESS PATCH CABLES

CAT6A 600 MHz UTP Snagless Patch Cables

10G CAT6A cabling provides transmission performance that exceeds the industry standard CAT6 parameters and supports the operation of 10GBASE-T over 100 meter. 10G CAT6A solutions are qualified for frequencies up to 500MHz.

- 10GBASE-T Ethernet
- 100VG-AnyLAN
- 10BASE-T Ethernet
- 155/622 Mbps ATM
- 4/16 Mbps Token Ring
- 100Mbps TP-PMD
- 1000BASE-TX Fast Ethernet
- 1000BASE-T Gigabit Rthenet
- 100BASE-TX Fast Ethernet



Part No	Length	Price	Part No	Length	Price
CAT6A-005	0.5ft	2.86	CAT6A-10	10ft	6.48
CAT6A-01	1ft	2.94	CAT6A-15	15ft	8.28
CAT6A-02	2ft	3.33	CAT6A-20	20ft	10.34
CAT6A-03	3ft	3.81	CAT6A-25	25ft	11.37
CAT6A-04	4ft	4.26	CAT6A-35	35ft	14.06
CAT6A-05	5ft	4.73	CAT6A-50	50ft	19.34
CAT6A-06	6ft	5.21	CAT6A-75	75ft	27.94
CAT6A-07	7ft	5.08	CAT6A-HD	100ft	35.74

MODULAR PHONE BULK CABLES



Part No	Description	Price
U24A-TH	1000ft 26 AWG RJ11 6P4C UL Cable	69.95
U24C-TH	1000ft 28 AWG RJ11 6P4C Cable	55.95
U26A-TH	1000ft 26 AWG RJ12 6P6C UL Cable	85.95
U26C-TH	1000ft 28 AWG RJ12 6P6C Cable	65.95
U28A-TH	1000ft 26 AWG RJ45 8P8C UL Cable	99.95
U28C-TH	1000ft 28 AWG RJ45 8P8C Cable	79.95

FIBER OPTIC CONNECTORS



Part No	Connectors	Price
A	1026-SF-01 ST/PC MM 3.0mm	3.25
B	1026-SF-03 SC/PC MM 3.0mm	3.35
C	1026-SF-04 LC/PC MM 3.0mm	4.41
D	1026-SF-08 LC/PC SM 3.0mm	4.20
E	1026-SF-09 FC/PC SM 3.0mm	3.95

PHONE CABLES - RJ11, RJ12, RJ45



Telephone Modular Straight Cable

- 28AWG silver satin jacket.
- Straight wiring is generally used for data application.


Part No	Length	Spec	Price
PS02-07	7ft	RJ11 6P4C	0.60
PS02-14	14ft	RJ11 6P4C	0.95
PS02-25	25ft	RJ11 6P4C	1.25
PS02-50	50ft	RJ11 6P4C	2.75
PS03-07	7ft	RJ12 6P6C	0.65
PS03-14	14ft	RJ12 6P6C	1.25
PS03-25	25ft	RJ12 6P6C	1.90
PS04-07	7ft	RJ45 8P8C	1.05
PS04-14	14ft	RJ45 8P8C	1.95
PS04-25	25ft	RJ45 8P8C	2.95

Reverse Voice to Phone Cable

- 28AWG silver satin jacket.
- Reverse wiring is generally used for voice application.

Part No	Length	Spec	Price
PX02-07	7ft	RJ11 6P4C	0.60
PX02-14	14ft	RJ11 6P4C	0.95
PX02-25	25ft	RJ11 6P4C	1.25
PX02-50	50ft	RJ11 6P4C	2.75
PX03-07	7ft	RJ12 6P6C	0.85
PX03-14	14ft	RJ12 6P6C	1.25
PX03-25	25ft	RJ12 6P6C	1.90
PX04-07	7ft	RJ45 8P8C	1.05
PX04-14	14ft	RJ45 8P8C	1.95
PX04-25	25ft	RJ45 8P8C	2.95

FIBER OPTIC ADAPTERS



Part No	Description	Price
A	31FP-02SCSC SC to SC Multimolded Simplex	3.95
B	31FP-02SCSC-2 SC to SC Multimolded Duplex	2.95
C	31FP-02STSC ST to SC Multimolded Simplex	3.95
D	31FP-02STSC-2 ST to SC Multimolded Duplex	2.95
E	31FP-02STST ST to ST Multimolded Simplex	2.95
F	31FP-02STST-2 ST to ST Multimolded Duplex	2.95

10 GB 50/125 AQUA DUPLEX FIBER OPTIC PATCH CABLES

10Gb 50/125 Aqua fiber optic cables are backward compatible with existing network equipment and provide close to three times the bandwidth of the standard 62.5/125 & 50/125 multimode fibers. 10 Gigabit is rated for distances up to 300 meters. All SF Cable fiber-optic cables are 100% tested for quality and reliability.

- Designed to work with 10Gigabit Ethernet network.
- Fully compatible with 50/125 multimode fiber application work
- Factory terminated with individual test data.



LC-LC		
Part No	Length	Price
1026-SF-15	1 meter	10.99
1026-SF-16	2 meter	11.94
1026-SF-17	3 meter	12.88
1026-SF-18	5 meter	14.91
1026-SF-19	10 meter	19.90
1026-SF-20	15 meter	23.63

LC-SC		
Part No	Length	Price
1026-SF-21	1 meter	10.45
1026-SF-22	2 meter	11.40
1026-SF-23	3 meter	12.48
1026-SF-24	5 meter	14.37
1026-SF-25	10 meter	19.36
1026-SF-26	15 meter	20.47
1026-SF-27	50 meter	49.56
1029-SF-93	100 meter	89.25
1029-SF-94	150 meter	125.08

LC-ST		
Part No	Length	Price
1026-SF-28	1 meter	9.22
1026-SF-29	2 meter	10.03
1026-SF-30	3 meter	10.83
1026-SF-31	5 meter	10.61
1026-SF-32	10 meter	16.46
1026-SF-33	15 meter	19.47

SC-SC		
Part No	Length	Price
1026-SF-34	1 meter	8.63
1026-SF-35	2 meter	9.42
1026-SF-36	3 meter	10.23
1026-SF-37	5 meter	12.23
1026-SF-38	10 meter	16.26
1026-SF-39	15 meter	19.26

SC-ST		
Part No	Length	Price
1026-SF-40	1 meter	8.63
1026-SF-41	2 meter	9.42
1026-SF-42	3 meter	10.23
1026-SF-43	5 meter	11.223
1026-SF-44	10 meter	16.26
1026-SF-45	15 meter	19.26

ST-ST		
Part No	Length	Price
1026-SF-46	1 meter	8.63
1026-SF-47	2 meter	9.42
1026-SF-48	3 meter	10.23
1026-SF-49	5 meter	12.23
1026-SF-50	10 meter	16.26
1026-SF-51	15 meter	19.26

50/125 DUPLEX MULTIMODE FIBER PATCH CABLES



LC-LC		
Part No	Length	Price
30LC-LC01	1 meter	9.52
30LC-LC02	2 meter	9.98
30LC-LC03	3 meter	10.44
30LC-LC05	5 meter	11.35
30LC-LC07	7 meter	12.27
30LC-LC10	10 meter	14.65
30LC-LC15	15 meter	16.93

LC-SC		
Part No	Length	Price
30LC-SC01	1 meter	8.71
30LC-SC02	2 meter	9.17
30LC-SC03	3 meter	9.86
30LC-SC05	5 meter	10.79
30LC-SC07	7 meter	11.37
30LC-SC10	10 meter	12.70
30LC-SC15	15 meter	16.59

LC-ST		
Part No	Length	Price
30LC-ST01	1 meter	8.71
30LC-ST02	2 meter	9.17
30LC-ST03	3 meter	9.86
30LC-ST05	5 meter	10.50
30LC-ST07	7 meter	11.37
30LC-ST10	10 meter	13.70
30LC-ST15	15 meter	15.89

SC-SC		
Part No	Length	Price
30SC-SC01	1 meter	7.36
30SC-SC02	2 meter	7.82
30SC-SC03	3 meter	8.25
30SC-SC05	5 meter	9.14
30SC-SC07	7 meter	10.02
30SC-SC10	10 meter	12.80
30SC-SC15	15 meter	14.54

ST-ST		
Part No	Length	Price
30ST-ST01	1 meter	7.36
30ST-ST02	2 meter	7.82
30ST-ST03	3 meter	8.25
30ST-ST05	5 meter	9.14
30ST-ST07	7 meter	10.02
30ST-ST10	10 meter	12.35
30ST-ST15	15 meter	14.54

ST-SC		
Part No	Length	Price
30ST-SC01	1 meter	7.36
30ST-SC02	2 meter	7.82
30ST-SC03	3 meter	8.25
30ST-SC05	5 meter	9.14
30ST-SC07	7 meter	10.02
30ST-SC10	10 meter	12.35
30ST-SC15	15 meter	14.54

62.5/125 DUPLEX MULTIMODE FIBER PATCH CABLES



LC-LC		
Part No	Length	Price
60LC-LC01	1 meter	9.52
60LC-LC02	2 meter	9.98
60LC-LC03	3 meter	10.44
60LC-LC05	5 meter	11.35
60LC-LC06	6 meter	11.80
60LC-LC10	10 meter	13.65
60LC-LC15	15 meter	15.93

LC-ST		
Part No	Length	Price
60LC-ST01	1 meter	8.71
60LC-ST02	2 meter	9.17
60LC-ST03	3 meter	9.60
60LC-ST05	5 meter	10.50
60LC-ST07	7 meter	11.37
60LC-ST10	10 meter	13.70
60LC-ST15	15 meter	15.89

LC-SC		
Part No	Length	Price
60LC-SC01	1 meter	8.71
60LC-SC02	2 meter	9.17
60LC-SC03	3 meter	9.60
60LC-SC05	5 meter	10.50
60LC-SC07	7 meter	11.37
60LC-SC10	10 meter	13.70
60LC-SC15	15 meter	15.89

LC-MTRJ		
Part No	Length	Price
60LC-MTRJ01	1 meter	9.13
60LC-MTRJ02	2 meter	9.91
60LC-MTRJ03	3 meter	10.18
60LC-MTRJ05	5 meter	10.91
60LC-MTRJ07	7 meter	12.79

Custom Fiber Optic Cables
made in USA
 Can't find the spec and length you need;
 Our products are built to meet and exceed
 your installation requirements: FC, LC, SC,
 MTP, SMA, ST, and more.....
 Contact our experienced sales engineer
1-888-275-8755

MTRJ-ST		
Part No	Length	Price
60MTRJ-ST02	2 meter	8.82
60MTRJ-ST03	3 meter	9.25
60MTRJ-ST05	5 meter	10.14
60MTRJ-ST15	15 meter	15.58

MTRJ-SC		
Part No	Length	Price
60MTRJ-SC02	2 meter	8.82
60MTRJ-SC03	3 meter	9.25
60MTRJ-SC10	10 meter	16.95
60MTRJ-SC15	15 meter	18.95

ST-ST		
Part No	Length	Price
60ST-ST01	1 meter	7.36
60ST-ST02	2 meter	7.82
60ST-ST03	3 meter	8.25
60ST-ST05	5 meter	9.14
60ST-ST07	7 meter	10.02
60ST-ST10	10 meter	12.35
60ST-ST15	15 meter	14.54

ST-SC		
Part No	Length	Price
60ST-SC01	1 meter	7.36
60ST-SC02	2 meter	7.82
60ST-SC03	3 meter	8.25
60ST-SC05	5 meter	9.14
60ST-SC07	7 meter	10.02
60ST-SC10	10 meter	12.35
60ST-SC15	15 meter	14.54

SC-SC		
Part No	Length	Price
60SC-SC01	1 meter	7.36
60SC-SC02	2 meter	7.82
60SC-SC03	3 meter	8.25
60SC-SC05	5 meter	9.14
60SC-SC07	7 meter	10.02
60SC-SC10	10 meter	12.35
60SC-SC15	15 meter	14.54

9/125 DUPLEX SINGLEMODE



LC-LC		
Part No	Length	Price
10LC-LC01	1 meter	11.37
10LC-LC02	2 meter	11.67
10LC-LC03	3 meter	12.12
10LC-LC05	5 meter	12.87
10LC-LC07	7 meter	14.62
10LC-LC10	10 meter	15.74

LC-SC		
Part No	Length	Price
10LC-SC01	1 meter	10.41
10LC-SC02	2 meter	10.79
10LC-SC03	3 meter	11.17
10LC-SC05	5 meter	11.91
10LC-SC07	7 meter	12.66
10LC-SC10	10 meter	14.78

LC-ST		
Part No	Length	Price
10LC-ST01	1 meter	10.41
10LC-ST02	2 meter	10.79
10LC-ST03	3 meter	10.79
10LC-ST05	5 meter	11.17

SC-SC		
Part No	Length	Price
10SC-SC01	1 meter	8.76
10SC-SC02	2 meter	9.14
10SC-SC03	3 meter	9.52
10SC-SC05	5 meter	11.02
10SC-SC10	10 meter	13.14

ST-SC		
Part No	Length	Price
10ST-SC01	1 meter	8.76
10ST-SC02	2 meter	9.14
10ST-SC03	3 meter	9.52
10ST-SC05	5 meter	10.27
10ST-SC10	10 meter	13.14

ST-ST		
Part No	Length	Price
10ST-ST01	1 meter	8.76
10ST-ST02	2 meter	9.14
10ST-ST03	3 meter	9.52
10ST-ST05	5 meter	10.27
10ST-ST10	10 meter	13.14

POWER CORDS SPLITTER

6ft 18 AWG 1-to-2 Power Cord Splitter (1 NEMA 5-15P to 2 IEC320C13)

- Designed for computers, scanners, printers, monitors, and other 3-pin shroud devices.
- Connects two monitors, PC's, or laser printers into a grounded power outlet
- Ideal when you're running out of space on your power/surge protector or wall outlets



P7B1-YY **5.95**

1ft 16 AWG Outlet Saver Power Cord Splitter (2 NEMA 5-15R to 1 NEMA 5-15P) 13A

Attach any power adapter to a power strip, wall outlet or uninterruptible power supply (UPS) without blocking other outlets. Provide space to fit oversized adaptors and allow attachments of multiple adaptors per outlet.



Part No	Gauge	Price
P7YY-01	16 AWG 13A	3.95
P7YY-06	16 AWG 13A	5.95
P7YY-D14-01	14 AWG 15A	4.95

COMPUTER POWER CORDS

6ft 18 AWG 2-Slot Power Cord (IEC320 C7 to NEMA 1-15P)

Perfect for replacing your misplaced, damaged or overused US notebook or laptop 2-slot Polarized style power cords.

- Connectors: NEMA 1-15P to IEC 60320-C7
- Category: USA 2 Prong Power Cords
- 18 AWG • Certification: UL Listed
- Rated up to 10A 125V • Length: 6ft



Part No	Spec	Price
P7NB-06	Non-Polarized	1.50
P7NP-06	Polarized	1.85
P7NP-SR06	Polarized Right Angle	2.50



18 AWG 3-Slot Laptop Power Cord (IEC320 C5 to NEMA 5-15P)

Perfect for replacing your misplaced or overused notebook or laptop 3-slot Mickey Mouse style power cords.

- Connectors: NEMA 5-15P to IEC 320-C5
- Fully molded design provides maximum durability and excellent signal transmission.
- Certification: UL Listed • 18 AWG

Part No	Length	Price
P7N3-01	1ft	1.90
P7N3-02	2ft	2.00
P7N3-025	2.5ft	2.15
P7N3-03	3 ft	2.25
P7N3-06	6ft	2.35



POWER EXTENSION CORD

C13 to C14 Power Cord Extension (IEC320 C13 to IEC320 C14)

Ideal for extending power cord. Perfect for PC, monitor, scanner or printer.

- Connectors: 1 x IEC 60320-C13, 1 x IEC 60320-C14
- Certification: UL listed

Part No	Gauge	Length	Price
P7ME-01	18 AWG	1ft	2.50
P7ME-015	18 AWG	1.5ft	2.50
P7ME-02	18 AWG	2ft	2.50
P7ME-03	18 AWG	3ft	2.50
P7ME-06	18 AWG	6ft	3.25
P7ME-10	18 AWG	10ft	3.50
P7ME-12	18 AWG	12ft	3.50
P7ME-15	18 AWG	15ft	4.95
P7ME-C16-03	16 AWG	3ft	2.95
P7ME-C16-06	16 AWG	6ft	3.75
P7ME-C16-10	16 AWG	10ft	4.25
P7ME-D14-03	14 AWG	3ft	3.50
P7ME-D14-06	14 AWG	6ft	4.50
P7ME-D14-10	14 AWG	10ft	5.50



Outlet Saver Power Extension Cord (NEMA 5-15R to NEMA 5-15P)

Extend your outlet to the length you need! Available in lengths up to 50ft in a variety of gauges. Attach any power adapter to a power strip, wall outlet or uninterruptible power supply without blocking other outlets. Provide space to fit oversized adaptors and allow attachments of multiple adaptors per outlet.



Part No	Length	Gauge	Price
P7PE-01	1ft	16 AWG	2.50
P7PE-SR-01	1ft Right Angle	16 AWG	2.95
P7PE-02	2ft	16 AWG	2.75
P7PE-03	3ft	16 AWG	3.00
P7PE-06	6ft	16 AWG	4.00
P7PE-10	10ft	16 AWG	5.95
P7PE-15	15ft	16 AWG	7.95
P7PE-25	25ft	16 AWG	15.95
P7PX-25	25ft	14AWG	21.95
P7PX-50	50ft	14AWG	34.95
P7PZ-50	50ft	12AWG	52.95

6ft C7 to C8 USA with 18/2 SPT-2

- Connectors: USA IEC C7 to IEC C8
- Category: American 2 Prong Extension Cord
- Standard: IEC 60320-C7 to IEC 60320-C8 18/2 SPT-2 black wire
- Rated up to 10A 125V


P-ZIP-06B-EXT **1.65**



POWER EXTENSION CORD

IEC-60320-C20 To IEC-60320-C19 Power Cord

These IEC power cords are the standard Jumper Cables (or Network Patch Cables) used for PDUs, servers, and UPSs. The male end connects to any IEC-60320-C19 outlet or connector, while the female end connects to any device or appliance that has an IEC-60320-C20 inlet. This could be considered an extension cord since it extends the range (length) for your equipment or devices from the power source. UL and C-UL approvals.



Part No	Length	Price
P-C19C20-12A-03	3ft	10.95
P-C19C20-12A-06	6ft	14.95
P-C19C20-12A-10	10ft	19.95

MONITOR POWER ADAPTER CORD

Monitor Power Adapter Cord (NEMA 5-15R to IEC320 C14)

- Connectors: NEMA 5-15R to IEC320 C14
- Compatibility: Monitors • UL Listed
- 18 AWG • Rating: 10A 125V



Part No	Length	Price
P7PA-01	1ft	1.60
P7PA-06	6ft	2.25

UNIVERSAL US POWER CORDS

Universal Power Cord (IEC320 C13 to NEMA 5-15P)

Perfect for replacing your misplaced, damaged or overused power cords. Available in lengths up to 50ft in a variety of gauges. Our power cord plugs are fully molded with a low profile ergonomic design and RoHS and REACH compliant.

Application: monitors, computers, printers, scanners, and other devices that use a USA 3-pin prong connector

- USA 3-pin plug NEMA 5-15P to IEC C13
- Category: American 3 Prong
- Certification: UL listed



18 AWG 10A		
Part No	Length	Price
P7B1-01	1 ft	1.65
P7B1-015	1.5ft	1.65
P7B1-02	2ft	1.65
P7B1-025	2.46ft	1.75
P7B1-03	3ft	1.75
P7B1-05	5ft	2.20
P7B1-06	6ft	2.25
P7B1-10	10ft	3.45
P7B1-12	12ft	3.95
P7B1-15	15ft	4.50
P7B1-25	25ft	8.95
P7B1-35	35ft	12.95
P7B1-50	50ft	17.95

16 AWG 13A		
Part No	Length	Price
P7C16-01	1ft	1.95
P7C16-02	2ft	2.05
P7C16-03	3ft	2.25
P7C16-04	4ft	2.45
P7C16-05	5ft	2.65
P7C16-06	6ft	2.95
P7C16-08	8ft	3.25
P7C16-10	10ft	4.75
P7C16-12	12ft	5.75
P7C16-15	15ft	6.75
P7C16-25	25ft	13.95
P7C16-35	35ft	16.95
P7C16-50	50ft	23.95

UNIVERSAL US POWER CORDS

14 AWG Universal Power Cord - IEC320 C13 to NEMA 5-15P SJT 15A

14 AWG 15A		
Part No	Length	Price
P7D14-01	1ft	2.15
P7D14-03	3ft	2.95
P7D14-06	6ft	3.95
P7D14-10	10ft	7.95
P7D14-15	15ft	9.95
P7D14-25	25ft	16.95



18 AWG Universal Right Angle Both Side Power Cord (IEC320 C13 to NEMA 5-15P)

Our premium right angle power cord is perfect for replacing your misplaced or overused power cords and getting in to tight places.

- USA 3-pin plug NEMA 5-15P Right Angle to IEC C13 Right Angle
- Fully molded with a low profile ergonomic design
- Category: American 3 Prong
- Certification: UL listed



Part No	Length	Price
P7CR-RR03	3ft	3.95
P7CR-RR06	6ft	4.50
P7CR-RR12	12ft	4.95

18 AWG Universal Wall Side Right Angle Power Cord (IEC320 C13 to NEMA 5-15P)

Part No	Length	Price
P7CR-SR02	2ft	5.10
P7CR-SR06	6ft	5.65
P7CR-SR12	12ft	6.50




6ft 18 AWG Universal Right Angle Power Cord (IEC320 C13 to NEMA 5-15P)

Part No	Length	Price
P7CR-03	3ft	2.25
P7CR-06	6ft	2.75
P7CR-10	10ft	3.95




INTERNATIONAL POWER CORDS




	Part No	Description	Price
A	P-0314-06B	6ft China 3 pin to C5 Power Cord	2.95
B	P-06B-C	6ft China 3 pin to C13 Power Cord	2.95
C	P-ZIP-06B-C	6ft China 2 pin to C7 Power Cord	2.25
D	P-06B-J	6ft NEMA 5-15P (Japan 3 pin) to C13	2.95
E	P-06BM-J	6ft NEMA 5-15P (Japan 3 pin) to C5	2.95

INTERNATIONAL POWER CORDS



	Part No	Description	Price
A	P-ZIP-06B-J	6ft NEMA 1-15P(Japan 2 pin) to C7	2.25
B	P-06B-K	6ft CEE7 Schuko (Korea 3 pin) to C13	2.95
C	P-ZIP-06B-K	6ft KS C 8305 (Korea 2 pin) to C7	2.25
D	P-06B-AUSI	6ft AS3112 (Australian 3 pin) to C13	2.95
E	P-06BM-AUSI	6ft AS3112 (Australian 3 pin) to C5	2.95
F	P-ZIP-06B-AUS-I	6ft AS3112 (Australian 2 pin) to C7	2.25

	Part No	Description	Price
G	P-06B-G	6ft CEE7 VII (European 3 pin) to C13	2.95
H	P-06BM-G	6ft CEE7 Schuko (European 3 pin) to C5	2.75
I	P-ZIP-06B-G	6ft EN50075 (European 2 pin) to C7	2.25
J	P7NB-EU	6ft European Non Polarized Power Cord	2.50
K	P-06B-T	6ft NEMA 5-15P (Taiwan 3 pin) to C13	2.75
L	P-06B-UK	6ft BS1363A (UK fused plug) to C13	3.95



	Part No	Description	Price
M	P-06BM-UK	6ft BS1363A (UK fused plug) to C5	3.95
N	P-ZIP-06B-UK	6ft BS1363A (UK fused plug) to C7	3.95
O	P-2612-06B	6ft AFSNIT 107-2-D1 (Denmark 3 pin) to C13	2.95
P	P-3712-06B	6ft IRAM 2073 (Argentina 3 pin) to C13	2.95
Q	P-3714-06B	6ft IRAM 2073 (Argentina 3 pin) to C5	2.95
R	P-ZIP-06B-AR	6ft IRAM 2063 (Argentina 2 pin) to C7	2.95

	Part No	Description	Price
S	P-4512-06B	6ft CEI 23-16 (Italy 3 pin) to C13	2.95
T	P-4612-06B	6ft SEV 1011 (Switzerland 3 pin) to C13	2.95
U	P-4812-06B	6ft SI 32 (Israel 3 pin) to C13	2.95
V	P-ZIP-06B-IS	6ft SI 32 (Israel 2 pin) to C7	2.95
W	P-ZIP-06B-T	6ft CNS6797 (Taiwan 2 pin) to C7	2.75
X	P-0414-06B	6ft NBR14136 (Brazil) to C5	2.95

3-OUTLET POWER EXTENSION CORDS

- Power Extension Cord SPT-2 16/2
- 125V 13A 1625W, 16AWG, UL CSA Certified
- 3 outlet with child safety slide cover
- Available length: 6ft, 9ft, 10ft, 15ft
- Color: White, Brown



Part No	Length	Price
2102-SF-01	6ft	2.95
2102-SF-02	9ft	3.25
2102-SF-09	10ft	3.25

Part No	Length	Price
2102-SF-03	12ft	3.95
2102-SF-10	15ft	4.50



PRIME WIRE CABLES

- Water Resistant
- Ultra Flexible
- Wire Type: SJTW
- Nickel-Coated Brass Blades Resist Corrosion
- Flame Retardant
- Abrasion Resistant
- Certifications: cULus or equivalent

A 16/3 Outdoor Extension Cord

Part No	Length	Gauge	Price
2105-SF-50	10ft	16/3	9.95
2105-SF-51	25ft	16/3	16.95
2105-SF-53	50ft	16/3	32.95
2105-SF-55	100ft	16/3	58.95



A

B 14/3 Outdoor Extension Cord

Part No	Length	Gauge	Price
2105-SF-52	25ft	14/3	24.95
2105-SF-54	50ft	14/3	46.95
2105-SF-56	100ft	14/3	82.95



B

C 12/3 Outdoor Extension Cord

Part No	Length	Gauge	Price
2105-SF-60	25ft	12/3	38.95
2105-SF-62	50ft	12/3	66.42
2105-SF-64	100ft	12/3	115.95



C

D 12/3 Triple Tap Extension Cord

Part No	Length	Gauge	Price
2105-SF-61	25ft	12/3	40.95
2105-SF-63	50ft	12/3	69.95
2105-SF-65	100ft	12/3	119.95



D

E 14/3 Blue & Yellow Outdoor Extension Cord

- Primalight Indicator Light
- Locking Connector

Part No	Length	Gauge	Price
2105-SF-70	25ft	14/3	35.95
2105-SF-71	50ft	14/3	51.18
2105-SF-73	100ft	14/3	85.95



E

F Contractor Extension Cord with Indicator Light

Prime Bulldog Tough extension cords with the PrimeLight neon lamp embedded in the female connector let you know when the power is on. The circuit is designed so that if the lamp fails, it will not affect the operation of the extension cord

- Water and Oil Resistant.

Part No	Length	Gauge	Price
2106-SF-01	25ft	14/3	31.95
2106-SF-02	25ft	12/3	40.95
2106-SF-03	50ft	14/3	50.95
2106-SF-04	50ft	12/3	75.75
2106-SF-06	100ft	14/3	89.95
2106-SF-07	100ft	14/3	120.75



F



Power Indicator Light on Receptable

G 3-Tap Contractor Extension Cord with Power Indicator Light

Bulldog Tough triple tap cords have the same great features as the Bulldog ToughR outdoor extension cords but with the PrimeLight lighted triple tap connector. Built for contractors.

Part No	Length	Gauge	Price
2105-SF-72	50ft	14/3	52.95
2106-SF-05	50ft	12/3	78.95
2106-SF-08	100ft	12/3	125.75



G

Check out www.sfcable.com for full Prime Wire Product lines

3 PRONG POWER PLUG ADAPTERS

SF Cable Power plug adapters is ideal for converting any country's two or three pin connector standard to any other country's connector standard as well as various NEMA and IEC connector conversions. These plug adapters are perfect for OEM product bundling as well as any travel plug adapter applications.

	Part No	Description	Price
A	YL-0312	China GB1002 three prong plug to C5 3 prong receptacle	2.50
B	YL-1212	NEMA 5-15P 3 prong USA plug to C13 3 prong receptacle	2.50
C	YL-1214	IEC C5 to USA NEMA 5-15P plug adapter	2.50
D	YL-1235	Australia AS3112 receptacle to USA NEMA 5-15P 3 prong plug.	2.50
E	YL-2212L	SHUCKO Europe 3 prong plug to C5 3 prong receptacle	2.50
F	YL-2215	SHUCKO Europe 3 prong plug to NEMA 5-15R 3 prong USA receptacle	2.50
G	YL-2235	AS3112 Australia Receptacle to European Schuko CEE 7 3 Prong Plug	2.50
H	YL-0315	USA NEMA 5-15R receptacle to China 3 prong plug	2.50
I	YL-3114	IEC C8 2 prong plug to C5 3 prong receptacle	2.50
J	YL-3213	IEC C14 3 prong plug to C7 2 prong receptacle	2.50
K	YL-3214	IEC C14 3 prong plug to C5 3 prong receptacle	2.50
L	YL-3215	IEC C14 3 prong plug to NEMA 5-15R 3 prong USA receptacle	2.50
M	YL-3412	IEC C6 3 prong plug to C13 3 prong receptacle	2.50
N	YL-3413	IEC C6 3 prong plug to C7 2 prong receptacle	2.50
O	YL-3512	AS3112 Australia 3 prong plug to C13 3 prong receptacle	2.50



3 PRONG POWER PLUG ADAPTERS



	Part No	Description	Price
P	YL-3514	AS3112 Australia 3 prong plug to C5 3 prong receptacle	2.50
Q	YL-3515	AS3112 Australia 3 prong plug to NEMA 5-15R 3 prong USA receptacle	2.50
R	YL-3523	AS3112 Australia 3 prong plug to SHUCKO 3 prong Europe receptacle	2.50
S	YL-4512	CEI 23-16 Italy 3 prong p-lug to C13 3 prong receptacle	2.50
T	YL-4515	CEI 23-16 Italy 3 prong p-lug to NEMA 5-15R 3 prong USA receptacle	2.50
U	YL-4523	CEI 23-16 Italy 3 prong plug to SHUCKO Europe 3 prong receptacle	2.50
V	YL-4612	SEV1011 Swiss 3 prong plug to C13 3 prong receptacle	2.50
W	YL-4614	SEV1011 Swiss 3 prong plug to NEMA 5-15R 3 prong USA receptacle	2.50
X	YL-4623	SEV1011 Swiss 3 prong plug to SHUCKO Europe 3 prong receptacle	2.50
Y	YL-6012	BS1363A UK fused 3 prong plug to C13 3 prong receptacle	3.95
Z	YL-6012L	BS1363A UK fused 3 prong plug to C13 3 prong receptacle, right angle	3.95
1	YL-6013	BS1363A UK fused 3 prong plug to C7 2 prong receptacle	3.95
2	YL-6013L	BS1363A UK fused 3 prong plug to C7 2 prong receptacle, right angle	3.95
3	YL-6014	BS1363A UK fused 3 prong plug to C5 3 prong receptacle	3.95
4	YL-6015	USA NEMA 5-15R Receptacle to Fused UK BS1363 3 prong plug	3.95
5	YL-6015L	BS1363A UK fused 3 prong plug to NEMA 5-15R 3 prong USA receptacle, right angle	3.95
6	YL-6021	BS1363A UK fused 3 prong plug to NEMA 1-15R 2 prong USA receptacle	3.95
7	YL-6021L	BS1363A UK fused 3 prong plug to NEMA 1-15R 2 prong USA receptacle, right angle	3.95
8	YL-6022	BS1363A UK fused 3 prong plug to CEE7 2 prong Europe receptacle	3.95
9	YL-6023	BS1363A UK fused 3 prong plug to SHUCKO Europe 3 prong receptacle	3.95
10	YL-6035	BS1363A UK fused 3 prong plug to AS3112 Australia 3 prong receptacle	3.95
11	YL-8015	BS546/SABS164 South Africa/India 3 prong plug to NEMA 5-15R 3 prong receptacle	3.95
12	YL-8021	BS546/SABS164 South Africa/India 3 prong plug to NEMA 1-15R 2 prong receptacle	3.95
13	YL-8022	BS546/SABS164 South Africa/India 3 prong plug to CEE7 Europe 3 prong receptacle	3.95



SF Cable carry multiple international power adapters to fit your power cables. Let us help to find which one fits your needs

2 PRONG POWER PLUG ADAPTERS

	Part No	Description	Price
A	YL-0213	China GB1002 to C7 figure 8 two prong receptacle	2.50
B	YL-1113	NEMA 1-15P 2 prong USA plug to CEE7 Europe two prong receptacle	2.50
C	YL-1113L	NEMA 1-15P 2 prong USA plug to CEE7 Europe two prong receptacle	2.50
D	YL-2113	Europe CEE7/16 two pin plug to IEC C7 Receptacle Plug Adapter	2.50
E	YL-2113L	Europe CEE7/16 two pin plug to IEC C7 receptacle right angle plug adapter	2.50
F	YL-2121	CEE7 2 prong Europe plug to NEMA 1-15R 2 prong USA receptacle	2.50
G	YL-3613	AS3112 Australia 2 prong plug to C7 2 prong receptacle	2.50
H	YL-3613L	AS3112 Australia 2 prong plug to C7 2 prong receptacle, right angle	2.50
I	YL-3621	AS3112 Australia 2 prong plug to NEMA 1-15R 2 prong USA receptacle	2.50
J	YL-3622	AS3112 Australia 2 prong plug to CEE7 2 prong Europe receptacle	2.50



POWER STRIP

6 Outlet Surge Protector 15A, 90J

- AC125V, 15Amp
- 15 Amp circuit breaker
- 90J surge suppressor
- LED power-on indicator
- UL (US and Canada) listed
- Available in 3ft, 6ft, 12ft



Part No	Cord Length	Price
2150-SF-01	3ft	6.05
2150-SF-02	6ft	9.45
2150-SF-10	12ft	11.50

6 Outlet Power Strip Plastic Perpendicular

- AC125V, 15Amp
- 15Amp circuit breaker
- 90J surge suppressor
- LED power-on indicator
- UL listed
- Available in 3ft, 6ft, 10ft



Part No	Cord Length	Price
2150-SF-12	3ft	7.50
2150-SF-59	6ft	8.95
2150-SF-15	10ft	13.75

6 Outlet Power Strip Metal Case 3ft

- 3ft 14AWG/3 power cord
- 110V 15A 1875W
- 15A circuit breaker
- No surge protection
- High impact metal housing



2150-SF-05 9.58



6 Outlet Energy Controlled Surge Protector w/Remote

This RF remote control surge protector allows you easily power off devices when not in use, saving both energy and money. A keychain remote switch allows you to turn off devices on 4 "remote controlled" outlets. Connect appliances that consume standby power such as TV or DVD player here. There are 2 transformer spaced "always on" outlet for devices such as fax or internet modem/router.

- Rating: AC125V, 15A, 1875W
- Joules rating; 2100J
- Clamping voltage: 400V
- Max spike current: 39000A
- Max spike voltage: 6000V
- Remote switch battery included



2150-SF-39 36.95

8ft 8 Outlet Energy Saver Surge Protector, 3600J

Automatically shuts off equipment plugged into the energy saver outlets when the "Master" turns off to save energy. Energy saver bypass switch enables unit to function as a standard surge protector - allowing the connected equipment to operate even if the "Master" item is in sleep mode.

2150-SF-57 34.95

0.66ft 3 Outlet Power Strip, 125VAC 13Amp

- 2/3ft cord
- AC125V, 13Amp
- No surge protection
- UL listed

2150-SF-24 2.95



HDMI / IR EXTENDERS


HDMI Splitter 3D w/IR Extension

HDMI splitter distributes the input of the HDMI signal into 2, 4 or 8 outputs simultaneously. Each amplifier splitter's output can achieve long distance transmission of HDMI signal up to 60ft.

- HDMI 3D supported
- Full 1080p supported
- Data transfer speed: 6.75Gbps
- HDCP v1.2 compliant
- IR extension supported
- Power: DC5V (power supply included)
- Max HDMI cable length : 60ft



2-Way HDMI



Part No	Description	Price
1105-SF-06	2-Way HDMI Splitter (1-in/2-out) 3D	39.95
1105-SF-07	4-Way HDMI Splitter (1-in/4-out) 3D	54.95
1105-SF-05	8-Way HDMI Splitter (1-in/8-out) 3D	124.95



Remote Controller IR Extender

Remote controller IR (Infra Red) extender extends IR signal through HDMI cable to remote location. Say you have source devices such as cable box and blueray player in the living room, and TV in the bed room upstairs. You can change TV channel or switch to blueray pleyer on the bed without going downstairs to the living room

- Use 1105-SF-12 (IR transmitter) 1105-SF-13 (IR Receiver) and 1105-SF-14 (IR adapter) together
- 3.5mm plug
- Cable length: 4.9Ft (1.5m)
- Max extension distance 300Ft (100m)
- No external power required
- IR function or CEC function switchable



1105-SF-14



1105-SF-12

1105-SF-13

Part No	Description	Price
1105-SF-12	Remote Controller IR Extender Transmitter	9.95
1105-SF-13	Remote Controller IR Extender Receiver	9.95
1105-SF-14	Remote Controller IR Extender Adapter	10.95

HDMI Extender 115Ft (35 Meter)

- Allows to extend HDMI cable up to 115Ft (35m)
- Dasy chainable up to 4 units.
- 1080p compatible, 3D supported
- Supports DDWG standard for HDMI monitors
- Supports full HDMI audio/video



1104-SF-04 25.95

USB 2.0 CABLES - TYPE A MALE TO TYPE A MALE

Ideal for connecting USB devices with USB A-female connector to your computer or other USB devices such as switch box. Available length up to 15ft.

- USB Type A Male to Type A male
- Supports high speed USB 2.0 (480 Mbps)
- USB1.1 backward compatible
- Supports Plug and Play specification.
- 28 AWG. TP + 24 AWG.
- PC and Mac compatible



Part No	Length	Price
UB11-03	3ft	1.10
UB11-06	6ft	1.35

Part No	Length	Price
UB11-10	10ft	1.75
UB11-15	15ft	2.15

USB 2.0 EXTENSION CABLES - TYPE A MALE TO FEMALE

USB type A-male to A-female USB cables are typically used to extend the reach of your existing USB A/B cable, or to use USB device such as memory stick on your desk instead of inserting it to the back of PC.

- Transfer rates up to 480Mbps depending on USB version
- Compatible with USB specifications 1.0, 1.1, and 2.0
- Connectors: USB Type A Male to Type A Female
- PC and Mac compatible
- Wire : 28/24 AWG



Part No	Length	Price
UB13-005	5"	1.15
UB13-01	1ft	1.00
UB13-03	3ft	1.10

Part No	Length	Price
UB13-06	6ft	1.35
UB13-10	10ft	1.75
UB13-15	15ft	2.15

Part No	Description	Price
UB13-007-F	7" A-Male/Female USB2.0 Cable w/Noise Reduction Ferrite Core	1.25
1504-SF-25	5ft USB2.0 Golf Ball Extension Stand	2.95


USB 2.0 CABLES - TYPE A MALE TO MICRO B MALE

The Micro-USB connector is now being widely adopted by cellphone and PDA manufacturers. These include various types of battery chargers, allowing Micro-USB to be the single external cable link.

- USB Type A Male to USB Micro B Male
- Transfer rates up to 480Mbps
- Gold Plating Contacts




Part No	Length	Price
USB2MC-008MM	8"	1.50
USB2MC-3MM	3ft	1.80
USB2MC-6MM	6ft	2.00
USB2MC-10MM	10ft	2.75
USB2MC-15MM	15ft	3.75



USB 2.0 CABLES - TYPE A MALE TO TYPE B MALE

USB type A to B cables are used to connect from your USB port on Hub, PC or Mac to your USB device such as keyboards, mice, modems, printer scanner, hard drive or other USB peripherals. Find your cables in the dark with our LED lights embedded on to the USB Cable.

- Transfer rates up to 480Mbps depending on USB version
- Compatible with USB specifications 1.0, 1.1, and 2.0
- Connectors: USB Type A Male to Type B Male
- PC and Mac compatible
- Wire : 28/24 AWG



USB 2.0 type A Male to B Male Cable

Part No	Length	Price
UB12-005	0.5ft	0.90
UB12-01	1ft	0.95
UB12-015	1.5ft	1.05
UB12-03	3ft	1.10

Part No	Length	Price
UB12-06	6ft	1.35
UB12-10	10ft	1.75
UB12-15	15ft	2.15
UB12-20	20ft	7.95

USB 2.0 Cable Type A Male to Type B Male w/LED



Part No	Length	Price
UB12-L03	3ft	2.50
UB12-L06	6ft	3.00



USB 2.0 CABLES - TYPE A MALE TO MINI 4 PIN MALE

A to Mini 4pin cables are used to connect from your USB port on Hub, PC or Mac to your small device such as digital camera, DVR, or PDA.

- Transfer rates up to 480Mbps depending on USB version
- Compatible with USB specifications 1.0, 1.1, and 2.0
- USB Type A Male to Mini 4pin Male
- PC and Mac compatible

Part No	Length	Price
1501-SF-15	3ft	1.35
10U2-14106	6ft	2.25



USB 2.0 CABLES - TYPE A MALE TO MINI 5 PIN MALE

USB 2.0 type A to Mini B 5pin cables are used to connect from your USB port on Hub, PC or Mac to your small device such as digital camera, DVR, or PDA. Transfer rates up to 480Mbps depending on USB version.

- Compatible with USB specifications 1.0, 1.1, and 2.0
- Transfer rates up to 480Mbps

Part No	Length	Price
10U2-15101	1ft	1.10
10U2-15103	3ft	1.25
10U2-15106	6ft	1.50
10U2-15110	10ft	1.95
10U2-15115	15ft	2.95



USB 2.0 CABLES - MINI 5 PIN MALE

Ideal for connecting from your USB port on Hub, PC or Mac to your small device such as digital camera, DVR, or PDA.

- Transfer rates up to 480Mbps depending on USB ver
- Compatible with USB specifications 1.0, 1.1, and 2.0
- PC and Mac compatible



Part No	Description	Price
10U2-150119	3ft USB 2.0 B Male to Mini 5Pin Male	1.95
10U2-150120	6ft USB 2.0 B Male to Mini 5Pin Male	1.95
10U2-150123	3ft USB 2.0 Mini 5Pin Male to Male	1.95

USB 3.0 CABLES

- Transfer rates up to 5 Gbit/s (640 MB/s) which is 10x faster than the USB 2.0 (480 Mbit/s).
- USB 3.0 reduces the time required for data transmission and reduces power consumption.
- Connectors: USB Type A Male to USB Type A Male
- Backward compatible with USB 2.0 and 1.1 Devices.
- Fully compatible with Windows and MAC.
- Plug and play

USB 3.0 Cables - Type A Male TO A Male

Connect your PC or Mac to any peripheral device, such as your printer, scanner, or hard drive enclosure, that require an A-Male device connection

Part No	Length	Price
USB3-AA-03	3ft	2.50
USB3-AA-06	6ft	2.95
USB3-AA-10	10ft	3.50



USB 3.0 Cables - Type A Male to Type B Male

Ideal for connecting your PC or Mac to any peripheral device, such as your printer, scanner, or hard drive enclosure.

Part No	Length	Price
USB3-AB-03	3ft	2.50
USB3-AB-06	6ft	2.95
USB3-AB-10	10ft	3.50



USB 3.0 Extension Cables - Type A Male to Female

USB 3.0 type A-male to A-female USB cables are typically used to extend the reach of your existing USB A/B cable, or to use USB device such as memory stick on your desk instead of inserting it to the back of PC.

Part No	Length	Price
10U3-32103-E-BK	3ft	2.95
10U3-32106-E-BK	6ft	3.50
10U3-32110-E-BK	10ft	4.50
10U3-32115-E-BK	15ft	6.95



USB 3.0 A-Male to Micro B-Male Cable

Part No	Length	Price
1501-SF-66	3ft	3.95
1501-SF-67	6ft	4.50
1501-SF-68	10ft	4.95



USB 2.0 SPLITTER CABLE

5ft USB 2.0 A Male to Mini-B Male + Micro-B Male Splitter Cable

Used for transmit power through USB connector

- Charge 1 mini USB and 1 micro USB device from single USB port
- 1 x USB 2.0 A to 1 x Mini B / 1 x Micro B
- Length: 5ft

10U2-W3124-05 3.95



USB ADAPTERS

Serial ATA to USB 2.0 Cable Converter Adapter with Power Supply

The Hi-Speed USB to Serial ATA (SATA) Drive Adapter creates a bridge between one USB 1.1/2.0 port and one Serial ATA or SATA-based mass storage device port. The USB 2.0 to SATA Drive Adapter turns any SATA hard drive into a convenient external drive. Easily transfer files from computer or notebook, back up files, or store large file archives on hard drives.

- Access any 2.5"/3.5"/5.25" SATA drive through Hi-Speed USB port.
- Compatible with any SATA drives of any brand or any size.
- Transfer rate supports 1.5Gb/s SATA data rate

SATA-C35U 17.95



USB 2.0 to IDE Adapter 2.5", 3.5", 5.25" Drive with Power Adapter

The USB 2.0 to IDE Drive Adapter implements a bridge between one USB port and one ATA or ATAPI based mass storage device port. Turns any IDE drive into a convenient external drive. Easily transfer files from computer or notebook, back up files, or store large file archives on hard drives. The adapter supports all existing IDE/ATAPI devices such as Iomega Zip, CD-ROM, CD-RW, DVD-ROM and IDE hard drives.

- Connect any device with an IDE Interface to a PC with USB interface.
- Transfer rate Approx. 480 MBps
- Complies with USB 2.0 standards
- Backwards compatible to USB 1.1 standards

UB20-IDE 15.95



USB 2.0 Networking Transfer Cable

The High-Speed USB File Transfer Adapter is the premier file and data sharing solution for PC users. Transfer email, music, photos, videos and document files from one computer to another, at speeds up to 480 Mbps.

- Two easy steps of operation - simply connect and transfer.
- No file size or media capacity limitations such as those found with external media cards.
- Simple USB2.0 Plug-n-Play functionality.
- Notebooks and desktops.
- Fast transfer rate of up to 16MB/second.

Part No	Specification	Price
1505-SF-02	PC-PC	21.95
1505-SF-42	PC-Mac	33.95



Experienced Sales and Customer Service Team

Our experienced sales and customer service team are ready to assist you with technical, product information questions, placing orders to ensure you're ordering the correct products. Call us at 1-888-275-8755 to see how we can assist your needs.



USB TO SERIAL RS232 DB9 ADAPTER

The USB to Serial converter is the perfect solution for transferring data from a PDA or digital camera. The USB to DB9 provides a connection between an available USB port and the more traditional RS-232 serial port found on many devices. This adapter is designed for connections to cellular phones, PDAs, digital cameras, modems, or ISDN terminal adapters through your USB port. Simply plug your device into the adapter and the adapter into your PC or Mac. COM ports and Baud rates can be modified to desired set up.

- Provides a 96 byte buffer for each upstream and downstream data transfer
- Compatible with USB Specification v1.1(0) & USB CDC v1.1, USB 2.0
- Supports remote wake-up and power management
- Supports automatic handshake mode

USB to DB9 with Female Nuts



USB to DB9 with Thumbscrews



**** FTDI and PROLIFIC CHIPSET Available ****

Part No	Description	Price
UB30-40	1ft USB to Serial RS232 DB9 Adapter	8.95
UB30-40-S	1ft USB to Serial RS232 DB9 Adapter with Screw	9.95
UB30-45	6ft USB to Serial RS232 DB9 Adapter	12.95
UB30-45-S	6ft USB to Serial RS232 DB9 Adapter with Screw	12.95
UB30-65	6ft USB to Serial RS232 DB9 Adapter FTDI Chipset	15.95
UB30-65-S	6ft USB to Serial RS232 DB9 Adapter with Screw FTDI Chipset	16.95

USB TO DB9 AND DB25 ADAPTER

USB to DB9 and DB25 Parallel Converter

The USB to Serial/Parallel Adapter provides the connection between USB and the traditional RS-232 serial port. The adapter is designed for connections to Cellular phone, PDA, digital cameras, modems, or ISDN terminal adapters through your USB port. Since the adapter uses no IRQ, you can use many serial devices attached to your PC.

- 1 x USB-A male
- 1 x DB9 male
- 1 x DB25 male DB9 female adapter

UB30-50 13.50



USB to DB25 Female Parallel Converter

The USB to DB25 Adapter provides you with an external DB25 (DB-25 female) Plug-n-Play connection for use with computers, notebooks, and handheld computing devices that support USB.

- Instantly adds a DB25 female port to your PC or laptop
- Bi-directional communication between PC and printer
- Connectors: USB Type A Male to DB25 Female

USB-DB25F 13.95



USB 2.0 TO CENTRONICS CN36 PRINTER CABLE

The USB to Printer Cable effectively turns your parallel printer into a USB printer! The 36M Centronics Connector on converter will connect to the 36F Centronics Connector on your printer. Compatible with USB 1.1 and 2.0, this driverless solution makes connecting your printer easy.

- Bi-directional data transfer over parallel port for high speed sprinting up to 12Mbps data transfer rate
- Sends print jobs to parallel printers through USB port
- Plug & Play for effortless installation

90850 13.50



USB TO 2 PORT DB9 MALE SERIAL CONVERTER

The USB/Serial Converter is the easiest way to connect your serial device to the USB port on your PC or Mac. This product operates as a bridge between one USB port and a standard Serial (RS232) port. Newer PCs are no longer equipped with serial (COM) port. This adapter will add 2 serial ports to your new machine easily.

- USB A type male to two DB9 male connector
- Supports RS-232 serial interface

1506-SF-11 21.95



USB TO RS422/485 CONVERTER, RJ11

The USB converter designed for use in rugged application area. Allow adds a Window serial port via its USB connection and can be configured to work with RS-422 and RS-485 peripherals such as industrial control devices. USB converter features a full set of RS-422/RS485 data and control signals on its RJ11 jack.

- It supports data transfer rate up to 3Mbps.
- No external power supply is required


1505-SF-16 25.50



GIGABIT USB 2.0 ETHERNET ADAPTER

This Gigabit USB 2.0 Ethernet adapter is a cost effective solution that converts a USB port into a 10/100/1000Base-T Ethernet port. It enables low cost and affordable Gigabit Ethernet network connection to desktop, notebook PC, and embedded system using popular USB ports. No need to purchase an expensive Gigabit network interface card; just using your existing USB ports and you can upgrade your network connection speed.

- Supports Auto MDIX (straight and cross network cable auto-detection).



1504-SF-98 40.95



USB2.0 SMART KEYBOARD/MOUSE SWITCH

The Smart KM switch lets you share a single keyboard mouse to switch between two computers, allowing you to copy files and cut /paste text / images between two computers. You can drag/drop across 2 monitors with the mouse.


- Cable length : 5Ft (USB2.0 A to Mini 5Pin)

1506-SF-10 21.95



USB SOUND ADAPTERS

USB to MIDI Adapter Cable, USB A to 2 x DIN-5



It's easy to turn your PC into a music studio. Start by connecting an electronic musical instrument to your computer with the supplied USB MIDI cable. Within minutes you'll be able to play songs while they are being recorded on your PC! Complete with attached USB cable and MIDI in and MIDI Out cables Powered via the USB cable A so no power supply or batteries required.

- Host cable: USB A male (15 inch); Device cable: 5 pin DIN male (6Ft)

1506-SF-06 27.95

USB EXTENDERS

USB 2.0 High Speed Active Repeater Extension Cable - Male/Female

USB 2.0 repeater cable is an active device. The USB signals going in and out of the extension cable is buffered to assure signal quality and meeting of the USB electrical and timing specification.

- Connector: USB Type A male to A female
- Data transfer up to 480Mbps
- Plug and play
- No external power required
- Win 98/2K/XP/Vista/7, Mac OS 9.0 or higher



Part No	Specification	Price
1501-SF-25	Extend up to 15ft	12.95
1501-SF-53	Extend up to 30ft	14.95
1501-SF-55	Extend up to 50ft	23.95
1501-SF-56	Extend up to 65ft	27.95
1501-SF-57	Extend up to 80ft	29.95




30ft USB 2.0 Active Repeater Cable, A-Male/B-Male



- Extend USB2.0 up to 30Ft (10m)
- Connector: A male to B male
- Data transfer up to 480Mbps
- Plug and play
- No external power required
- Win 98/2K/XP/Vista/7, Mac OS 9.0 or higher

1501-SF-52 14.95

USB 200 ft Extender Via Ethernet



Now you can place your USB cameras, printers, web cams, keyboard/mouse extensions or any other USB device exactly where you want it. This USB extender allows you to conquer the 5 Meter USB length limitation, Connect your USB peripherals and important equipments without regard for proximity. The unit's compact design allows for easy placement behind equipment or around corners. It's simple.

- Use CAT5e, or CAT6 RJ45 cabling to extend your USB peripherals up to 200 feet away
- Compact design, allows for easy placement

1504-SF-43 21.95

USB HUB

7 Port USB 2.0 Hub w/Power, 4-Horizontal+3-Vertical

This uniquely designed 7-port hub has 3 vertical and 4 horizontal ports. Vertical port makes it easy to use devices such as USB gooseneck web camera, USB fan, USB light, or memory stick.

- LED indicator
- Power supply included
- 3ft USB A male to Mini included




1504-SF-66 28.95

USB SWITCHES

USB Switch USB Button Vertical

Very handy manual switch to share USB printer or any USB peripheral with 2 PC or Mac. Switch the printer with just a push of button. You can also use this switch to have 2 printers (such as laser and ink jet printer) on 1 PC or Mac.



- PC or Mac compatible
- USB1.1 and 2.0 compatible
- Connector: 2 or 4 "B" female 1 "A" male
- Vertical stand

Part No	Description	Price
1504-SF-28	2 Way USB Switch Button Vertical	12.95
1504-SF-29	4 Way USB Switch Button Vertical	15.95

USB 2.0 Auto Printer Sharing Switch

USB 2.0 4-to-1 or 2-to-1 Auto printer Sharing Switch allows multiple PCs to share one USB Printer devices for first come, first service.

- USB B-Type corresponds to computer and A-Type connects to device.
- Auto Printer sharing detection is available
- No extra power required.

Part No	Description	Price
1503-SF-11	2 to1 Sharing Switch	27.95
1503-SF-12	4 to1 Sharing Switch	39.95



USB 2.0 Cross-over 2 to 4 Sharing

Cross-over sharing switch is the ideal solution for sharing 4 USB devices such as printer, scanner, external memory, etc.. with up to 2 PCs. Either USB device can be accessed from either PC.

- Connector: Upstream -- USB B type; Downstream -- USB A Type
- Package contents: USB2.0 sharing switch, Power adapter 2 x 5Ft USB A/B cables

1504-SF-61 42.95



USB HUBS

4 Port USB 2.0 Hub with Power Supply

- Supports high-speed (480 Mbps), full-speed (12 Mbps), and low-speed (1.5 Mbps) data transfer rate.
- Supports simultaneous operation of multiple USB 2.0 and USB 1.1 device.
- Truly plug and play automatic system configuration.
- USB 2.0 complaint supporting up to 4 USB ports.
- Output current per-port : 500 mA.
- One switching power adapter included.
- Power supply: 5V/2A DC (included).
- Indicated LED ports.




1503-SF-10

16.95

4 Port USB 2.0 + 1 Power Port Hub w/Power Supply

The USB 2.0 4-port hub that allows you to add multiple high performance USB 2.0 peripheral devices to your PC. The USB 2.0 hub is fully compliant with the USB 1.1 specification, i.e. your previous USB 1.1 devices can continue to function as usual. This convenient device allows you to connect up to a maximum of 127 USB devices to your PC through daisy chain.



1504-SF-99

26.95

10 Port USB 2.0 Hub

- USB 2.0 high-speed interface, supports data rates of 1.5/12/480 Mbps.
- Supports bus-powered (without power adapter) and self-powered (with power adapter) modes.
- Over-current detection and protection.
- Automatic connection and speed detection.
- Plug-and-Play; hot-plugging.

Package Contents

- 1 x USB 2.0 10-Port Hub
- 1 x Power Adapter
- 1 x USB Cable




1505-SF-44

34.95

3 Port USB 2.0 Hub with File Transfer

Quickly and easily exchange photos, music, movies, applications and other files between your notebook and your desktop PC.


- USB to USB data link for direct data transfer between two computers.
- Simple USB 2.0 Plug-n-Play functionality.
- Build-in 3 USB port for Hub usage.
- Over-current detection and protection.
- Suitable for mobile PC environment.
- One USB A to Mini cable included.



1505-SF-26

30.95

USB 3.0 4 Port Hub with Charger, Individual Port Switch




- Compliant with USB 3.0 , down compatible with USB2.0/1.1
- One upstream to connect with USB 3.0 host, four downstream to connect with USB 3.0 device
- Support the following speed data rate as follows: Low-speed(1.5Mbps) / Full-speed(12Mbps) / High-speed(480Mbps)/Super-speed(5Gbps)
- Individual port switch
- Power : Input: DC 5V (power supply included)

1504-SF-96

41.95

USB 2.0 4Port Squid Hub, 3 A-Female + 1 Mini5 Male




Perfect for travelers, no bulky box to put in your notebook case. It has 3 regular A type connector, and a Mini 5 male connector to connect your camera or MP3 devices directly. Its flexibility provides you organized desktop.

- USB-A to 3 A-female and 1 Mini5-male
- Length: 11.5 inch

1504-SF-65

8.95

4 Port USB 2.0 Squid Hub



This USB2.0 hub has all the connectors you need for printer, iPod, iPhone and devices with USB Mini 5pin.

4 Port USB 2.0 Squid Hub, iPod/Mini5/A-Female x 2

- Connectors
 - 2 x USB2.0 female
 - 1 x Apple dock
 - 1 x USB2.0 Mini 5 pin
- Length: 12"
- USB2.0/1.1 compatible
- Plug & play

1506-SF-16

8.95

4 Port USB 2.0 Squid Hub, iPod/Micro/A-Female x 2

- Connectors
 - 2 x USB2.0 female
 - 1 x Apple dock
 - 1 x USB2.0 Micro
- Length: 12"
- USB2.0/1.1 compatible
- Plug & play

1506-SF-17

8.95



USB MEMORY CARD READERS

USB 2.0 Memory Card Reader All in One

- USB 2.0 compatible
- Plug and play, hot swappable
- Win2000/XP/Vista/7, Mac OS v8.6 or higher
- Size: 2.5" x 1.5" x 0.5"



Applicable memory cards

CF1, CF2, Extreme CF, Extreme III CF, Ultra II CF, HF CF, XS CF, CF Pro, CF Elite Pro, CF Pro II, Ultra speed SD, MD, Hitachi MD, MagicStor, MS, MS Pro, MS magicGate, MS magicgate Pro, Extreme MS pro, Extreme III MS Pro, HS MS Magicgate Pro, HS MS Pro, MS Select, SD, Extreme SD, Extreme III SD, Ultra II SD, SD Pro, SD Elite Pro, SD-Ultra X, HS Mini SD, MMC1, MMC2, MMC4.0, XD, MS Duo, MS Pro Duo, MS magic-gate Pro Duo, MS Magicgate Duo, MS ROM, HS MS magicGate Pro Duo, RS MMC, HS RS MMC. DV-RS MMC, RS MMC 4.0, T-Falsh, MS M2

1505-SF-22

6.75

26-in-1 Card Reader, +xD +T-Flash

- Support hot-swapping and Plug-and-Play function.
- Backwards compatible with USB 1.1 ports.
- With power and status LED.
- Supports Compact Flash™ I/II, CF Extreme™ III, CF Ultra™ II, Micro Drive™ (MD), Magicstor™, Secure Digital™ Card (SD), SD Ultra™ Card, Mini SDTM, MultiMedia™ Card (MMC), MMC 4.0, RS MMCTM, RS MMC 4.0, Memory Stick™ (MS), Memory Stick Pro™ (MS PRO), Memory Stick Duo™ (MS DUO), MS Pro MagicGate™, MS MagicGate™, MS Duo MagicGate™, MS Pro Duo™, MagicGate™, Memory Stick Select Function, Smart Media Card™ (SM), SM RAM Card, XD-Picture™ Card and TransFlash™ Card



1505-SF-30

16.95

VIDEO ADAPTERS

USB 2.0 Video Adapter



- Add-on monitor, LCD or projector through a single USB 2.0 port
- Supports up to 6 USB display adapter to work simultaneously
- Supports High Resolution up to 1920 x 1080
- Extend and Mirror mode support

USB 2.0 to VGA/DVI/HDMI Multi Display Adapter

- Resolution supported: DVI/HDMI
640x480, 720x480, 768x576, 800x600, 1024x768, 1280x720, 1280x1024, 1360x768, 1366x768, 1440x900, 1600x1200, 1680x1050
- Resolution supported: VGA
640x480, 720x400, 800x600, 832x624, 1024x768, 1152x864, 1150x870, 1280x960, 1280x1024
- Can be rotated left, right, or upside-down
- Can easily Mirror the main display
- Extend left, right, above, or below
- DVI, VGA and HDMI Support
- CRT, LCD, Projector Displays



1505-SF-34

54.95

USB 2.0 External Video/Audio Grabber

Transfer your precious memories on tapes to DVD. With the Video Creator, anyone can produce great looking movies to share with family and friends. No prior video editing experience is required.

- Real-Time MPEG 4/2/1 encoding
- S-Video and Composite Video inputs
- RCA Stereo input • USB audio support




2029-SF-01

29.95

	Part No	Description	Price
A	1505-SF-39	USB2.0 to HDMI Adapter with Audio	71.95
B	1505-SF-41	USB 2.0 VGA Display Adapter	49.95
C	1505-SF-40	USB 2.0 DVI Display Adapter-HD	61.95

USB ADAPTERS

	Part No	Description	Price
A	10USB-11	USB B Type Male to B Type Male Adapter	1.75
B	10USB-32	USB A Female to B Female Adapter	1.75
C	10USB-42	USB A Female to B Male Adapter	1.75
D	10USB-BB	USB B Male to B Female Adapter	1.75
E	30U1-04300	USB A Female to Mini USB B 4 pin Male Adapter	1.95
F	30U1-05300	USB A Female to Mini USB B 5 pin Male Adapter	1.75
G	30U1-07300	USB B Female to Mini USB B 4 pin Male Adapter	1.95
H	30U1-08300	USB B Female to Mini USB B 5 pin Male Adapter	1.95
I	UB11-01	USB A Male to A Male Coupler Adapter	1.75
J	UB11-02	USB A Female to Mini B 5 pin Female Adapter	1.75
K	UB11-04	USB A Female to A Female Coupler Adapter	1.75
L	UB11-05-C	USB A Male to A Female Adapter	1.75
M	UB12-02	USB B Female to B Female Coupler Adapter	1.95
N	UB12-05	USB A Male to B Female Adapter	1.95



CCTV CABLES

Balun Wire - Video/Data/Power



- WB5 2 Pair UTP twist pair 24AWG 18/2 cond combo, zip type cable for application using video balun

Part No	Length	Color	Price
BALUN-18-4W-500	500ft	White	117.95
BALUN-18-4W-1000	1000ft	White	209.00
BALUN-18-4B-500	500ft	Black	117.95
BALUN-18-4B-1000	1000ft	Black	209.00



- WB3 1 Pair UTP twist pair 24AWG 18/2 cond combo, zip type cable for application using video balun

Part No	Length	Color	Price
BALUN-18-2W-500	500ft	White	90.95
BALUN-18-2W-1000	1000ft	White	170.95
BALUN-18-2B-500	500ft	Black	90.95
BALUN-18-2B-1000	1000ft	Black	170.95

RG59/U Copper Combo Cable Zip Type Easy Pull Box



- RG59/U w/18/2 cond. 95% Copper Combo Cable Zip Type Easy Pull Box

Part No	Length	Color	Price
RG59-18-9W-500	500ft	White	116.95
RG59-18-9B-500	500ft	Black	116.95
RG59-18-9W-1000	1000ft	White	215.46
RG59-18-9B-1000	1000ft	Black	215.46

1000ft Security Sensor Wire

5013-SF-01	22/2 Conductor Solid	55.95
5013-SF-02	22/4 Conductor Solid	100.95




ACTIVE BALUNS

Video Balun Active Receiver and Transmitter

The video transmitter and Video receiver are active devices that allows the transmission of real-time monochrome (B/W) or color video via Unshielded Twisted Pair (UTP) cable. composite signals of any type are supported.

- Transmit a full motion color video signal up to 1200M / 4000Ft and a full motion monochrome (B&W) video signal up to 2400M / 8000Ft.
- Built-in transient protection and ground lifting, which eliminates damaging voltage spike problems.
- Supports all bandbase signals including PAL, NTSC, SECAM.
- Signal Transmission via UTP CAT5 / CAT5e.
- Transmission Signal 1Vpp Composite Video.



	Part No	Description	Price
A	VAB100T	8000ft Active Video Transmitter	34.95
B	VAB100R	8000ft Active Video Receiver	37.95

- 4, 8, 16 channel active receiver hub. Video receiving connectors with both RJ45 connector and screw type terminals.



	Part No	Description	Price
C	VAB400R	A-10 Active 4-CH Video Balun	126.00
D	VAB800R	A-11 Active 8-CH Video Balun	230.85
E	VAB1600R	A-12 Active 16-CH Video Balun	371.93

PASSIVE BALUNS

- Built-in Filter: 0~6HMz with Extra Interference Rejection <60db
- Use an Unshielded Twisted Pair cable (UTP), like CAT5, to transmit full motion camera video signal in B&W up to 2000ft / 600m and in color up to 1200ft / 400m.
- Wave / Interference Rejection & Noise Filter
- Surge / Lightning Protection
- Passive, no power required
- Fast, easy installation, saving time and money



	Part No	Description	Price
A	VPB100P	Passive Video Filter Balun, Push-in Terminal Type (2pcs pack)	13.68
B	VPB100	Passive Video Filter Balun, Push-in Terminal Type	7.52
C	VPB100-10	Passive Video Filter Balun, Push-in Terminal Type (10pcs pack)	64.13
D	VPB100LP	Passive Video Balun 8" Pigtail BNC Male (2pcs kit)	16.03
E	VPB110TK	Passive Video Balun with Power Connector Kit	17.96
F	VPB110RJK	Passive Video/Power Lead Balun RJ45 Kit	20.52
G	VPB111RJ	Passive Video Balun with Video, Power & Data	15.05
H	VPIG100L	Passive Video Balun with High Performance Ground Loop Isolator	27.95

PASSIVE BALUNS

BNC Passive Video Transceiver - K1



Passive Ultra Mini Video Balun with extra interference rejection BNC male to 2 open 2 bare wire with Butt Connectors

Part No	Pack	Price
VPBB-100	1 pc	8.21
VPBB-100-20	20pcs	128.25

Audio Balan RCA Female for LAN Cable (Sold by pair)

- Hi Performance to eliminate the audio ground loops interference.
- Twisted pair Audio Ground Loop Isolator.
- RCA female to 2 pin screw terminal.
- 20Hz to 20 KHz Bandwidth.
- Available for 75~120ohm cable.



5015-SF-01 29.89

4CH, 8CH, 16CH Passive Video Balan

- Perfect for CCTV installations, and ideal for security monitoring stations.
- Use RJ45 Jack or 4, 8, 16 screw type terminal to connect between units.
- Transmit a color video signal up to 1200ft / 400m, and B/W video signal up to 2000ft / 600m.
- Passive; No power required.
- Eliminate coaxial cable.
- Built-in Filter: 0~6MHz



Part No	Description	Price
5015-SF-17	4-Channel Passive Video Balun / Transceiver	55.80
VPB800TRJ	8-Channel Passive Video Balun / Transceiver	62.29
VPB1600TRJ	16-Channel Passive Video Balun / Transceiver	136.80

STANDARD CCTV CAMERA

630TVL Super Low Lux DNR Camera

- 1/3" Sony Super HAD CCD
- OSD with Day & Night
- Digital Noise Reduction (DNR)
- 12V DC SDNR-F63012-OSD
- Star Lighting, Color at Night
- Sense-up Control x2, x4, x6, x8, x10, x12, x14, x16, x24, x32, x64, x128
- Lens not included



- 0.001 Lux
- 160mA
- 630 TV Lines

SDNR-F630DN-OSD 180.73

610TVL ICR D/N Camera

- 1/3" Sony Super HAD CCD II
- Sony Effio-E DSP
- Color: 610 TVL, B/W: 630 TVL
- High Contrast Images
- Picture Quality Adjustable (Contrast/Sharpness/Hue/Gain)
- ATR Digital Powerful 128x WDR (52dB)
- Advanced Motion Detection Function



- Ideal for Backlight Environments
- 2D Noise Reduction
- Lens not included

SEMT-7610 169.90

680TVL ICR D/N Camera

- 1/3" Sony 960H Exview CCD
- Sony Effio-E DSP
- Color: 680 TVL, B/W: 700 TVL
- Color: 0.03 Lux @ F1.0
- Multi-Language OSD Control
- 2D Noise Reduction
- Advanced Motion Detection Function
- ATR Digital Powerful 128x WDR (52dB)



- B/W: 0.01 Lux @ F1.0
- Anti-Headlight (HLC)
- High Contrast Images
- 12V DC / 24V AC, 3.0W
- Lens not included

SEMT-7680 185.96

420TVL Color Camera

- 0.2 Lux @ F1.2
- Dual Power 24V AC / 12V DC
- 1/3" Sony Super HAD CCD, 420 TV Lines
- Lens not included



SST-7420 100.78

610TVL D/N Camera

- 1/3" Sony Super HAD CCD II
- Sony Effio-E DSP
- Color: 610 TVL, B/W: 630 TVL
- Color: 0.05 Lux @ F1.0
- Multi-Language OSD Control
- Ideal for Backlight Environments
- ATR Digital Powerful 128x WDR (52dB)
- Advanced Motion Detection Function



- Anti-Headlight (HLC)
- 12V DC / 24V AC, 3.0W

SET-7610 165.95

680TVL ICR D/N Camera

- 1/3" Sony 960H Exview CCD
- Sony Effio-E DSP
- Color: 680 TVL, B/W: 700 TVL
- Color: 0.03 Lux @ F1.0
- Multi-Language OSD Control
- Ideal for Backlight Environments
- Advanced Motion Detection Function
- Picture Quality Adjustable (Contrast/Sharpness/Hue/Gain)
- ATR Digital Powerful 128x WDR (52dB)



- B/W: 0.01 Lux @ F1.0
- Anti-Headlight (HLC)
- Mosaic Privacy Mask
- 12V DC / 24V AC, 3.0W
- Lens not included

SET-7680 167.95

550TVL 10 IR LED TrueD/N ICR AI Camera

- 1/3" Sony Super HAD CCD, 550 TV Lines, HQ-1
- Built-in Aspherical 3.8mm~9.0mm Vari-Focal Lens
- IR Distance 30~45ft / 10~15m
- 0.45 Lux @ F1.2
- 12V DC
- 10 IR LED



SHM-755All 211.61

420TVL 10 IR LED True D/N ICR Camera

- 1/3" Sony Super HAD CCD, 420 TV Line
- Built-in Aspherical 3.8mm~9.0mm Vari-F
- IR Distance 30~45ft / 10~15m
- 0.45 Lux @ F1.2
- 10 IR LED
- 12V DC



SSM-742All 180.95

IR CAMERA

28 IR Day & Night Weatherproof Color Camera

- 1/3" Sony CCD, 420 TV Lines
- 28 IR LED
- 4.0mm or 6.0mm Lens
- IR Distance up to 65ft / 20m
- IP66 Rating
- 400mA max @ IR "on" / 135mA @ IR "off"
- 12V DC
- Double glass designed to prevent IR light refraction & diffusion



EIR28-F4240 **82.48**

35 IR True Day & Night Weatherproof Camera

- 1/3" Sony CCD, 480 TV Lines
- 35 IR LED
- 4.0mm Lens
- IR Distance up to 100ft / 30m
- 12V DC



EIR35-F4840 **90.95**

56 IR Day & Night Weatherproof Color Camera

- 1/3" Sony CCD; 420 TV Lines
- 56 IR LED
- Aluminum Shell
- 5.0mm~15.0mm Vari-Focal Lens
- IR Distance 130~160ft / 40~50m
- Power Polarity Reverse Protection
- 120mA @ IR "off" / 525mA @ IR "on"
- Weatherproof IP65 Rating
- with 3-AXIS Cable Management Bracket



EIR56X-42VF515 **165.77**

42 IR Day & Night Weatherproof Color Camera

- 1/3" Hi-Res. Sony Super HAD CCD
- 3.3mm~12.0mm Aspherical Vari-Focal Lens
- F1.5 with IR Coding – Made by DAIWON
- IR Distance up to 130ft / 40m
- Selectable IR projecting distance design(Hi/Mid/Low)
- Internal wire system with anti-cut bracket
- 0.3 Lux @ F1.6 / 0 Lux @ IR "on"
- IP66 Rating
- External Function Adjustors
- 42 IR LED
- Cable Management Bracket
- 12V DC



SIR42-352AI **210.95**

Long Range IR Day & Night Weatherproof Color Camera

- 1/3" Sony Super HAD CCD
- 420 TV Lines
- 5.0mm~50.0mm Vari-Focal Lens
- 0.1 Lux @ F2.0 / 0 Lux @ IR "on"
- IR Distance up to 220ft
- Weatherproof IP65 Rating
- 12V DC
- 8pcs High Power IR LED & 22pcs Φ5mm LED
- 90~110mA @ IR "off"
- 630~660mA @ IR "on"



EIR8H22-42VF550 **210.76**

24 IR Dome Color Camera

- 1/4" Sony Super HAD CCD
- 420 TV Lines
- 24 IR LED
- 3.6mm Lens
- 12V DC (+/- 10%)
- Lux @ F2.0 (0 Lux @ IR "on")
- IR distance 35~50ft / 10~15m**
- 240~280mA IR LED "on" / 90~110mA IR LED "off"



EID24-42B **59.79**

IR CAMERA

Indoor 24 IR Day & Night Dome Color Camera

- 1/3" Sony Super HAD CCD
- 420 TV Lines
- 24 IR LED
- IR Distance 30~45ft / 10~15m
- 12V DC
- 3-AXIS Design for any angle
- 0.4 Lux @ F2.0
- Auto White Balance / Gain Control



SIRD24-74243 **102.60**

IP CAMERA

LAN IP Camera

The IP Camera 2 Mega Pixels has a build-in a web server which can transfer video & audio via a data network and monitor your home/office/commercial facility from any corner of the world.

- Support Network Protocol - HTTP, TCP/IP, DDNS, DHCP, and PPPoE.
- Motion Detection and alarmed via e-mail to pre-set e-mail address , can adjust sensitive level from zero degree to 99 degree
- 10/100Mbps Fast Ethernet Network Access.
- Excellent performance at nighttime.
- Resolution -True 640x480, 320x240, 160x120



5022-SF-01 **283.95**

Wireless Network MPEG4 Color Camera

- MPEG4 Simple Profile Video Compression
- Excellent Image Quality with up to 30 FPS in VGA Resolution
- Support RTSP (Real-time Streaming Protocol)
- Optimized Synchronization of Audio and Video
- 4X Digital Zoom
- 4.0mm Lens / F2.0
- 5V DC
- 802.11g Wireless LAN



5022-SF-06 **257.60**

2 Way Audio Surveillance Camera, MPEG4&MJPEG

The TL-SC3130 2-way audio surveillance camera is a versatile solution for your home and office monitoring. This camera can be placed in your living room, office, or anywhere else, you would like to keep an eye on things, with no PC required on location. After a hassle-free installation, you can view and control the camera from a Web browser, bundled software, or compatible cell phone.

- 2-way audio allows users to listen to & talk to remotely
- MPEG-4/MJPEG dual streams for simultaneous remote recording and local surveillance



5022-SF-18 **110.60**

Wireless 2-Way Audio Surveillance Camera

- 54Mbps wireless connectivity brings flexible placement
- 2-way audio allows users to listen to & talk to remotely
- MPEG-4/MJPEG dual streams for simultaneous remote recording and local surveillance
- MSN View, making the once daunting task of setting up a camera's remote viewing



5022-SF-19 **142.10**

1.3MP IP Day/Night Camera POE CMOS

- 1/3.8" Sony Progressive CMOS Sensor
- 1280 x 960
- 2-way Audio
- MPEG4/MJPEG Compression
- 10/100 Ethernet w/ RJ45 Connector
- Frame Rate 15fps @ 1280x960



5022-SF-10 **437.40**

DOME CAMERA

- 1/3" Sharp CCD
- 540 TV Lines
- 3.6mm Board Lens
- 0.2 Lux @ F2.0
- 3-AXIS Design for any angle
- 12V DC, 75mA



Part No	Specification	Price
EPDX-3540B	540 TV Lines	70.54
ESDX-3420B	420 TV Lines	51.30
SED4-7610B	610 TV Lines	117.78

AI Dome Camera

- 1/3" Sony 760H Super HAD CCD II
- Sony Effio-E DSP
- Multi-Language OSD Control
- ATR Digital Powerful 128x WDR (52dB)
- Anti-Headlight (HLC)
- Ideal for Backlight Environments
- Mosaic Privacy Mask
- Advanced Motion Detection Function
- SEDX-761AI-B / SEDX-761AI-W: 12V DC, 2.3W
- SEDX-761AI-BD / SEDX-761AI-WD: 12V DC / 24V AC, 2.3W
- Picture Quality Adjustable (Contrast/Sharpness/Hue/Gain)
- Built-in Varifocal Lens & Unique 3 Axis Gimble Mechanism



Part No	Specification	Price
SEDX-761AI-B	610 TV Lines	185.96
SEDX-761AI-BD	610 TV Lines; Dual Power	204.56
SEDX-768AI-B	680 TV Lines	223.16
SEDX-768AI-BD	680 TV Lines; Dual Power	241.75

DC CORD ADAPTERS



Part No	Description	Price
PDC-MS-10	Male DC Cord to Terminals Block camera plug (10pcs Bag)	7.28
PDC-FS-10	Female DC Cord to Terminals Block transformer plug (10pcs Bag)	7.28
PDCMF122-10	2 DC Power Cord Splitter (10pcs Bag)	16.95
PDCMF124-10	4 DC Power Cord Splitter (10pcs Bag)	28.07

ENCLOSURE & BRACKET

7 Hi-Power IR LED Illuminator

- Uses professional rust-proof stainless steel screws
- Includes 1 side and 1 underneath mounting plate
- 7 Super Power IR LED, 4pc x 25° / 3pc x 45°
- IR Distance up to 150~200ft / 45~70m
- User Adjustable IR LED Intensity (VR),
- Factory Default 80%
- IP66 Rating
- 24V AC, 40VA
- Camera not included



IR7-TIR 196.36

ENCLOSURE & BRACKET

Hi-Security Die-Cast Front to Back Open Camera Housing

Hi-Security Die-Cast Front to Back Open Camera Housing with Sunshield and Cable Managed Bracket. IP67



HUB-TF 149.95

Outdoor housing with Cable management bracket

Outdoor beige Heater & blower 24VAC housing with Cable management bracket



HB618HBK 45.95



	Part No	Description	Price
A	MB-6D	6" Wall Mount Bracket	22.95
B	IRM-TDP	Optional 2 side Bracket to hold for IR7-TIR	32.06
C	5002-SF-52	Indoor In-Ceiling mount,MB-VEI	96.10
D	5002-SF-53	Ceiling Mount Bracket,MB-VCHB	53.01
E	5002-SF-54	Ceiling Mount Bracket,MB-VCS	92.98
F	5002-SF-55	39" Extension Pipe,MB-VC-E39	59.64
G	5002-SF-57	Extension pipe Adaptor,MB-VC-AD	15.00
H	5002-SF-58	Wall Mount Bracket,MB-VWHB	99.39
I	5002-SF-62	Roof Mount Swan neck bracket,MB-VRG	72.89
J	5002-SF-63	Outdoor Conner Mount Adapter,MB-VCM	46.38

Shop our entire product line of over 8,000 items at

www.sfcable.com

Computer Accessories Adapters Cables Cellphone Accessories Laptop Accessories Networking Power Cord & Surge Security USB and Custom USB Flash Drive.



Three Ways to Order

Phone 1-888-275-8755
Fax 1-510-264-9989
Online www.sfcable.com

PRSR STD
U.S. Postage
PAID
Fremont, CA
Permit # 230

Shop Over 8,000 SF Cable Products Visit www.sfcable.com Today!



Fiber Optic
Page 42



Security Products
Page 56

SAME DAY SHIPPING

No Minimum Order

Quality Assured

No Restocking Fee

Low Price

GET PLUGGED IN

With a variety of plugs you will always be able to find what you need.

Power Cords and Adapters Page 44



**Lifetime
Warranty**



Index

Audio / Video	15-20
Computer Adapters	12-14
Bulk Wire	18-21
DVI / HDMI Cables	26-27
KVM Cables	22
Mobile Accessories	3-5
Networking	29-43
Printer Cables	24
Power Cord	44-46
Security Cameras	56-59
USB	49-55

Toll Free Ordering and Technical Support: 1-888-275-8755